

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

12 inch diameter standard from surface to 192 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

Perforated from 172 ft to 192 ft
 (Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Top soil and clay	1 to 6 ft.	6
Sandy clay (some water at 24 feet)	6 " 45 "	45
Quick sand	45 " 70 "	70
Sandy clay with a gravel now and then	70 " 115 "	115
Cement gravel	115 " 117 "	117
Black sand	117 " 122 "	122 water
Gravel with binder	122 " 142 "	142
Very sticky clay	142 " 150 "	150
Sand and clay	150 " 165 "	165
Clay and gravel	165 " 168 "	168
Water, gravel and sand	168 " 176 "	176
tight gravel	176 " 184 "	184
Loose water Gravel	184 " 192 "	192
Gravel with water, some wood and silt	192 " 198 "	198

If log of well is not available, give name and address of driller

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Multiple stage vertical turbine Capacity 500 g.p.m.
(Make, type and size)


(b) Motor General Electric, 3 phase electric 40 h.p.
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
Water is pumped into central municipal water supply system used throughout the City of Woodburn, which lies within the boundaries of Township 5 S., R. 1 W., W. M.					
(data by 40 acre tracts therein not being available at City Hall, State Engineer may determine these data from public records of his office if necessary, although water pumped from these wells is not used on a specific 40-acre tract or other sized tract other than within and throughout the City of Woodburn.)					
T55	R1W	7	all S 1/2	municipal	1945
"	"	18	all N 1/2	"	"
"	"	8	all SW 1/4	"	"
"	"	17	all NW 1/4	"	"

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.
..... Not applicable

Township 55 Range 1W, W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON }
County of Marion } ss.

I, Warren Donner, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Warren R. Donner
(Signature of Registrant)

Subscribed and sworn to before me this 6th day of June, 1958.

My commission expires March 18, 1959

Harold A. Eubank
(Notary Public for Oregon)
My Commission expires March 18, 1959

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 21st day of July, 1958, at 2:00 o'clock A.M. and has been duly recorded in said office in Book No. 10 of Registration Statements on page GR-2269

~~Construction shall be completed by _____ and the work completely completed on _____~~

Witness my hand this 10th day of March, 1959

Lewis A. Stanley
(State Engineer)

\$ 22.00

By _____ (Deputy)
GR-2269