

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, Orie H. Cox
of Rt. 2, Box 180, Albany County of Linn
(Mailing address)

State of Oregon do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 8 miles NE of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N. 78° 40' W. 17.3 chains from SE cor. of NE¹ of S. 31, T. 10 S., R. 2 W.
(Give distance and bearing to corner of section or other legal subdivision)
being within SE¹ of NE¹ of Sec. 31, Twp. 10 S., Rge. 2 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)
County of Linn
(If within city or town, give name)

3. Construction Work was begun on April 10, 1951, was completed on April 15, 1951
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on May 15, 1951
(Date)

since which time the water has been used continuously
(Continuously or intermittently)

from May 15, 1951 to present time
(Date) (Date)

4. Quantity of water claimed and used is 60 gallons per minute; 24.0 acre
feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 37 feet. Type Drilled
(Dug or drilled)

diameter 6 inches. Elevation of ground at well site 215 feet, mean sea level.
(As near as known)

Depth to water table 20 feet.

7. Capacity of Well: _____ g.p.m. with _____ feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test Not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

6 inch diameter steel casing from 0 to 30 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

Slot perforations from 20 to 30
 (Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Not available		

If log of well is not available, give name and address of driller. Nicholas Klaus, Rt. 4, Albany, Oregon

11. Infiltration Trench: Covered or open _____
 Dimensions: Length _____ ft. Minimum depth _____ ft. Maximum depth _____ ft.
 Bottom width _____ ft. Discharge _____ g.p.m. Date of test _____

12. Tunnel: Type of lining _____
 Dimensions: _____
(Length, course, and cross sectional size)
 Position of water-bearing stratum with reference to portal of tunnel _____

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:
 (a) Pump Allis Chalmers 1 1/2 cent. Capacity 75 g.p.m.
(Make, type and size)
 (b) Motor 3 H. P. electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10 S	2 W	31	SE 1/4 of NE 1/4	4.3	May 15, 1951
10 S	2 W	31	SW 1/4 of NE 1/4	2.0	" "
10 S	2 W	31	NE 1/4 of SE 1/4	1.7	" "
				8.0	

Orie H. Cox

Beginning 5.15 chains west of the Southwest corner of Section 29 in T. 10 S., R. 2 W.; thence west 9.90 chains; thence S. 8 1/2° W. 22.20 chains; thence S. 25 1/2° W. 13.32 chains; thence S. 59° E. 12.50 chains; thence S. 19 1/2° W. 1.93 chains; thence S. 30° 30' E. 13.09 chains; thence N. 40° E. 13.17 chains; thence N. 83 3/4° W. 13.11 chains; thence N. 21° 19' E. 9.59 chains; thence N. 1° 2' W. 9.56 chains; thence N. 83 1/2° E. 0.43 chains; thence N. 1° W. 27.75 chains; thence S. 37 1/2° W. 10.75 chains; thence S. 1° E. 1.95 chains to the beginning and containing 84.76 acres.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant _____

