

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

### TO THE STATE ENGINEER OF OREGON:

I, Forrest H. Miller

of Jefferson County of Marion

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 3 Mile North-West of Jefferson, Oregon  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) South 14<sup>D</sup> 51' East 2547.74' from the N. W. Corner of Sec 2 T-10 S. R. 3 W.  
(Give distance and bearing to corner of section or other legal subdivision)

being within S. 1/2 of N. 1/2 of N. 1/2 of Sec. 2 Twp. 10 S. Rge. 3 W.  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of S  
(If within city or town, give name)

3. Construction Work was begun on 15 June 1948 was completed on 1 July 1948  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1 July 1948  
(Date)

since which time the water has been used Continuously  
(Continuously or intermittently)

from 1 July 1948 to \_\_\_\_\_  
(Date) (Date)

4. Quantity of water claimed and used is 122.8 gallons per minute; 43.70 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation of mint and Row Crops

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 25 feet. Type Drilled  
(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 275 feet, mean sea level.  
(As near as known)

Depth to water table 15 feet.

7. Capacity of Well: 350 g.p.m. with None feet drawdown.

\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test 1 July 1948

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)

1938

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

8 inch diameter Steel casing from Ground to 25 feet  
 inch diameter from to feet  
 inch diameter from to feet  
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. **Perforated Casings or Screens:**

$\frac{1}{2}$  x 23 about 10 per ft. from 15 to 25  
 (Number per foot and size of perforations, or describe screen)  
 from to  
 from to  
 from to

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Sandy Loam	15	10
Gravel	10	0

THIS INDENTURE WITNESSETH, That MARY DONOHUE unmarried, for the sum of Ten and no/100 - — Dollars to her paid, has, bargained and sold and by these presents does grant, bargain, sell and convey to FORREST H. MILLER and ETHEL P. MILLER husband and wife, as tenants by the entirety, the following described premises situate in Marion County, Oregon, to-wit:

Parcel #1 - Beginning at the intersection of the East line of the Samuel Miller Donation Land Claim, in Township 10 South Range 3 West of the Willamette Meridian in Marion County, Oregon and the section line between sections 2 and 11 in said Township and Range; thence Northerly along the East line of said Donation Land Claim 20.00 chains to an iron pipe; thence West 7.90 chains to an iron pipe which is the beginning point of this description; said iron pipe is 63.347 chains South 0° 47' West and 7.90 chains West of the Northeast corner of said Donation Land Claim; thence West 19.73 chains to an iron rod; thence North 4° 44' East 5.476 chains to an iron pipe; thence North 16° 48' East 15.597 chains to an iron pipe; thence North 21° 16' East 11.092 chains to an iron pipe; thence North 23° 44' East 7.750 chains to an iron pipe; thence North 43° 39' East 5.200 chains to an iron pipe; thence North 45° 43' East 3.585 chains to a point in the center of the County road leading from Jefferson to Buena Vista, Oregon; An iron pipe bears South 45° 43' West .495 chains from said point; thence South 42° 56' East along the center of said road 3.013 chains; thence South 0° 47' West parallel with the East line of said Samuel Miller Donation Land Claim 41.874 chains to the place of beginning.

Parcel #2 - Beginning at the intersection of the East line of the Samuel Miller Donation Land Claim in Township 10 South Range 3 West of the Willamette Meridian in Marion County, Oregon and the Section line between sections 2 and 11 in said Township and Range; thence Northerly along the East line of said Donation Land Claim 20.00 chains; thence West 27.63 chains to an iron rod; thence North 4° 44' East 5.476 chains to an iron rod which is the beginning point of this description. Said beginning point being 63.347 chains South 0° 47' West and 27.63 chains West and 5.476 chains North 4° 44' East from the Northeast corner of said Donation Land Claim; thence North 16° 48' East 15.597 chains to an iron pipe; thence North 21° 16' East 11.092 chains to an iron pipe; thence north 23° 44' East 7.750 chains to an iron pipe; thence North 43° 39' East 5.200 chains to an iron pipe; thence North 45° 43' East 3.585 chains to a point in the center of the county road leading from Jefferson to Buena Vista, Oregon; An iron pipe bears South 45° 43' West .495 chains from said point; thence North 42° 56' West 1.395 chains along the center of said county road to the center of a creek and the North East corner of a 6.97 acre of land deeded to A. S. Gurgurich said deed being recorded on page 286 of Vol. 401 of the deed records for Marion County; thence South westerly following the center line of said creek and the East line of said Gurgurich tract to a point which is South 36° 12' West 2.045 chains, south 47° 49' West 2.426 chains, south 58° 22' West 1.864 chains and South 18° 48' West 3.239 chains from the last mentioned point in the county road and is the southeast corner of said Gurgurich tract; thence North 89° 3' West along the South line of said Gurgurich tract 2.472 chains; thence North 12° 31' West along the West line of said Gurgurich tract 9.417 chains; thence North 88° 49' West 13.595 chains; thence Southerly parallel with the section



GR-222 A

405966

line between sections 2 and 3 in Township 10 South Range 3 West 9.30 chains thence West .455 chains (30 feet) to an iron pipe which is 25.92 chains South of the North east corner of section 3 and .50 chains East of the Section line between sections 2 and 3; thence Southerly parallel with said section line 26.91 chains thence West 19.50 chains to the West line of the land described on page 241 of Vol. 138 of the deed records for Marion County; thence South 11° East 25.20 chains; thence West .50 chains; thence South 14° East 4.200 chains; thence North 76° 36' East 3.847 chains; thence North 81° East 5.30 chains to an iron pipe at the Southwest corner of the land of J. A. Wickett as shown on page 414 of Vol. 373 of the Deed records for Marion County, Oregon; thence North 18.144 chains to an iron pipe; thence North 72° 54' East 1.608 chains (106.10 feet) to an iron rod; thence North 85° 23' East 3.182 chains (210.0 feet); thence North 79° 41' East 3.797 chains (250.6 feet) to an iron rod; thence North 84° 20' East 3.542 chains (233.80 feet) to an iron rod; thence North 38° 36' East 1.864 chains (123.0 feet) to the place of beginning.

Save and except a strip of land 30 feet wide, being 15 feet in width on each side of the following described line; Beginning at a point which is East 50 links distant and South 26.145 chains distant from the Northeast corner of section 3 in Township 10 South Range 3 West of the Willamette Meridian in Marion County, Oregon and from thence running East 20.00 chains to the private roadway leading to the county road leading from Jefferson, Oregon to Buena Vista, Oregon and then following said private road Northeasterly to said county road, The above tract to be used for road purposes only.

Parcel #3 - Beginning at a point on the section line between section 2 and 11 in Township 10 South Range 3 West of the Willamette Meridian in Marion County, Oregon; said point being 30.00 chains West of the intersection of said section line with the East line of the Donation Land Claim of Samuel Miller; thence North to the Southeast corner of a tract of land deeded to J. A. Wickett, said deed being recorded on page 414 of Vol. 373 of the Deed records for Marion County, Oregon; thence South 71° 6' West 137.4 feet; thence South 77° 3' West 245.10 feet; thence South 79° 45' West 178.20 feet; thence South 89° 16' West 136.0 feet to an iron rod at the Southwest corner of said Wickett tract; thence South 81° West 5.30 chains; thence South 76° 36' West 3.847 chains to the West line of said Miller Donation Land Claim; thence Southerly following the West line of said Miller Donation Land Claim to the right bank of the Santiam River; thence following the right bank of said river up stream to a point due east of the place of beginning; thence West along the section line between sections 2 and 11 to the place of beginning.

TO HAVE AND TO HOLD unto the said grantees their Heirs and Assigns forever AND the said grantor does hereby covenant to and with the said grantees their Heirs and Assigns, that she is the owner in fee simple of said premises; that said premises are free from all encumbrances except:

1. Easement for right of way to Mountain States Power Company, recorded October 16, 1946 in Vol. 357 page 150 Deed records of Marion County, Oregon;
2. Easement and right of way to The United States of America, recorded June 19, 1950 in Vol. 417 page 318 Deed records.
3. Any and all rights in and to the roadway bisecting the herein described premises running Southerly from the County road.
4. Right of way as evidenced by lease by and between Daniel Donahue and Arthur Warren Whitsell, recorded December 9, 1920 in Vol. 160 page 260 Deed records.
5. Right of ways bisecting Parcel #2 herein described in Deeds from Mary Donohue et al in Vol. 161 page 578 and Vol. 163 page 296 Deed records.

ALSO: Save and Except all roads and rights of way in and to the public and private roads.

If log of well is not available, give name and address of driller. R. A. West

Salem, Oregon

11. Infiltration Trench: Covered or open \_\_\_\_\_

Dimensions: Length \_\_\_\_\_ ft. Minimum depth \_\_\_\_\_ ft. Maximum depth \_\_\_\_\_ ft.

Bottom width \_\_\_\_\_ ft. Discharge \_\_\_\_\_ g.p.m. Date of test \_\_\_\_\_

12. Tunnel: Type of lining \_\_\_\_\_

Dimensions: \_\_\_\_\_  
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel \_\_\_\_\_

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Allis-Chalmers-Centrifugal 280 intake Capacity 250 g.p.m.  
(Make, type and size)


(b) Motor Electric-10 H.P.  
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10 S	3 W	2	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	21.85	1948

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 10 Range 2 3 W. W.M.  
North



Locate well and acreage of irrigated land on plat.  
Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion } ss.

I, Forrest H. Miller, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

*Forrest H. Miller*  
(Signature of Registrant)

Subscribed and sworn to before me this 28th day of August, 1956

My commission expires August 13, 1959 *W. R. Siegmund*  
(Notary Public)

(SEAL)

SEE PAGE GR-222 O FOR  
CERTIFICATE OF REGISTRATION

STATE OF OREGON } ss.  
County of Marion

~~This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the day of at and has been duly recorded in Book No. of Registration Statements on page~~

~~Construction shall be completed by and the water completely applied to benefit by~~

Witness my hand this day of 19

(State Engineer)

By (Deputy)

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Forrest H. Miller

of Jefferson County of Marion

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well #2  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1 1/2 Miles North-West of Jefferson, Oregon  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 3,428.91 feet South 5° 18' East from N. W. Cor. Sect. 2 T. 10 S. 3 W.  
(Give distance and bearing to corner of section or other legal subdivision)

being within N. W. 1/4 of S. W. 2 of Sec. 2, Twp. 10 S., Rge. 3 W.  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of \_\_\_\_\_  
(If within city or town, give name)

3. Construction Work was begun on 1 July 1940; was completed on 15 July 1940  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 15 July 1940  
(Date)

since which time the water has been used Continuously  
(Continuously or intermittently)

from 15 July 1940 to \_\_\_\_\_  
(Date) (Date)

4. Quantity of water claimed and used is 84.15 gallons per minute; 29.98 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation of Mint, Saw Crops and grain.  
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 30 feet. Type Drilled  
(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 275 feet, mean sea level.  
(As near as known)

Depth to water table 15 feet.

7. Capacity of Well: 400 g.p.m. with 4 feet drawdown.

\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test 15 July 1940

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

8 inch diameter    Steel Casing    from 0 to 30 feet  
 inch diameter    from to feet  
 inch diameter    from to feet  
 inch diameter    from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:


1 1/2" x 2" about 10 per Ft.    from 15 to 25  
 (Number per foot and size of perforations, or describe screen)  
 from to  
 from to  
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Sandy Loam	15	10
Gravel	10	0



Township 10 S Range 3 W W.M.  
North



Locate well and acreage of irrigated land on plat.  
Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion } ss.

I, Forrest H. Miller, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Forrest H. Miller  
(Signature of Registrant)

Subscribed and sworn to before me this 28th day of August, 1956

My commission expires August 13, 1959 R. Bieganow  
(Notary Public)

(SEAL)

SEE PAGE GR-222 O FOR  
CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 28th day of August, 1956 at 10 o'clock A.M. and has been duly recorded in said office in Book No. 10 of Registration Statements on page 18.

Construction shall be completed by 10 and the water rightfully applied to beneficial use by 18.

Witness my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_

(State Engineer)

By \_\_\_\_\_  
(Deputy)

GR-222 G

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Forrest H. Miller  
of Jefferson County of Marion

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well #3  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1 1/2 miles North-West of Jefferson Oregon  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 21° 56' East, 3791.39' from N.W. Cor. Sec. 2 in T. 10 S., R. 3 W.  
(Give distance and bearing to corner of section or other legal subdivision)

being within N. E. 1/4 of S. 2 of Sec. 2, Twp. 10 S., Rge. 3 W.  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of \_\_\_\_\_  
(If within city or town, give name)

3. Construction Work was begun on 15 June 1938; was completed on 1 July 1938  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1 July 1938  
(Date)

since which time the water has been used Continuously  
(Continuously or Intermittently)

from 1 July to Date \_\_\_\_\_  
(Date) (Date)

4. Quantity of water claimed and used is 305.65 gallons per minute; 108.32 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation of mint, grain and row crops

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 25 feet. Type Pump well  
(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 275 feet, mean sea level.  
(As near as known)

Depth to water table 15 feet.

7. Capacity of Well: 400 g.p.m. with None feet drawdown.

\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test 1 July 1938

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)

GR-222 H

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

3 inch diameter Steel Casing from Ground to 25 feet  
 inch diameter from to feet  
 inch diameter from to feet  
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:


1/2" x 2' about 10 per ft. from to  
 (Number per foot and size of perforations, or describe screen)  
 from to  
 from to  
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Sandy loam	15	10
Gravel	10	0



Township 10 Range 3 W W.M.  
North



Locate well and acreage of irrigated land on plat.  
Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion

ss.

I, Forrest H. Miller, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Forrest H. Miller  
(Signature of Registrant)

Subscribed and sworn to before me this 28th day of August, 1956

My commission expires August 13, 1959 W.R. Bregmond  
(Notary Public)

(SEAL)

SEE PAGE GR-222 C FOR  
CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion

ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 28th day of August, 1956, and has been duly recorded in said office in Book No. of Registration Statements on page -

Construction shall be completed by 10/1/57 and the water completely applied to beneficial use by 10/1/58.

Witness my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

(State Engineer)

By \_\_\_\_\_  
(Deputy)

GR-222 K

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER (Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Forrest E. Miller  
of Jefferson, Oregon County of Marion  
State of Oregon, do hereby make application for a certificate of registration as evidence  
of a right to appropriate ground water.

- 1. Source from which water is withdrawn is Pump Well  
(Flowing well, pump well, infiltration trench, or tunnel)
- 2. Location is: 1 1/2 Miles North-West of Jefferson, Oregon  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 4,376.13 feet South 9° 33' West of the North-West Cor. of Sec. 2 in T. 10 S. R. 3 W.  
(Give distance and bearing to corner of section or other legal subdivision)  
being within S. E. 1/4 of S. E. 1/4 of Sec. 3, Twp. 10 S., Rge. 3 W.  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city: \_\_\_\_\_  
in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)  
County of \_\_\_\_\_  
(If within city or town, give name)

3. Construction Work was begun on 15 October 1951; was completed on 15 October 1951  
(Date) (Date)  
and the ground water claimed was first used for the purposes set out below on 15 June 1952  
(Date)  
since which time the water has been used Continuously  
(Continuously or intermittently)  
from 15 June 1952 to Date  
(Date) (Date)

4. Quantity of water claimed and used is 199.8 gallons per minute; 70.96 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation of peppermint  
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 50 feet. Type Drilled  
(Dug or drilled)  
Diameter 10 inches. Elevation of ground at well site 275 feet, mean sea level.  
(As near as known)  
Depth to water table 12 feet.

7. Capacity of Well: 400 g.p.m. with One feet drawdown.  
\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.  
Date of test 16 October 1952

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)



If log of well is not available, give name and address of driller. ....

11. Infiltration Trench: Covered or open .....

Dimensions: Length ..... ft. Minimum depth ..... ft. Maximum depth ..... ft.

Bottom width ..... ft. Discharge ..... g.p.m. Date of test .....

12. Tunnel: Type of lining .....

Dimensions: .....  
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump ..... Allis Chalmers Centrifugal ..... 2 x 3 1/2 ..... Capacity 400 ..... g.p.m.  
(Make, type and size)

(b) Motor ..... Electric ..... 15 H.P.  
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10 S	3 W	3	N. E. $\frac{1}{4}$ of S. E. $\frac{1}{4}$	18.22	6-15-52
10 S	3 W	3	S. E. $\frac{1}{4}$ of S. E. $\frac{1}{4}$	16.80	"
10 S	3 W	10	N. E. $\frac{1}{4}$ of N. E. $\frac{1}{4}$	.46	"
				35.48	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

