

Registration Statement CERTIFICATE NO. GR-223

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, J. A. Wickert

of Jefferson, Oregon County of Marion

State of Oregon do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1 1/2 Miles North-West of Jefferson, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 4,721.21 feet South 4° 8' West from N. W. Cor. of Sec. 2 T. 10 S. R. 3 W.
(Give distance and bearing to corner of section or other legal subdivision)

being within S. E. 1/4 of S. E. 1/4 of of Sec. 3, Twp. 10 S., Rge. 3 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of _____
(If within city or town, give name)

3. Construction Work was begun on 15 April 1948; was completed on 1 May 1948
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1 June 1948
(Date)

since which time the water has been used continuously
(Continuously or intermittently)

from 1 June 1948 to _____ Date _____
(Date) (Date)

4. Quantity of water claimed and used is 112.5 gallons per minute; 40 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation of mint

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 30 feet. Type pump
(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 275 feet, mean sea level.
(As near as known)

Depth to water table 12 feet.

7. Capacity of Well: 400 g.p.m. with None feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test 1 June 1948

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

GR

If log of well is not available, give name and address of driller. R. A. West

11. Infiltration Trench: Covered or open
 Dimensions: Length ft. Minimum depth ft. Maximum depth ft.
 Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining
 Dimensions:
(Length, course, and cross sectional size)
 Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:
 (a) Pump Pacific (Make, type and size) Centrifugal 2 x 2 1/2 Capacity 250 g.p.m.
 (b) Motor Electric (Type and horsepower) 10 H.P.

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10 S	3 W	2	N.W. 1/4 of S.W. 1/4	2.81	June 1948
10 S	3 W	2	S. W. 1/4 of SW 1/4	7.53	"
10 S	3 W	3	NE 1/4 of SE 1/4	11.37	"
10 S	3 W	3	SE 1/4 of SE 1/4	8.29	"
				20.00	

DESCRIPTION

FOR

J. A. Wickett

Beginning at an iron rod which is 1320.0 feet North and 1980.0 feet West of a point where the South line of Section 2, Township 10 South, Range 3 West of the Willamette Meridian, Marion County, Oregon, intersects the East line of the Samuel Miller D. L. C. No. 66; Thence East 156.4 feet to an iron pipe; Thence North 4° 44' East 361.30 feet to an iron rod; Thence South 38° 26' West 123.0 feet to an iron rod; Thence South 84° 20' West 233.80 feet to an iron rod; Thence South 79° 41' West 250.60 feet to an iron rod; Thence South 85° 23' West 210.0 feet to an iron rod; Thence South 72° 54' West 106.10 feet to an iron rod; Thence South 1197.50 feet to an iron rod; Thence South 89° 16' East 136.0 feet; Thence North 79° 45' East 178.20 feet; Thence North 77° 3' East 245.10 feet; Thence North 71° 6' East 137.40 feet; Thence North 920.50 feet to the place of beginning.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

