

GR-254
GR-234

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Darwin W. Colpe
of Rte 2 Salem Box 441 County of Marion

State of Oregon do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 10 East of Salem, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 3,038.17 feet S00° 34' E and N 57° 42' E 891.40 feet and North 6.00 feet from Quarter Sec. 40E, bet. Section 21 and 28
(Give distance and bearing to corner of section or other legal subdivision)

being within SENE Quarter of Sec. 28, Twp. 6 S, Rge. 2 W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

_____ County of _____
(If within city or town, give name)

3. Construction Work was begun on (not known) 1951; was completed on 1951
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1951
(Date)

since which time the water has been used continuously
(Continuously or Intermittently)

from 1951 to 1956
(Date) (Date)

4. Quantity of water claimed and used is 820 gallons per minute; .70 cuft per min. per year
feet per year.

5. Purpose or Purposes for which water is used Irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 134 feet. Type Drilled
(Dug or drilled)

diameter 10 inches. Elevation of ground at well site 200 175 feet, mean sea level.
(As near as known)

Depth to water table 34 feet.

7. Capacity of Well: 820 g.p.m. with 21 feet drawdown.
_____ g.p.m. with _____ feet drawdown.

Date of test not known

If Flowing Well: Measured discharge _____ g.p.m. on _____ (Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____ (Date)

Water is controlled by _____
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10 inch diameter from 0 to 134 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

460 perforations from 123 to 134
(Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Top soil	0	3
Brown shale	3	28
Brown sandy shale	28	52
Brown sand	52	69
Blue shale	69	95
Cement gravel	95	120
Sand and gravel	120	135

Description for Darwin Calfee Rte 2 Salem, Oregon

That property conveyed from the N.P. Williamson Estate #12086 Marion County, Oregon to his wife (nee Caroline Williamson) being 55.00 acres of land.

Being by survey the Southerly 16.20 acres of the SENE quarter of Section 28 and the Northerly 12.00 acres of the NESE quarter of Section 28 and the Southerly 14.80 acres of the SWNW quarter of Section 27 and the Northerly 12.00 acres of the NWSW quarter of Section 27 in Township 6 South, Range 2 West of the Wablamette Meridian in Marion County, Oregon. Save and except all roadways.

