

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, E. D. FURRER

of 2432 City View Rd. Eugene County of LANE

State of ORE, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is PUMP WELL  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 3 MILE SW from Court House in Eugene  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 586' S & 60' West of East 1/2 Cor Sec 2 T18S, R4W  
(Give distance and bearing to corner of section or other legal subdivision)

being within NE 1/4 of SE 1/4 of Sec. 2, Twp. 18 S Rge. R4W  
(Smallest legal subdivision) (R or S) (E or W)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of LANE  
(If within city or town, give name)

3. Construction Work was begun on 1938; was completed on 1938  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1938  
(Date)

since which time the water has been used ✓  
(Continuously or Intermittently)

from ALL YR. to \_\_\_\_\_  
(Date) (Date)

4. Quantity of water claimed and used is 20 gallons per minute; 5 acre feet per year.

5. Purpose or Purposes for which water is used IRRIG. ~~SANITARY~~

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 68 feet. Type DRILL  
(Dug or drilled)

diameter 6 inches. Elevation of ground at well site 525 feet, mean sea level.  
(As near as known)

Depth to water table 40 feet.

7. Capacity of Well: 20 g.p.m. with 20 feet drawdown.

\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test 1950

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)





