

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, the City Manager of the City of Corvallis  
of City Hall, Corvallis, Oregon County of Benton  
State of Oregon, do hereby make application for a certificate of registration as evidence  
of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well no. 1  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: approximately 25 miles south of the City of Corvallis  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N 53° 15' E 2706 feet from SW corner of Samuel Gage D.L.C. No. 57  
(Give distance and bearing to corner of section or other legal subdivision)  
being within Samuel Gage D.L.C. No. 57 of Sec. 22, Twp. 12 S, Rge. 5 W (W.M.)  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:  
in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)  
County of \_\_\_\_\_  
(If within city or town, give name)

3. Construction Work was begun on August 1942; was completed on September 1942  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on October 1942  
(Date)  
since which time the water has been used continuously  
(Continuously or intermittently)  
from October 1942 to present  
(Date) (Date)

4. Quantity of water claimed and used is 80 gallons per minute; \_\_\_\_\_ acre  
feet per year.

5. Purpose or Purposes for which water is used Municipal  
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 76 feet. Type Drilled  
(Dug or drilled)  
diameter 10 inches. Elevation of ground at well site 240 feet, mean sea level.  
(As near as known)  
Depth to water table apx. 20 feet.

7. Capacity of Well: 80 g.p.m. with 45 feet drawdown.  
\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test unknown

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)



If log of well is not available, give name and address of driller. unknown

11. Infiltration Trench: Covered or open

Dimensions: Length \_\_\_\_\_ ft. Minimum depth \_\_\_\_\_ ft. Maximum depth \_\_\_\_\_ ft.

Bottom width \_\_\_\_\_ ft. Discharge \_\_\_\_\_ g.p.m. Date of test \_\_\_\_\_

12. Tunnel: Type of lining

Dimensions: \_\_\_\_\_  
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel \_\_\_\_\_

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 2 1/2 by 2 Jaquzzi ejector Capacity 80 g.p.m.  
(Make, type and size)

(b) Motor 7 1/2 H.P. single phase  
(Type and horsepower)


14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
12 S	5 W	27	N.E. 1/4 of N.W. 1/4	Municipal Use	10-1942
"	"	22	S.E. 1/4 of S.W. 1/4	" "	
"	"	"	S.W. 1/4 of S.E. 1/4	" "	
"	"	"	S.E. 1/4 of S.E. 1/4	" "	
"	"	"	N.E. 1/4 of S.E. 1/4	" "	

Note: The above area is that covered by the present distribution system at the Corvallis Municipal Airport and is indicated as shown on attached drawing. In connection with this distribution system there is also a 100,000 gallon elevated storage tank.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 12 S Range 5 W W.M.  
North



Locate well and acreage of irrigated land on plat.  
Scale: 2" = 1 Mile

STATE OF OREGON  
County of Benton } ss.  
John F. Porter (City Manager)

I, John F. Porter (City Manager), being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

*John F. Porter*  
(Signature of Registrant)

Subscribed and sworn to before me this 4th day of October 1956

My commission expires March 13, 1959

*[Signature]*  
(Notary Public)

(SEAL)

SEE PAGE GR-289-K FOR  
CERTIFICATE OF REGISTRATION

STATE OF OREGON } ss.  
County of Marion

~~This is to certify that the foregoing Registration Statement was read in the office of the State Engineer on the X-X-X-X day of X-X-X-X 19 X-X-X-X and has been duly recorded on record in Book No. X-X-X-X of Page X-X-X-X of the State of Oregon. Construction shall be completed by X-X-X-X and the water conveyed to the beneficial use of X-X-X-X.~~

~~Witness my hand this X-X-X day of X-X-X 19 X-X-X-X.~~

(State Engineer)

By \_\_\_\_\_ (Deputy)

GR-289C

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, the City Manager of the City of Corvallis

of City Hall, Corvallis, Oregon County of Benton

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well no. 3  
(Flowing well, pump well, infiltration trench, or tunnel)
2. Location is: approximately 2 1/2 miles south of the City of Corvallis  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows: N 16° 45' E 415 feet from S. E. corner of Alfred Rhinehart DLC # 73

(a) N 07° 15' E 950 feet from SW corner of Samuel Gage D. L. C. No. 57  
(Give distance and bearing to corner of section or other legal subdivision)

being within Samual Gage DLC# 57 of Sec. 22, Twp. 12 S, Rge. 5 W (W.M.)  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of \_\_\_\_\_  
(If within city or town, give name)

3. Construction Work was begun on August 1943; was completed on \_\_\_\_\_  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on September 1943  
(Date)

since which time the water has been used continuously  
(Continuously or intermittently)

from September 1943 to present  
(Date) (Date)

4. Quantity of water claimed and used is 80 gallons per minute; \_\_\_\_\_ acre feet per year.

5. Purpose or Purposes for which water is used Municipal

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 46 feet. Type Drilled

(Dug or drilled)

diameter 12 inches. Elevation of ground at well site 240 feet, mean sea level.

(As near as known)

Depth to water table apx 12 feet.

7. Capacity of Well: 80 g.p.m. with 30 feet drawdown.

\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test unknown

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_

(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_

(Date)

Water is controlled by \_\_\_\_\_

(Cap, valve, etc.)



If log of well is not available, give name and address of driller. unknown

11. Infiltration Trench: Covered or open \_\_\_\_\_

Dimensions: Length \_\_\_\_\_ ft. Minimum depth \_\_\_\_\_ ft. Maximum depth \_\_\_\_\_ ft.  
 Bottom width \_\_\_\_\_ ft. Discharge \_\_\_\_\_ g.p.m. Date of test \_\_\_\_\_

12. Tunnel: Type of lining \_\_\_\_\_

Dimensions: \_\_\_\_\_  
(Length, course, and cross sectional size)  
 Position of water bearing stratum with reference to portal of tunnel \_\_\_\_\_

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 2 1/2 by 2 Jacuzzi ejector Capacity 80 g.p.m.  
(Make, type and size)  
 (b) Motor 7 1/2 H. P. Single phase  
(Type and horsepower)


14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
12 S	5 W	27	N. E. 1/4 of N. W. 1/4	Municipal Use	9-1943
"	"	22	S.E. 1/4 of S.W. 1/4	" "	
"	"	"	S.W. 1/4 of S.E. 1/4	" "	
"	"	"	S.E. 1/4 of S.E. 1/4	" "	
"	"	"	N. E. 1/4 of S.E. 1/4	" "	

Note: The above area is that covered by the present distribution system at the Corvallis Municipal Airport and is indicated as shown on attached drawing. In connection with this distribution system there is also a 100,000 gallon elevated storage tank.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 12 S Range 5 W W.M.  
North



Locate well and acreage of irrigated land on plat.  
Scale: 2" = 1 Mile

STATE OF OREGON }  
County of Benton } ss.

I, John F. Porter (City Manager), being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

*John F. Porter*  
(Signature of Registrant)

Subscribed and sworn to before me this 14th day of October, 1956

My commission expires March 13, 1959 *[Signature]*  
(Notary Public)

(SEAL)

SEE PAGE GR-289-K FOR  
CERTIFICATE OF REGISTRATION

STATE OF OREGON }  
County of Marion } ss.

~~This is to certify that the foregoing Registration Statement was received by the office of the State Engineer on the 14th day of October 1956 and that the same has been filed in the books of the State Engineer and that the same shall be completed by the State Engineer and the same shall be applied to the record books of the State Engineer on the 14th day of October 1956.~~

~~Witness my hand and seal this 14th day of October 1956.~~

By \_\_\_\_\_ (State Engineer)  
\_\_\_\_\_  
(Deputy)



**Registration Statement****OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER**

(Under Chapter 708, Oregon Laws 1955.)

**TO THE STATE ENGINEER OF OREGON:**

I, the City Manager of the City of Corvallis  
 of City Hall, Corvallis, Oregon County of Benton  
 State of Oregon, do hereby make application for a certificate of registration as evidence  
 of a right to appropriate ground water:

1. Source from which water is withdrawn is pump well No. 4  
(Flowing well, pump well, infiltration trench, or tunnel)
2. Location is: approximately 2 1/2 miles south of the City of Corvallis  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

- (a) S 18° 35' E 2627 feet from N. W. Corner of Samuel Gage DLC No. 57  
S 54° 30' E 673 feet from S.W. Corner of Harvey Ioung DLC # 56  
(Give distance and bearing to corner of section or other legal subdivision)

being within Samual Gage DLC No. 57 of Sec. 22, Twp. 12 S, Rge. 5 W  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:  
 in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of \_\_\_\_\_  
(If within city or town, give name)

3. Construction Work was begun on unknown; was completed on 8 - 28 - 52  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on September 1952  
(Date)

since which time the water has been used continuously  
(Continuously or intermittently)

from September 1952 to present  
(Date) (Date)

4. Quantity of water claimed and used is 120 gallons per minute; \_\_\_\_\_ acre  
 feet per year.

5. Purpose or Purposes for which water is used Municipal

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 60 feet. Type drilled  
(Dug or drilled)  
 diameter 8 inches. Elevation of ground at well site 240 feet, mean sea level.  
(As near as known)  
 Depth to water table \_\_\_\_\_ feet.

7. Capacity of Well: 200 g.p.m. with \_\_\_\_\_ feet drawdown.  
 \_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test August 1952

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)





