GR-279
GR-290

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Katheryn Hanley Heffernan,

of Route 2, Box 401, Medford County of Jackson

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. **Source** from which water is withdrawn is infiltration trench #1
(Flowing well, pump well, infiltration trench, or tunnel)

2. **Location** is: 2½ miles northeast of Jacksonville, Oregon.
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 240 ft. North 00°30' East to the section corner common to Sections 15, 16, 21 and 22
(Give distance and bearing to corner of section or other legal subdivision)

being within the NE¼ of the NE¼ of the NE¼ of Sec. 21, Twp. 37 S., Rge. 2 W of the W.M.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot ....., Block ..... of .....
(Name of plat or addition)

..... County of .....
(If within city or town, give name)

3. **Construction Work** was begun on August, 1947 (Date); was completed on August, 1947 (Date)

and the ground water claimed was first used for the purposes set out below on August, 1947 (Date),

since which time the water has been used continuously
(Continuously or intermittently)

from April (Date) to October (Date)

4. **Quantity** of water claimed and used is 200 gallons per minute; 60 acre feet per year.

5. **Purpose or Purposes** for which water is used irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. **Description of Well:** Depth not applicable feet. Type ..... (Dug or drilled)

diameter ..... inches. Elevation of ground at well site ..... (As near as known) feet, mean sea level.

Depth to water table ..... feet.

7. **Capacity of Well:** not applicable g.p.m. with ..... feet drawdown.

..... g.p.m. with ..... feet drawdown.

Date of test .....

If Flowing Well: Measured discharge ..... g.p.m. on ..... (Date)

Shut-in pressure at ground surface ..... lbs. per sq. in. on ..... (Date)

Water is controlled by .....
(Cap, valve, etc.)

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

not applicable

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

Describe and show depth of shoe, plug, adapter, liner or other details: .....

.....

.....

9. **Perforated Casings or Screens:**

not applicable ..... from ..... to .....
(Number per foot and size of perforations, or describe screen)

..... from ..... to .....

..... from ..... to .....

..... from ..... to .....

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.) not applicable

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)

GR-290 A

If log of well is not available, give name and address of driller. .....

11. **Infiltration Trench:** Covered or open open

Dimensions: Length 100 ft. Minimum depth 8 ft. Maximum depth 12 ft.

Bottom width 70 ft. Discharge ..... g.p.m. Date of test test not made

12. **Tunnel:** Type of lining not applicable

Dimensions: .....
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. **Pumping Equipment:**

(a) Pump portable 10 HP, Wis 10 Hp, Yager Model #2p/ Size #2 Capacity 200 g.p.m.
(Make, type and size)

(b) Motor .....
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
37 S.	2 W.	21	NE¼ of NE¼	) aggregate	Aug. 1947
37 S.	2 W.	22	NW¼ of NW¼	) 20 acres	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

This water right is not supplemental to any existing water supply.

GR-290 B

Township 37 S. Range 2 W., W.M.



(Sump No. 1 on accompanying map)

Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON
County of Jackson } ss.

I, Katheryn Hanley Heffernan, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Katheryn Hanley Heffernan
(Signature of Registrant)

Subscribed and sworn to before me this 23rd day of October, 1956

My commission expires April 20, 1957

Edward R. Ranelsfield
(Notary Public)

(SEAL)

SEE PAGE GR-290-O FOR
CERTIFICATE OF REGISTRATION

STATE OF OREGON
County of Marion } ss.

~~This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the X-X-X day of X-X-X-X-X-X-X-X-X 19 X at X-X-X-X-X o'clock X-X-X M. and has been duly X-X-ed in X-X office in Book No. X-X-X-X-X-X of Registration Statements on page X-X-X-X-X. X-X-X-X-X Certificate will be completed by X-X-X-X-X-X-X-X-X 19 X-X and the water applied to beneficial use by X-X-X-X-X-X-X-X-X-X-X-X.~~

Witness my hand this ..... day of ....., 19.....

(State Engineer)

By .....
(Deputy)

GR-290 C

REGISTRATION NO. GR-279

CERTIFICATE NO. GR-290

RECEIVED
OCT 30 1956
STATE ENGINEER

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Katheryn Hanley Heffernan,

of Route 2, Box 401, Medford County of Jackson

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. **Source** from which water is withdrawn is infiltration trench #2
(Flowing well, pump well, infiltration trench, or tunnel)

2. **Location** is: 2½ miles northeast of Jacksonville, Oregon;
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 1431.8 feet, North 13°00' East, to the section corner commonl to Sections 15, 16, 21 and 22
(Give distance and bearing to corner of section or other legal subdivision)

being within SE¼ of the NE¼ of Sec. 21, Twp. 37 S (N. or S.), Rge. 2 W of the W.M. (E. or W.)
(Smallest legal subdivision)

or (b) within limits of recorded platted property, town or city: not applicable

in Lot ....., Block ..... of .....
(Name of plat or addition)

..... County of .....
(If within city or town, give name)

3. **Construction Work** was begun on August 1947 (Date); was completed on August, 1954 (Date)

and the ground water claimed was first used for the purposes set out below on August, 1947 (Date),

since which time the water has been used continuously
(Continuously or intermittently)

from April (Date) to October (Date)

4. **Quantity** of water claimed and used is 200 gallons per minute; 86 acre feet per year.

5. **Purpose or Purposes** for which water is used irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. **Description of Well:** Depth not applicable feet. Type ..... (Dug or drilled)

diameter ..... inches. Elevation of ground at well site ..... (As near as known) feet, mean sea level.

Depth to water table ..... feet.

7. **Capacity of Well:** not applicable g.p.m. with ..... feet drawdown.

..... g.p.m. with ..... feet drawdown.

Date of test .....

If Flowing Well: Measured discharge ..... g.p.m. on ..... (Date)

Shut-in pressure at ground surface ..... lbs. per sq. in. on ..... (Date)

Water is controlled by .....
(Cap, valve, etc.)

GR-290 D

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

not applicable

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

Describe and show depth of shoe, plug, adapter, liner or other details: .....

.....

.....

9. **Perforated Casings or Screens:** not applicable

..... from ..... to .....
(Number per foot and size of perforations, or describe screen)

..... from ..... to .....

..... from ..... to .....

..... from ..... to .....

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.) not applicable

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)

GR-290 E

If log of well is not available, give name and address of driller. .....

.....

11. **Infiltration Trench:** Covered or open open

Dimensions: Length 200 ft. Minimum depth 10 ft. Maximum depth 15 ft.

Bottom width 75 ft. Discharge ..... g.p.m. Date of test test not made

12. **Tunnel:** Type of lining not applicable

Dimensions: .....
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

.....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. **Pumping Equipment:**

(a) Pump Portable Rain o Flow ..... Capacity 200 g.p.m.
(Make, type and size)

(b) Motor G. E. Electric Motor 5 HP
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
37 S.	2 W.	21	SE¼ of NE¼	)	Aug. 1947
37 S.	2 W.	21	SW¼ of NE¼	) aggregate 28.7 acres	
37 S.	2 W.	21	NW¼ of SE¼	)	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Supplemental to the water supply allowed by permit no. 20317 approved November 16, 1951. Priority date May 1, 1951.

GR-290 F

Township 37 S Range 2 W., W.M.

North



(Sump No. 2 on accompanying map)

Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON
County of Jackson } ss.

I, Katheryn Hanley Heffernan, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Katheryn Hanley Heffernan
(Signature of Registrant)

Subscribed and sworn to before me this 23rd day of October, 1956

My commission expires August 20, 1959.

Edward B Trenchfield
(Notary Public)

(SEAL)

SEE PAGE GR-290-O FOR CERTIFICATE OF REGISTRATION

STATE OF OREGON
County of Marion } ss.

~~This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the day of 19 and that the Registration Statement was duly recorded in the Registration Statement page~~

~~Construction shall be completed by and the water completely applied to beneficial use by 19~~

Witness my hand this ..... day of ....., 19.....

(State Engineer)

By .....
(Deputy)

GR-290 G

GR-279
GR-290

RECEIVED
JAN 1 1956
STATE ENGINEER
SALEM, OREGON

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Katheryn Hanley Heffernan,

of Route 2, Box 401, Medford County of Jackson

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. **Source** from which water is withdrawn is infiltration trench #3
(Flowing well, pump well, infiltration trench, or tunnel)

2. **Location** is: 2½ miles northeast of Jacksonville, Oregon;
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 1909.0 feet North 14° 30' East to the section corner common to sections 15, 16, 21 and 22
(Give distance and bearing to corner of section or other legal subdivision)

being within SE¼ of the NE¼ Section of Sec. 21, Twp. 37 S., Rge. 2 West of the W.M.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city: not applicable

in Lot ....., Block ..... of .....
(Name of plat or addition)

..... County of .....
(If within city or town, give name)

3. **Construction Work** was begun on August 1951 (Date); was completed on August 1954 (Date)

and the ground water claimed was first used for the purposes set out below on August 1951 (Date),

since which time the water has been used continuously (Continuously or intermittently)

from April (Date) to October (Date)

4. **Quantity** of water claimed and used is 200 gallons per minute; 45 acre feet per year.

5. **Purpose or Purposes** for which water is used irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. **Description of Well:** Depth not applicable feet. Type .....
(Dug or drilled)

diameter ..... inches. Elevation of ground at well site ..... feet, mean sea level.
(As near as known)

Depth to water table ..... feet.

7. **Capacity of Well:** ..... g.p.m. with ..... feet drawdown.

..... g.p.m. with ..... feet drawdown.

Date of test .....

If Flowing Well: Measured discharge ..... g.p.m. on .....
(Date)

Shut-in pressure at ground surface ..... lbs. per sq. in. on .....
(Date)

Water is controlled by .....
(Cap, valve, etc.)

GR-290 H

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

not applicable

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

Describe and show depth of shoe, plug, adapter, liner or other details: .....

.....

.....

9. **Perforated Casings or Screens:**

not applicable ..... from ..... to .....
(Number per foot and size of perforations, or describe screen)

..... from ..... to .....

..... from ..... to .....

..... from ..... to .....

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

not applicable

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)

GR-290 I

If log of well is not available, give name and address of driller. .....

11. **Infiltration Trench:** Covered or open open

Dimensions: Length 75 ft. Minimum depth 8 ft. Maximum depth 15 ft.

Bottom width 60 ft. Discharge ..... g.p.m. Date of test Test not made

12. **Tunnel:** Type of lining not applicable

Dimensions: .....
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. **Pumping Equipment:**

(a) Pump Portable 10 HP., Wisconsin Model #2P Size #2 Capacity 200 g.p.m.
(Make, type and size)

(b) Motor .....
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
37 S.	2 W	21	SE¼ of SE¼	)	Aug. 1951
37 S.	2 W	21	SE¼ of NE¼	) aggregate 15 acres	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Supplemental to the water supply allowed by permit no. 20317 approved November 16, 1951. Priority date May 1, 1951.

GR-290 J

Township 37 S. Range 2 W., W.M.

North



(Sump No. 3 on accompanying map)

Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON
County of Jackson } ss.

I, Katheryn Hanley Heffernan, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Katheryn Hanley Heffernan
(Signature of Registrant)

Subscribed and sworn to before me this 23rd day of October, 1956

My commission expires August 20, 1959 Edward B. Brandfield
(Notary Public)

(SEAL)

SEE PAGE GR-290-O FOR
CERTIFICATE OF REGISTRATION.

STATE OF OREGON
County of Marion } ss.

~~This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the x-x-x-x day of x-x-x-x-x-x-x-x-x-x, 19x-x-x at x-x-x-x-x o'clock x-x-x M. and has been duly recorded in said office in Book No. x-x-x-x-x-x of Registration Statements on page x-x-x-x-x-x-x-x-x-x Construction shall be completed by x-x-x-x-x-x-x-x-x-x, 19x-x and the water completely applied to beneficial use by x-x-x-x-x-x-x-x-x, 19x-x.~~

Witness my hand this .... day of ...., 19......

....
(State Engineer)

By ....
(Deputy)

GR-290 K

RECEIVED

REGISTRATION NO. GR-279

CERTIFICATE NO. GR-290

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Katheryn Hanley Heffernan,

of Route 2, Box 401, Medford County of Jackson

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. **Source** from which water is withdrawn is infiltration trench
(Flowing well, pump well, infiltration trench, or tunnel)

2. **Location** is: 2½ miles northeast of Jacksonville, Oregon;
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 2356 feet North 11° East to the section corner common to sections 15, 16, 21 and 22
(Give distance and bearing to corner of section or other legal subdivision)

being within SE¼ of the SE¼ of Sec. 21, Twp. 37 S (N. or S.), Rge. 2 W (E. or W.) of the W.M.
(Smallest legal subdivision)

or (b) within limits of recorded platted property, town or city: not applicable

in Lot ....., Block ..... of .....
(Name of plat or addition)

..... County of .....
(If within city or town, give name)

3. **Construction Work** was begun on August 1950 (Date); was completed on Sept. 1951 (Date)

and the ground water claimed was first used for the purposes set out below on August 1950 (Date),

since which time the water has been used continuously
(Continuously or intermittently)

from April (Date) to October (Date)

4. **Quantity** of water claimed and used is 200 gallons per minute; 45 acre feet per year.

5. **Purpose or Purposes** for which water is used irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. **Description of Well:** Depth not applicable feet. Type .....
(Dug or drilled)

diameter ..... inches. Elevation of ground at well site ..... feet, mean sea level.
(As near as known)

Depth to water table ..... feet.

7. **Capacity of Well:** not applicable g.p.m. with ..... feet drawdown.

..... g.p.m. with ..... feet drawdown.

Date of test .....

If Flowing Well: Measured discharge ..... g.p.m. on .....
(Date)

Shut-in pressure at ground surface ..... lbs. per sq. in. on .....
(Date)

Water is controlled by .....
(Cap, valve, etc.)

GR-290 L

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.) not applicable

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

..... inch diameter ..... from ..... to ..... feet

Describe and show depth of shoe, plug, adapter, liner or other details: .....

.....

.....

9. **Perforated Casings or Screens:** not applicable

..... from ..... to .....
(Number per foot and size of perforations, or describe screen)

..... from ..... to .....

..... from ..... to .....

..... from ..... to .....

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.) not applicable

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)

GR-290 M

If log of well is not available, give name and address of driller. .....

11. **Infiltration Trench:** Covered or open open

Dimensions: Length 50 ft. Minimum depth 12 ft. Maximum depth 20 ft.

Bottom width 50 ft. Discharge ..... g.p.m. Date of test test not made

12. **Tunnel:** Type of lining not applicable

Dimensions: .....
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. **Pumping Equipment:**

(a) Pump Portable 10 HP, Wisconsin model #2P, size #2 Capacity 200 g.p.m.
(Make, type and size)

(b) Motor .....
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
37 S	2 W	21	SE¼ of SE¼	) aggregate	Aug. 1950
37 S	2 W	22	NW¼ of SW¼	) 11.1 acres	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Supplemental to the water supply allowed by permit no. 20317 approved November 16, 1951. Priority date May 1, 1951.

GR-290 N

Township 37 S. Range 2 W., W.M.

North



(Sump No. 4 on accompanying map.)

Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON
County of Jackson } ss.

I, Katheryn Hanley Heffernan, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Katheryn Hanley Heffernan
(Signature of Registrant)

Subscribed and sworn to before me this 23rd day of October, 19 56

My commission expires August 20, 1959.

Edward Brookfield
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON
County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 25th day of October, 19 56, at 1 o'clock P. M. and has been duly recorded in said office in Book No. 2 of Registration Statements on page GR-290-0

~~Certificate is exempted by X-X-X-X-X-X-X-X-X-19X-X, and is not applicable to~~

~~x-x-irrigation use X-X-X-X-X-X-X-X-X-X-X-X~~

Witness my hand this 15th day of January, 19 57.

Lewis A. Stanley
(State Engineer)

By
(Deputy)

GR-290 0