

RECEIVED
STATE OF OREGON
5715
SALES

REGISTRATION NO. GR-294
CERTIFICATE NO. GR-266

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, The City of Canby Light and Water Department
of Canby County of Clackamas
State of Oregon, do hereby make application for a certificate of registration as evidence
of a right to appropriate ground water.

1. Source from which water is withdrawn is infiltration trench #1
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: in the city limits
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:
875 feet west and 425 feet north from SE corner of section 32.

(a) as shown on enclosed City map indicated as (1)
(Give distance and bearing to corner of section or other legal subdivision)
being within SE 1/4 of SE 1/4 of Sec. 32, Twp. 3 S., Rge. 1 E.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)
County of _____
(If within city or town, give name)

3. Construction Work was begun on 1944; was completed on 1944
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1944
(Date)

since which time the water has been used Continuously
(Continuously or intermittently)
from no known to Present
(Date) (Date)

4. Quantity of water claimed and used is 800 gallons per minute; _____ acre
feet per year.

5. Purpose or Purposes for which water is used _____
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 28.4 feet. Type Dug
(Dug or drilled)
diameter _____ inches. Elevation of ground at well site 100 feet, mean sea level.
(As near as known)
Depth to water table 15 feet.

7. Capacity of Well: 800 g.p.m. with 7 feet drawdown.
000 g.p.m. with _____ feet drawdown.

Date of test figures are approximate only

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

..... inch diameter unknown from to feet
..... inch diameter from to feet
..... inch diameter from to feet
..... inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

..... unknown from to
(Number per foot and size of perforations, or describe screen)
..... from to
..... from to
..... from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
<u>unknown</u>		

If log of well is not available, give name and address of driller. not known

11. Infiltration Trench: Covered or open Covered

Dimensions: Length 300 ft. Minimum depth 22 ft. Maximum depth 28.4 ft.

Bottom width 30" Diam. ft. Discharge 400 g.p.m. Date of test Estimate only

12. Tunnel: Type of lining Perforated steel pipe

Dimensions: 30" Diam. Pipe; 300 ft. in length
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel Approximately
8 ft. above pipe

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Peerless Deep Well; 8" Discharge Capacity 800 g.p.m.
(Make, type and size)


(b) Motor 60 HP, 3 Ø General Electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
T35	R1E	32	NW 1/4 of NE 1/4	Municipal	1944
"	"	"	NE 1/4 of NE 1/4	"	"
"	"	"	SW 1/4 of NE 1/4	"	"
"	"	"	SE 1/4 of NE 1/4	"	"
"	"	"	NW 1/4 of SE 1/4	"	"
"	"	"	NE 1/4 of SE 1/4	"	"
"	"	"	SW 1/4 of SE 1/4	"	"
"	"	"	SE 1/4 of SE 1/4	"	"
T35	R1E	5	E 1/2 of section	"	"
"	"	4	N 1/2 of section	"	"
T35	"	33	All of section	"	"

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 35 Range 1E, W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON
County of Clackamas } ss.

I, Ronald G. Tatone, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Ronald G. Tatone
(Signature of Registrant)

Subscribed and sworn to before me this 11 day of Sept, 1954

My commission expires 2-29-1960 HAB Evans
(Notary Public)

(SEAL)

SEE PAGE GR-266-K FOR
CERTIFICATE OF REGISTRATION

STATE OF OREGON
County of Marion } ss.

~~This is to certify that the foregoing Registration Statement was received at the office of the State Engineer on this day of _____ 19__ and has been duly recorded in said office Book No. _____ of Registration Statements on page _____~~

~~Construction shall be completed by _____ and the water completely applied to beneficiaries by _____~~

Witness my hand this _____ day of _____, 19_____

(State Engineer)

By _____ (Deputy)

GR-266C

RECEIVED
JAN 12 1956
STATE ENGINEER

APPLICATION NO. GR-294

Registration Statement

CERTIFICATE NO. GR-266

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER.

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, The City of Canby Light and Water Department
of Canby County of Clackamas

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is flowing well #2
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: in the City Limits of Canby
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

775 feet West and 425 feet north from SE Corner of section 32
(a) as shown on enclosed City map indicated as (2)
(Give distance and bearing to corner of section or other legal subdivision)

being within SE 1/4 of SE 1/4 of Sec. 32, Twp. 3 S., Rge. 1 E.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of _____
(If within city or town, give name)

3. Construction Work was begun on not known; was completed on not known
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on Approximately 1938
(Date)

since which time the water has been used continuously
(Continuously or intermittently)

from approx. 1938 to Present
(Date) (Date)

4. Quantity of water claimed and used is 200 gallons per minute; _____ acre feet per year.

5. Purpose or Purposes for which water is used _____
Municipal
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 8 feet. Type Concrete formed on natural ground
(Dug or drilled)

diameter 18 ft. inches. Elevation of ground at well site 100 feet, mean sea level.
(As near as known)

Depth to water table _____ feet.

7. Capacity of Well: 200 g.p.m. with _____ feet drawdown.

400 g.p.m. with 8 feet drawdown.

Date of test Estimate only

If Flowing Well: Measured discharge 0 g.p.m. on July 10, 1956
(Date)

Shut-in pressure at ground surface 4 lbs. per sq. in. on when tank is full
(Date)

Water is controlled by valve
(Cap, valve, etc.)

GR-266 D

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

..... inch diameter *unknown* from to feet
..... inch diameter from to feet
..... inch diameter from to feet
..... inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

..... *unknown* from to
(Number per foot and size of perforations, or describe screen)
..... from to
..... from to
..... from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
<i>unknown</i>		

If log of well is not available, give name and address of driller.

11. Infiltration Trench: Covered or open covered

Dimensions: Length 120 ft. Minimum depth 2 ft. Maximum depth 4 ft.

Bottom width 2 ft. Discharge 200 g.p.m. Date of test Estimate only

12. Tunnel: Type of lining Concrete

Dimensions: 120 ft. long (Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Fairbanks Morse, Marsh 2" Disch., 3 x 2 Disch. American Capacity 200 g.p.m. each
(Make, type and size)


(b) Motor Fairbanks Morse, 20 HP; General Electric 20 HP.
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
T3S	R1E	32	E 1/2 of section	Municipal	1938
"	"	33	All of section	"	"
T4S	R1E	4	N 1/2 of section	"	"
"	"	5	E 1/2 of section	"	"

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 35 Range 1E, W.M.
North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Clackamas

} ss.

I, Ronald G. Tatone, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Ronald G. Tatone
(Signature of Registrant)

Subscribed and sworn to before me this 11 day of Sept, 1954

My commission expires 2-29-1960

(Notary Public)

(SEAL)

SEE PAGE GR-266-K FOR
CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion

} ss.

~~This is to certify that the foregoing Registration Statement was recorded in the office of the State Engineer on the ... day of ... 19... and has been duly recorded in said office in Book No. ... of Registration Statements on page ... General instructions completed by ... and the ... recorded in the office of the State Engineer on the ... day of ... 19...~~

Witness my hand this day of, 19.....

(State Engineer)

By
(Deputy)

GR-266B

RECEIVED

REGISTRATION NO. GR-294

Registration Statement

CERTIFICATE NO. GR-266

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, City of Canby Light and Water Department
of Canby County of Clackamas

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well #3
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: Located in the city limits of Canby
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 585 feet North and 390 feet east from SW Corner of section 33
(Give distance and bearing to corner of section or other legal subdivision)

being within Sublot SW 1/4 of Sec. 33 Twp. 3S Rge. 1E
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot 12, Block 16 of Original Townsite of Canby
(Name of plat or addition)

County of Clackamas
(If within city or town, give name)

3. Construction Work was begun on prior to 1928; was completed on prior to 1928
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on Approximately 1928
(Date)

since which time the water has been used intermittently
(Continuously or intermittently)

from Present to Present
(Date) (Date)

4. Quantity of water claimed and used is 225 gallons per minute; acre feet per year.

5. Purpose or Purposes for which water is used Municipal
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 652 feet. Type Drilled
(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 150 feet, mean sea level.
(As near as known)

Depth to water table 140 feet.

7. Capacity of Well: g.p.m. with feet drawdown.

not known g.p.m. with feet drawdown.

Date of test

If Flowing Well: Measured discharge g.p.m. on
(Date)

Shut-in pressure at ground surface lbs. per sq. in. on
(Date)

Water is controlled by
(Cap, valve, etc.)

GR-266 H

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

..... inch diameter *unknown* from to feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

.....

.....

9. Perforated Casings or Screens:

..... *unknown* from to
 (Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
<i>unknown</i>		

