

Registration Statement

REGISTRATION NO. GR-305CERTIFICATE NO. GR-284

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Victor E. Ramey and Lorena C. Rameyof 5150 Hazel Green Rd. Salem County of MarionState of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.1. Source from which water is withdrawn is Pump Well

(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 6 miles N.E. Salem

(Approximate distance and direction from nearest city or town)

and is more particularly described as follows: Point of diversion is(a) S 89° 06' W 3752.81 ft and S 18° 35' E 699.80 feet from N.E. Cor.W.B. Stephens D.L.C. No. 1 (Distance and bearing to corner of section or other legal subdivision)being within N.E.S.W. quarter of Sec. 32, Twp. 6 S, Rge. 2 W

(Smallest legal subdivision)

(N. or S.)

(E. or W.)

or (b) within limits of recorded platted property, town or city: _____

in Lot _____, Block _____ of _____

(Name of plat or addition)

County of Marion

(If within city or town, give name)

3. Construction Work was begun on Sept. 1951

(Date)

; was completed on Sept. 1951

(Date)

and the ground water claimed was first used for the purposes set out below on April 1952

(Date)

since which time the water has been used Continuously

(Continuously or intermittently)

from April, 1952 to Sept. 1956

(Date)

(Date)

4. Quantity of water claimed and used is 250 gallons per minute; .50 acre feet per year.5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 103 feet. Type Drilled

(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 110 feet, mean sea level.

(As near as known)

Depth to water table 35 feet.7. Capacity of Well: 450 g.p.m. with 65 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test Sept. 1951

If Flowing Well: Measured discharge _____ g.p.m. on _____

(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____

(Date)

Water is controlled by _____

(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

8 inch diameter Steel casing from 0 to 100 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

390 holes from 79 to 100
(Number per foot and size of perforations, or describe screen)

from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Soil	0	3
Brown and Blue shale	3	75
Sand and Gravel	75	103

If log of well is not available, give name and address of driller. Max Wymore furnished log.

11. Infiltration Trench: Covered or open
 Dimensions: Length ft. Minimum depth ft. Maximum depth ft.
 Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining
 Dimensions:
(Length, course, and cross sectional size)
 Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:
 (a) Pump Jacuzzi Deep Well Turbine Capacity 300 g.p.m.
(Make, type and size)
 (b) Motor 7 1/2 H.P. Elec. Motor
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
T 6 S	R 2 W	32	NESW	11.46	1952
T 6 S	R 2 W	32	SWSW	19.42	1952
T 7 S	R 2 W	5	NE1/4	8.58	1952
Total acres				39.46	

Victor L. Romey

Commencing at a point in the North line of the William B. Stephens and Innocent L. Stephens Donation Land Claim, Notification No. 236, in Township 6 and 7 South, Range 2 West of the Willamette Meridian in Marion County, Oregon, said point being 48155 chains West from the Northeast corner of said Donation Land Claim; and running thence South, 41.22 chains to the South line of said Claim; thence West on said South line, 9.71 chains; thence North, 41.22 chains to the North line of said Claim; thence East on said North line, 9.81 chains to the place of beginning, all in Marion County, Oregon.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

