

RECEIVED
DEC 17 1956

STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-317

CERTIFICATE NO. GR-299

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Elbert H. and Esther F. Chambers

of Rt. 2 Box 341, Albany County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well No. 1
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location 10 miles north of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N. 35° 40' E 7.0 chains from the S. E. corner John T. Crooks DLC 74
(Give distance and bearing to corner of section or other legal subdivision)

being within NE 1/4 of NW 1/4 of Sec. 7, Twp. 10S, Rge. 3W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of Linn

(If within city or town, give name)

3. Construction Work was begun on May 10, 1947; was completed on May 14, 1947
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 5, 1947
(Date)

since which time the water has been used continuously
(Continuously or Intermittently)

from June 5, 1947 to present time
(Date) (Date)

4. Quantity of water claimed and used is 250 gallons per minute; 48 acre feet per year.

5. Purpose or Purposes for which water is used irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 29 feet. Type drilled

diameter 10 inches. Elevation of ground at well site 185 feet, mean sea level.
(Dug or drilled) (As near as known)

Depth to water table 10 feet.

7. Capacity of Well: 400 g.p.m. with 5 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10 inch diameter steel casing 9/16 from 0 to 29 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

slit perforations from 23 to 29
(Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Not available		

L.W. Faulkner and Leona to Elbert H. & Esther Fay Chambers

Beginning at a point on the W boundary line of the D.L.C. of John B. Miller Not. No. 1639 and Cl. No. 72 in T. 10 S., R. 3 W. of the W.M. Linn Co. Ore, which is 57.38 chains N of the SW corner of said Claim, and running thence East 9.43 chains; thence N. 24 cains more or less, to a point 34.33 chains, South of the North line of said Cl; thence West 9.43 chains to the W line of said Claim, thence S. on the W boundary line of said Cl. 24 chains, more or less, to the place of beginning, containing 23 acres, more or less, all situate in Linn County, Oregon.

If log of well is not available, give name and address of driller. Bill Hamilton well drilling company 838 E. 3rd Ave. Albany, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length _____ ft. Minimum depth _____ ft. Maximum depth _____ ft.
Bottom width _____ ft. Discharge _____ g.p.m. Date of test _____

12. Tunnel: Type of lining _____

Dimensions: _____
(Length, course, and cross sectional size)
Position of water bearing stratum with reference to portal of tunnel _____

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Fairbanks Morse 2" centrifugal Capacity 250 g.p.m.
(Make, type and size)

(b) Motor 10 H. P. Electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10 S	3W	7	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	17.2	June 5, 1947
10 S	3W	7	SE $\frac{1}{4}$ of NW $\frac{1}{4}$	<u>2.0</u>	June 5, 1947
				19.2	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

RECEIVED
DEC 17 1956
STATE ENGINEER
SALEM, OREGON

Registration Statement

REGISTRATION NO. GR-317
CERTIFICATE NO. GR-299

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Elbert H. and Esther F. Chambers

of Rt. 2 Box 341, Albany County of Linn

State of OREGON do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well No. 2
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 10 miles North of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 74° W. 43 chains from the N. E. corner S. 7 T. 10S., R. 3W. WM
(Give distance and bearing to corner of section or other legal subdivision)

being within NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec. 7, Twp. 10S, Rge. 3W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city: 5

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of Linn
(If within city or town, give name)

3. Construction Work was begun on July 6, 1949; was completed on July 9, 1948
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on August 1, 1949
(Date)

since which time the water has been used continuously
(Continuously or intermittently)

from August 1, 1949 to present time
(Date) (Date)

4. Quantity of water claimed and used is 125 gallons per minute; 20.0 acre-feet per year.

5. Purpose or Purposes for which water is manufacturing (peppermint still)

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 24 feet. Type driven
(Dug or drilled)

diameter 5 inches. Elevation of ground at well site 185 feet, mean-sea level.
(As near as known)

Depth to water table 10 feet.

7. Capacity of Well: 200 g.p.m. with 5 feet drawdown.

 g.p.m. with feet drawdown.

Date of test not tested

If Flowing Well: Measured discharge g.p.m. on
(Date)

Shut-in pressure at ground surface lbs. per sq. in. on
(Date)

Water is controlled by
(Cap, valve, etc.)

GR-299 D

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

5 inch diameter steel casing from 0 to 24 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

slit perforations from 19 to 24
 (Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
not available		

Edward A. Chambers and Luella M. to Elbert R. Chambers and Esther

#2
 beginning at an iron pipe on the East line of and South 25.62 chains from the NE corner of the John B. Miller D.L.C. No. 72 in T. 10 S., R. 3 W. of the W.M. Linn Co., Oregon; and running thence S. along the E. line of said Cl. 31.20 chains to the center of the county road; thence N. 85°30' W. along the center of said road 13.84 chains to an iron drill shoe 3"x10"; thence W. 1.34 chains to a point which is 2.48 chains E. of the W. line of said D.L.C.; thence N. parallel with the W. line of said D.L.C. a distance of 20.89 chains, more or less, to a point which is 34.33 chains S. of the N. line of said Claim; thence E. 2.17 chains to an iron pipe; thence North 0.36 chains to the E. center of a slough; thence N. 45 1/2° E. along the center of said slough ~~1.50 chains~~ 1.50 chains; thence N. 28 1/2° E. along the center of said slough 4.0 chains to a point which is 25.62 chains S. of the N. line of said Claim; thence E. 10.66 chains to the place of beginning and containing 46.0 acres, more or less.

If log of well is not available, give name and address of driller driven and then dynamited by
applicant

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Gardner Denver 1 1/2" centrifugal Capacity 125 g.p.m.
(Make, type and size)


(b) Motor 5 H P electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10 S	3W	7	NE 1/4 of NW 1/4	(manufacturing)	August 1, 1949

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 10 S Range 3 W W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON }
County of Linn } ss.

I, Elbert H. and Esther F. Chambers being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Elbert H. Chambers
Esther F. Chambers
(Signature of Registrant)

Subscribed and sworn to before me this day of 19.....

My commission expires
(Notary Public)

(SEAL)

SEE PAGE GR-299 Z-13 FOR
CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

~~This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the ... day of ... at ... o'clock ... and has been duly recorded in said office in Book No. ... of Registration Statements on page ...~~

~~Construction shall be completed by ... and the water completely applied to beneficial use by ...~~

Witness my hand this day of 19.....

(State Engineer)

By
(Deputy)

RECEIVED
MAY 17 1942
STATE ENGINEER
SALERIE GREGG

REGISTRATION NO. GR 317
CERTIFICATE NO. GR-299

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Elbert H. and Esther F. Chambers
of Rt 2 Box 341, Albany County of Linn

State of Oregon do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

- Source from which water is withdrawn is Pump well No. 3
(Flowing well, pump well, infiltration trench, or tunnel)
- Location is: 10 miles North of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 14°20'W, 40.10 chains from the NE corner of the John B. Miller DLC 72
(Give distance and bearing to corner of section or other legal subdivision)

being within NW 1/4 of NE 1/4 of Sec. 7, Twp. 10S, Rge. 3W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of Linn
(If within city or town, give name)

3. Construction Work was begun on May 15, 1942; was completed on May 20, 1942
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on May 25, 1942
(Date)

since which time the water has been used continuously
(Continuously or intermittently)

from May 25, 1942 to present time
(Date) (Date)

4. Quantity of water claimed and used is 375 gallons per minute; 96.75 acre feet per year.

5. Purpose or Purposes for which water is used irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 28 feet. Type drilled
(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 180 feet, mean sea level.
(As near as known)

Depth to water table 10 feet.

7. Capacity of Well: 500 g.p.m. with 2 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

GR-299 H

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

8 inch diameter steel casing from 0 to 28 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

slit perforations from 22 to 28
 (Number per foot and size of perforations, or describe screen)

from to
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
not available		

Edward A. Chambers and Laella M. to Elberth, Chambers and Esther
 Beginning at an iron pipe on the East line of and South 25.62 chains from the NE corner of the John S. Miller D.L.C. No. 72 in T. 10 S. R. 3 W. of the W.M. Linn Co., Oregon; and running thence S. along the E. line of said Gl. 21.20 chains to the center of the county road; thence N. 85°30' W. along the center of said road 13.64 chains to an iron drill shoe 3" x 10"; thence N. 41.54 chains to a point which is 9.48 chains E. of the W. line of said D.L.C.; thence N. parallel with the W. line of said D.L.C. a distance of 20.89 chains, more or less, to a point which is 34.33 chains E. of the N. line of said Claim; thence S. 2.17 chains to an iron pipe; thence North 1.21 chains to the E. center of a slough; thence N. 45° E. along the center of said slough ~~4.30 chains~~ 1.30 chains; thence N. 28° E. along the center of said slough 4.0 chains to a point which is 25.82 chains S. of the N. line of said Claim; thence S. 10.56 chains to the place of beginning and containing 40.0 acres, more or less.

238-359

Beginning at an iron bolt set on the North line of the Samuel T. Jones D.L.C. 73 in T. 10 S. R. 3 W. of the Will. Mer. in Linn County, Oregon said beginning point being N. 89°58'30" E. 1165.40 feet from the Northwest corner of said D.L.C. Claim; thence S. 0°03'30" E. 1695.0 feet to an iron bolt; thence N. 89°58'30" E. 621.60 feet to an iron bolt set on the easterly right of way of the Oregon Electric Railroad; thence N. 10°39'30" W. along said right of way line 1724.60 feet to an iron bolt set on the North line of said Jones D.L.C.; thence S. 89°58'30" W. 304.44 feet to the place of beginning and containing 18.00 acres, more or less situated in Linn County, State of Ore. ALSO; Beginning at the Northwest corner of the Samuel T. Jones D.L.C. 73 in T. 10 S. R. 3 W. of the Will. Mer. in Linn County, Oregon; thence N. 89°58'30" E. along the North line of said D.L.C. 1165.40 feet to an iron bolt; thence S. 0°03'30" E. 1695.0 feet to an iron bolt; thence N. 89°58'30" E. 621.60 feet to an iron bolt set on the westerly line of the Oregon Electric Railroad right of way; thence S. 10°39'30" E. along said right of way line 539.26 feet to an iron bolt; thence S. 89°58'30" W. 959.72 feet to an iron bolt; thence S. 0°03'30" E. 1515.14 feet to an iron bolt; thence S. 88°39' W. 527.80 feet to an iron bolt set on the West line of said Jones D.L.C.; thence N. 0°03'30" W. 3761.70 feet to the place of beginning and containing 100.16 acres, more or less in Linn County, State of Oregon.

If log of well is not available, give name and address of driller: Boyer--Address unknown

11. Infiltration Trench: Covered or open _____
 Dimensions: Length _____ ft. Minimum depth _____ ft. Maximum depth _____ ft.
 Bottom width _____ ft. Discharge _____ g.p.m. Date of test _____

12. Tunnel: Type of lining _____
 Dimensions: _____
(Length, course, and cross sectional size)
 Position of water bearing stratum with reference to portal of tunnel _____

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)


13. Pumping Equipment:
 (a) Pump Allis Chalmers 3" Centrifugal Capacity 375 g.p.m.
(Make, type and size)
 (b) Motor 20 H P Electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10 S	3W	6	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	16.0	May 25, 1942
10S	3W	6	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	1.0	" " "
10S	3W	6	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	1.7	" " "
10S	3W	7	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	1.0	" " "
10S	3W	7	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	18.5	" " "
10S	3W	7	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	0.5	" " "
				38.7	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 10S Range 3W W.M. North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Linn } ss.

I, Elbert H. and Esther F. Chambers, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Elbert H. Chambers
Esther F. Chambers
(Signature of Registrant)

Subscribed and sworn to before me this ... day of ... 19...

My commission expires ... (Notary Public)

(SEAL)

SEE PAGE GR-299 Z-13 FOR CERTIFICATE OF REGISTRATION

STATE OF OREGON } ss.
County of Marion

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the ... day of ... 19... and has been duly recorded in said office in Book No. ... of Registration Statements on page ... Construction shall be completed by ... and the rates completely applied to benefit use by ...

Witness my hand this ... day of ... 19...

(State Engineer)
By (Deputy)

GR-299K

RECEIVED
MAY 1956
STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-317

Registration Statement

CERTIFICATE NO. GR-299

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 703, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Elbert H. and Esther F. Chambers

of Rt 2 Box 341, Albany County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well No. 4
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 10 miles North of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 63°10' W. 42 chains from the NE corner of S. 7, T. 10S., R3 W.W. M.
(Give distance and bearing to corner of section or other legal subdivision)

being within NW1/4 of NE1/4 of Sec. 7, Twp. 10S, Rge. 3W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of Linn
(If within city or town, give names)

3. Construction Work was begun on May 12, 1942; was completed on May 13, 1942
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on May 20, 1942
(Date)

since which time the water has been used continuously
(Continuously or Intermittently)

from May 20, 1942 to present time
(Date) (Date)

4. Quantity of water claimed and used is 175 gallons per minute; 23.75 acre feet per year.

5. Purpose or Purposes for which water is used irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 30 feet. Type driven
(Dug or drilled)

diameter 5 inches. Elevation of ground at well site 185 feet, mean sea level.
(As near as known)

Depth to water table 13 feet.

7. Capacity of Well: 200 g.p.m. with 4 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

GR-299 L

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

5 inch diameter steel casing from 0 to 30 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

slit perforations

(Number per foot and size of perforations, or describe screen.)

from 25 to 30

from to

from to

from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
not available		

Edward A. Chambers and Luella M. th Elberth. Chambers and Estner

#4
 beginning at an iron pipe on the East line of and South 25.82 chains from the NE corner of the John B. Miller D.L.C. No. 72 in T. 10 S., R. 3 W. of the W.M. Inn Co., Oregon; and running thence S. along the E. line of said G1. 31.20 chains to the center of the county road; thence N. 85°30' W. along the center of said road 13.84 chains to an iron drill shoe 3" x 10"; thence S. 4.34 chains to a point which is 9.43 chains E of the W. line of said D.L.C.; thence N. parallel with the W. line of said D.L.C. a distance of 20.89 chains, more or less, to a point which is 34.33 chains S of the N. line of said Claim; thence E 2.17 chains to an iron pipe; thence North 3.36 chains to the E. center of a slough; thence N. 46° E. along the center of said slough ~~to the center of a pond~~ 4.50 chains; thence N. 28° E. along the center of said slough 4.0 chains to a point which is 25.82 chains S of the N. line of said Claim; thence E 10.66 chains to the place of beginning and containing 40.0 acres, more or less.

If log of well is not available, give name and address of driller. Driven and dynamited by applicant

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Fairbanks-Morse 2" centrifugal Capacity 175 g.p.m.
(Make, type and size)

(b) Motor 7 1/2 H. P. Electric
(Type and horsepower)


14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10S	3W	7	NE 1/4 of NW 1/4	0.7	May 20, 1942
10S	3W	7	NW 1/4 of NE 1/4	<u>8.8</u>	" " "
				9.5	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

GR-299N

Township 10S Range 3W W.M.
North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON }
County of Linn } ss.

I, Elbert H. and Esther F. Chambers, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Elbert H. Chambers

Esther F. Chambers

(Signature of Registrant)

Subscribed and sworn to before me this _____ day of _____, 19_____

My commission expires _____

(Notary Public)

(SEAL)

SEE PAGE GR-299 Z-13 FOR
CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the _____ day of _____ 19____ and has been duly recorded in said office in Book No. _____ Registration Statement number _____

Construction shall be completed by _____ 19____ and the water completely applied to beneficial use by _____ 19____

Witness my hand this _____ day of _____, 19_____

(State Engineer)

By _____ (Deputy)

GR-299 O

RECEIVED
DEC 17 1956
STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-317
CERTIFICATE NO. GR-299

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Elbert H. and Esther F. Chambers

of Rt 2 Box 341, Albany County of Linn

State of Oregon

, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well No. 5
(Flowing well, pump well, infiltration trench, or tunnel)
2. Location is: 10 miles North of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 56°10'W 37.5 chains from the N. E. corner of S.7, T 10S., R3W.W. M.
(Give distance and bearing to corner of section or other legal subdivision)

being within SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Sec. 7, Twp. 10S., Rge. 3W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of Linn
(If within city or town, give name)

3. Construction Work was begun on July 9, 1948; was completed on July 12, 1948
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on July 15, 1948
(Date)

since which time the water has been used continuously
(Continuously or Intermittently)

from July 15, 1948 to present time
(Date) (Date)

4. Quantity of water claimed and used is 350 gallons per minute; 133.5 acre feet per year.

5. Purpose or Purposes for which water is used irrigation

(Domestic, Irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 28 feet. Type drilled

diameter 8 inches. Elevation of ground at well site 185 feet, mean sea level.
(As near as known)

Depth to water table 13 feet.

7. Capacity of Well: 450 g.p.m. with 8 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

GR-299 P

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

8 inch diameter steel casing from 0 to 28 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens: slit perforations from 22 to 28
 (Number per foot and size of perforations, or describe screen)

from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
not available		

Edward A. Chambers & Mella M. to Eibert H. & Estnor P. Chambers

The following described real property situated in Linn County, Oregon, being part of the John A. Miller U.S. 78 1st T. 10 S., R. 23 W. W. 1. Linn County, Ore. and being more particularly described as follows, to-wit: Beginning at an angle iron set on the E line of said claim and at a point which is N. 89°31'30" W. 2014.32 feet from the SE corner of said U.S. 78; thence S. 89°57'30" W. 901.60 feet to a drill hole set on the E line of the County Road; from which an iron pipe bears E 30.00 feet; thence N. 0°17'30" W. 1302.20 feet to an iron pipe; thence S. 89°53' W. 291.70 feet to an iron pipe; thence N. 0°01' E. 154.89 feet to an iron pipe; thence N. 89°52' E. 200.70 feet to a drill hole from which a heavy point bears N. 85°34' W. 20.00 feet; thence S. 89°04' E. 912.20 feet to an iron bolt; thence S. 89°03'30" E. 1910.00 feet to the place of beginning, and containing 11.83 acres, more or less.

Beginning at the SE corner of the W.L.C. of Samuel J. Jones and wife, being Lot No. 1008 and Claim No. 73 in T. 10 S., R. 23 W. of the W. 1. Linn County, Ore. and running thence N. 39.01 chains to a stone 6x12"; thence E 13.73 chains to a stone 6x12"; thence S. 55.02 chains to a stone 6x12" on the South line of said claim; thence N. 89°45' W. 13.80 chains to the place of beginning, containing 79.36 acres more or less, all in Linn County, Oregon.

Beginning at a stone 6x12" planted in the N boundary line of the E.L.C. of Samuel J. Jones and wife, being Claim No. 73 in T. 10 S., R. 23 W. of the W. 1. Linn Co Oregon, said stone being 52.01 chains north of the Southwest corner of the said claim, and running thence north 1.35 chains to the center of the County Road; thence N. 89°04' W. 13.74 chains; thence South 1.62 chains; thence West 13.73 chains to the place of beginning and containing 1.96 acres, more or less, all in Linn County, Ore.

If log of well is not available, give name and address of driller. **Bill Hamilton Well Drilling Co.**

838 E. 3rd Ave., Albany, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross-sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump **Fairbanks Morse 3" Centrifugal** Capacity **350** g.p.m.
(Make, type and size)

(b) Motor **15 H. P. Electric**
(Type and horsepower)


14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10S	3W	7	SE $\frac{1}{4}$ of NW $\frac{1}{4}$	1.4	July 15, 1948
10S	3W	7	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	0.9	" " "
10S	3W	7	SW $\frac{1}{4}$ of NE $\frac{1}{4}$	35.2	" " "
10S	3W	7	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	15.9	" " "
				53.4	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 10S Range 3W W.M.

North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Linn

ss.

I, Elbert H. and Esther F. Chamberlain being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Elbert H. Chamberlain
Esther F. Chamberlain
(Signature of Registrant)

Subscribed and sworn to before me this _____ day of _____, 19____

My commission expires _____

(Notary Public)

(SEAL)

SEE PAGE GR-299 Z-13 FOR
CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion

ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the _____ day of _____, 19____ at _____ o'clock _____ M. and has been duly recorded in said office in Book No. _____ of Registration Statements on page _____.

Construction shall be completed by _____ and the water completely applied to beneficial use by _____.

Witness my hand this _____ day of _____, 19____

(State Engineer)

By _____

(Deputy)

GR-299'S

RECEIVED
JUN 14 1956
STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-317
CERTIFICATE NO. GR-299

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 706, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Elbert H. and Esther F. Chambers

of Rt 2 Box 341 Albany County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well No. 6
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 10 miles North of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 32.1 W 24.52 Chains from the NE corner of S. 7, T. 10S, R3 W.W.M.
(Give distance and bearing to corner of section or other legal subdivision)

being within SE 1/4 of NE 1/4 of Sec. 7 Twp. 10S Rge. 3W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

In Lot _____ Block _____ of _____
(Name of plat or addition)

County of Linn
(If within city or town, give name)

3. Construction Work was begun on July 7, 1949; was completed on July 9, 1949
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on July 12, 1949
(Date)

since which time the water has been used continuously
(Continuously or intermittently)

from July 12, 1949 to present time
(Date) (Date)

4. Quantity of water claimed and used is 350 gallons per minute; 123 acre
feet per year.

5. Purpose or Purposes for which water is used irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 31 feet. Type drilled (Dug or drilled)

diameter 10 inches. Elevation of ground at well site 190 feet, mean sea level.
(As near as known)

Depth to water table 14 feet.

7. Capacity of Well: 400 g.p.m. with 8 feet drawdown.

not tested g.p.m. with _____ feet drawdown.

Date of test _____

If Flowing Well: Measured discharge _____ g.p.m. on _____ (Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____ (Date)

Water is controlled by _____ (Cap, valve, etc.)

GR-299T

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10 inch diameter steel casing from 0 to 31 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

slit perforations from 25 to 31
 (Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
not available		

#6
 Arthur Chambers and Edith Emory
 Beginning at the SE corner of the D.L.C. of Samuel T. Jones and wife, Not. No. 1688 and Claim No. 73 in T. 10 S., R. 3 W. of the W.M. Linn County, Oregon; and running thence West 13.80 chains; thence North 59.70 chains to the center of the County Road; thence N. 88°30' E. 13.75 chains; thence S. 60.08 chains to the place of beginning, containing 82.59 acres more or less, all in Linn County, Oregon. Save and Except all road and roadways.

Myrl Logan and Marian Tuttle

#6
 Beginning at the SW corner of the D.L.C. of Samuel T. Jones and wife, being Not. No. 1688 and Claim No. 73 in T. 10 S., R. 3 W. of the W.M. Linn County, Ore.; and running thence N. 58.01 chains to a stone 4x6x12"; thence E 13.73 chains to a stone 6x2x12"; thence S. 58.08 chains to a stone 3x6x10" on the South line of said Claim; thence N. 89°45' W. 13.80 chains to the place of beginning, containing 79.86 acres more or less, all in Linn County, Oregon.

ALSO:

#6
 Beginning at a stone 4x6x12" planted in the W boundary line of the D.L.C. of Samuel T. Jones and wife, being Claim No. 73 in T. 10 S., R. 3 W. of the W.M. Linn Co Oregon, said stone being 58.01 chains North of the Southwest corner of the said claim, and running thence North 1.25 chains to the center of the County Road; thence N. 88°30' E. 13.74 chains; thence South 1.62 chains; thence West 13.73 chains to the place of beginning and containing 1.96 acres, more or less, all in Linn County, Ore.

If log of well is not available, give name and address of driller: Bill. Hamilton Well Drilling Co.
838 E. 3rd Avenue, Albany, Oregon

11. Infiltration Trench: Covered or open _____
 Dimensions: Length _____ ft. Minimum depth _____ ft. Maximum depth _____ ft.
 Bottom width _____ ft. Discharge _____ g.p.m. Date of test _____

12. Tunnel: Type of lining _____
 Dimensions: _____ (Length, course, and cross sectional size)
 Position of water bearing stratum with reference to portal of tunnel _____

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)


13. Pumping Equipment:
 (a) Pump Fairbanks Morse 3" Centrifugal Capacity 350 g.p.m.
(Make, type and size)
 (b) Motor 15 H P Electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10S	3W	7	SW $\frac{1}{4}$ of NE $\frac{1}{4}$	3.4	July 12, 1949
10S	3W	7	SE $\frac{1}{4}$ of NE $\frac{1}{4}$	39.0	" " "
10S	3W	7	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	0.3	" " "
10S	3W	7	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	6.5	" " "
				49.2	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 10S Range 3W, W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON
County of Linn } ss.

I, Elbert H. and Esther F. Chambers, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Elbert H. Chambers
Esther F. Chambers
(Signature of Registrant)

Subscribed and sworn to before me this _____ day of _____, 19_____.

My commission expires _____ (Notary Public)

(SEAL)

SEE PAGE GR-299 Z-13 FOR
CERTIFICATE OF REGISTRATION

STATE OF OREGON
County of Marion } ss.

~~This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the x-x-x day of x-x-x-x-x-x-x-x-x-x 10 x-x-x-x-x-x-x-x-x-x x-x and has been duly recorded in said office in Book No. x-x-x-x-x-x of Registration Statements on page x-x-x-x-x-x-x-x.~~

~~Construction shall be completed by x-x-x-x-x-x-x-x-x-x 10 x-x and the water completely applied to benefit x-x-x-x-x-x-x-x-x-x 10 x-x~~

Witness my hand this _____ day of _____, 19_____.

(State Engineer)
By _____
(Deputy)

RECEIVED
DEC 17 1956

STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-317

CERTIFICATE NO. GR-299

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Elbert H. and Esther F. Chambers

of Rt 2 Box 341, Albany County of Linn

State of Oregon do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well No. 7
(Flowing well, pump well, infiltration trench, or tunnel)
2. Location is 1 1/2 miles North of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 75° 46'E 20.28 chains from the NW corner of T.10S R. 3 W.W.M.
(Give distance and bearing to corner of section or other legal subdivision)
being within NW 1/4 of NW 1/4 of Sec. 8, Twp. 10S, Rge. 3W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)
County of Linn
(If within city or town, give name)

3. Construction Work was begun on June 2, 1951; was completed on June 4, 1951
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 10, 1951
(Date)
since which time the water has been used continuously
(Continuously or intermittently)

from June 10, 1951 to present time
(Date) (Date)

4. Quantity of water claimed and used is 225 gallons per minute; 60.75 acre feet per year.

5. Purpose or Purposes for which water is used irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 21 feet: Type drilled

(Dug or drilled)

diameter 10 inches. Elevation of ground at well site 190 feet, mean sea level.
(As near as known)

Depth to water table 6 feet.

7. Capacity of Well: 375 g.p.m. with 3 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

GR-299 X

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10. inch diameter steel casing from 0 to 21 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

slit perforations from 15 to 21
 (Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
not available		

ALSO:

#7
 Beginning at a point on the E line of the Samuel T. Jones D.L.C. 73 in T. 10 S., R3W., of the W.M. said beginning point being S 0°00'30" E 1064.14 feet from the NE corner of said D.L.C; thence S. 89°41' E. 1318.04 feet to a granite stone set at the NE corner of the SW quarter of the SW quarter of Sec. 5 of said T and R; thence S. 0°03' W. 1334.35 feet to the SE corner of the SW quarter of the SW quarter of said Sec. 5; thence S 0°06' E. 1322.17 feet to the SE corner of the NW quarter of the NW quarter of Sec. 8 of said T and R; thence N. 89°38' W. along the S line of the NW quarter of the NW quarter of said Sec. 8; 855.34 feet to a point on the Easterly right-of-way line of the Oregon Electric Railroad; thence N. 10°39'30" W. along said railroad right-of-way line 470.70 feet to a point 7.00 chains N to the S line of the NW quarter of the NW quarter of said Sec. 8; thence S. 89°38' E. 5.08 feet to a point which is 55.00 feet Easterly from, when measured at right angles to, the center line of said railroad right-of-way; thence N. 10°39'30" W. along said right-of-way line 2234.76 feet to a point on the N line of the SE quarter of the NE quarter of Section 6 of said T and R; thence S. 89°41' E. 31.56 feet to the place of beginning.

If log of well is not available, give name and address of driller. Bill Hamilton Well Drilling Co.

838 E. 3rd Ave. Albany, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Fairbanks Morse 2" Centrifugal Capacity 225 g.p.m.


(b) Motor 10 H. P. electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10S	3W	5	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	2.0	June 10, 1951
10S	3W	5	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	22.3	" " "
				24.3	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 10S Range 3W W.M.
North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON
County of Linn

ss.

I, Elbert H. and Esther F. Chambers being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

[Handwritten signature]

[Handwritten signature]

Esther F. Chambers
(Signature of Registrant)

Subscribed and sworn to before me this day of, 19.....

My commission expires
(Notary Public)

(SEAL)

SEE PAGE GR-299 Z-13 FOR
CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the X-X-X-X day of X-X-X-X 19-X-X and has been duly recorded in said office in Book No. X-X-X-X of Registration Statements on page X-X-X-X-X-X.

Construction shall be completed by X-X-X-X-X-X-X-X 19-X-X and the water completely applied to beneficial use by X-X-X-X-X-X-X-X 19-X-X.

Witness my hand this day of, 19.....

(State Engineer)

By
(Deputy)

GR-299Z1

RECEIVED
DEC 17 1956
STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-317
CERTIFICATE NO. GR-299

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 798, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Elbert H. and Esther F. Chambers

of Rt 2 Box 341 Albany County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well No. 8

(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 10 miles North of Albany, Oregon

(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N. 49° 03' E. 14.43 chains from the SW corner S. 5, T10S R3 W. 1/4 M.

(Give distance and bearing to corner of section or other legal subdivision)

being within SW 1/4 of SW 1/4 of Sec. 5, Twp. 10S, Rge. 3W

(Smallest legal subdivision)

(N. or S.)

(E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____

(Name of plat or addition)

County of Linn

(If within city or town, give name)

3. Construction Work was begun on June 5, 1951; was completed on June 7, 1951

(Date)

(Date)

and the ground water claimed was first used for the purposes set out below on June 10, 1951

(Date)

since which time the water has been used continuously

(Continuously or intermittently)

from June 10, 1951 to present time

(Date)

(Date)

4. Quantity of water claimed and used is 350 gallons per minute; 82.5 acre feet per year.

5. Purpose or Purposes for which water is used irrigations

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 30 feet. Type drilled

(Dug or drilled)

diameter: 10 inches. Elevation of ground at well site 185 feet, mean sea level.

(As near as known)

Depth to water table 9 feet.

7. Capacity of Well: 400 g.p.m. with 12 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____

(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____

(Date)

Water is controlled by _____

(Cap, valve, etc.)

GR-299Z2

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10 inch diameter ~~steel casing~~ from 0 to 30 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

slit perforations from 24 to 30
 (Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
not available		

ALSO:

Beginning at a point on the E line of the Samuel T. Jones D.L.C. 73 in T. 10 S., R. 24 W. of the A.M. said beginning point being S. 0°00'30" E. 1024.14 feet from the NE corner of said D.L.C.; thence S. 89°41' E. 1318.07 feet to a granite stone set at the NE corner of the SW quarter of the SW quarter of Sec. 3 of said T and R; thence S. 8°03' W. 1304.35 feet to the SE corner of the SW quarter of the SW quarter of said Sec. 3; thence S. 0°03' E. 1323.17 feet to the SE corner of the NW quarter of the SW quarter of said Sec. 3 of said T and R; thence N. 89°38' W. along the E line of the NE quarter of the NW quarter of said Sec. 3; 855.24 feet to a point on the Easterly right-of-way line of the Oregon Electric Railroad; thence E. 10°34'30" W. along said railroad right-of-way line 470.70 feet to a point 7.00 chains N to the E line of the NW quarter of the NW quarter of said Sec. 3; thence S. 89°38' E. 5.00 feet to a point which is 51.00 feet Easterly from, when measured at right angles to, the center line of said railroad right-of-way; thence N. 10°19'30" W. along said right-of-way line 2234.76 feet to a point on the N line of the SE quarter of the NE quarter of Section 3 of said T and R; thence S. 89°41' E. 31.56 feet to the place of beginning.

Arthur Chambers and Edith Embrey
 beginning at the SE corner of the D.L.C. of Samuel T. Jones and wife, Not. No. 1630 and Claim No. 73 in T. 10 S., R. 24 W. of the W.M. Linn County, Oregon; and running thence west 13.30 chains; thence north 59.70 chains to the center of the County Road; thence N. 88°30' E. 15.75 chains; thence S. 60.00 chains to the place of beginning, containing 82.59 acres more or less, all in Linn County, Oregon. Save and Except all road and roadways.

If log of well is not available, give name and address of driller. Bill Hamilton Well Drilling Co.
838 E. 3rd Ave. Albany, Oregon

11. **Infiltration Trench: Covered or open**

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. **Tunnel: Type of lining**

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. **Pumping Equipment:**

(a) Pump Fairbanks Morse 3" Centrifugal Capacity 350 g.p.m.
(Make, type and size)

(b) Motor 15 H P Electric
(Type and horsepower)


14. **Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.**

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10S	3W	5	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	33.0	June 10, 1951

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

GR-29924

Township 10S Range 3W, W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON }
County of Linn } ss.

Elbert H. and Esther F. Chambers being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

✓ *Elbert H. Chambers*
Esther F. Chambers
(Signature of Registrant)

Subscribed and sworn to before me this _____ day of _____, 19____

My commission expires _____ (Notary Public)

(SEAL)

SEE PAGE GR-299 2-13 FOR
CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the _____ day of _____, 19____ and has been duly recorded in said office in Book No. _____ & Registration Statement on page _____ Construction and is completed by _____ and the water completely applied to beneficial use by _____ 19____.

Witness my hand this _____ day of _____, 19____

(State Engineer)
By _____
(Deputy)

GR-299Z 5

RECEIVED
DEC 17 1956
STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-317
CERTIFICATE NO. GR-299

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Elbert H. and Esther F. Chambers
of Rt 2 Box 341 Albany County of Linn
State of Oregon, do hereby make application for a certificate of registration as evidence
of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well No. 9
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 30 miles North of Albany, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 27° 03' E. 27.32 Chains from the NW corner of the Samuel T. Jones
(Give distance and bearing to corner of section or other legal subdivision) DLC 73
being within SE 1 of SE 1 of Sec. 6, Twp. 10S, Rge. 5W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:
in Lot Block of
(Name of plat or addition)

County of Linn
(If within city or town, give name)

3. Construction Work was begun on June 12, 1947; was completed on June 15, 1947
(Date) (Date)
and the ground water claimed was first used for the purposes set out below on June 15, 1947
(Date)
since which time the water has been used continuously
(Continuously or intermittently)
from June 15, 1947 to present time
(Date) (Date)

4. Quantity of water claimed and used is 350 gallons per minute; 101.25 acre
feet per year.

5. Purpose or Purposes for which water is used irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 29 feet. Type drilled
(Dug or drilled)
diameter 8 inches. Elevation of ground at well site 185 feet, mean sea level.
(As near as known)
Depth to water table 8 feet.

7. Capacity of Well: 400 g.p.m. with 5 feet drawdown.
 g.p.m. with feet drawdown.

Date of test not tested

If Flowing Well: Measured discharge g.p.m. on
(Date)

Shut-in pressure at ground surface lbs. per sq. in. on
(Date)

Water is controlled by
(Cap, valve, etc.)

GR-299Z6

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

..... 8. inch diameter ~~steel casing~~ from 0 to 29 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

..... ~~slit perforations~~ from 23 to 29
 (Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
not available		

238-359

#9
 Beginning at an iron bolt set on the North line of the Samuel T. Jones D.L.C. 73 in T. 10 S., R. 3 W. of the Will. Mer. in Linn County, Oregon said beginning point being N. 89°58'30" E. 1165.40 feet from the Northwest corner of said D.L.C. Claim; thence S. 0°03'30" E. 1695.0 feet to an iron bolt; thence N. 89°58'30" E. 621.60 feet to an iron bolt set on the westerly right of way of the Oregon Electric Railroad; thence N. 10°39'30" W. along said right of way line 1724.60 feet to an iron bolt set on the North line of said Jones D.L.C; thence S. 89°58'30" W. 304.14 feet to the place of beginning and containing 13.00 acres, more or less situated in Linn County, State of Ore. ALSO; Beginning at the Northwest corner of the Samuel T. Jones D.L.C. 73 in T. 10 S., R. 3 W. of the Will. Mer. in Linn County, Oregon; thence N. 89°58'30" E. along the North line of said D.L.C 1165.40 feet to an iron bolt; thence S. 0°03'30" E. 1695.0 feet to an iron bolt; thence N. 89°58'30" E. 621.60 feet to an iron bolt set on the westerly line of the Oregon Electric Railroad right of way; thence S. 10°39'30" E. along said right of way line 539.26 feet to an iron bolt; thence S. 89°58'30" W. 959.72 feet to an iron bolt; thence S. 0°03'30" E. 1515.14 feet to an iron bolt; thence S. 89°58'30" W. 527.80 feet to an iron bolt set on the West line of said Jones D.L.C; thence N. 0°03'30" W. 3761.70 feet to the place of beginning and containing 100.16 acres, more or less in Linn County, State of Oregon.

GR-29927

If log of well is not available, give name and address of driller. Bill Hamilton Well Drilling Co.

838 E. 3rd Avenue, Albany, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length _____ ft. Minimum depth _____ ft. Maximum depth _____ ft.

Bottom width _____ ft. Discharge _____ g.p.m. Date of test _____

12. Tunnel: Type of lining

Dimensions: _____
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel _____

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Allis Chalmers 3" Centrifugal Capacity 350 g.p.m.
(Make, type and size)


(b) Motor 15 H. P. Electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
<u>10S</u>	<u>3W</u>	<u>5</u>	<u>SW$\frac{1}{4}$ of SW$\frac{1}{4}$</u>	<u>0.2</u>	<u>June 15, 1947</u>
<u>10S</u>	<u>3W</u>	<u>6</u>	<u>SE$\frac{1}{4}$ of SE$\frac{1}{4}$</u>	<u>29.8</u>	<u>" " "</u>
<u>10S</u>	<u>3W</u>	<u>6</u>	<u>SW$\frac{1}{4}$ of SE$\frac{1}{4}$</u>	<u>10.5</u>	<u>" " "</u>
				<u>40.5</u>	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 10S Range 3W W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON }
County of Linn } ss.

I, Elbert H. and Esther F. Chambers, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Elbert H. Chambers
Esther F. Chambers
.....
(Signature of Registrant)

Subscribed and sworn to before me this day of, 19.....

My commission expires
(Notary Public)

(SEAL):

SEE PAGE GR-299 Z-13 FOR
CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

~~This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the X-X-X day of X-X-X-X, 19X-X, and that it has been duly recorded in said office in Book No. X-X-X-X of Registration Statements on page X-X-X-X-X.~~

~~Construction has been completed by X-X-X-X-X-X-X-X-X-X and the water completely applied to beneficial use by X-X-X-X-X-X-X-X-X-X.~~

Witness my hand this day of, 19.....

.....
(State Engineer)
By *[Signature]*
(Deputy)
GR-299Z9

RECEIVED
DEC 17 1956
STATE ENGINEER
SALEM, OREGON

REGISTRATION NO. GR-317
CERTIFICATE NO. GR-299

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Elbert H. and Esther F. Chambers

of Rt 2 Box 341 Albany County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well No. 10

(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 10 Miles North of Albany, Oregon

(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 49° 22'E. 15.15 Chains from the N. W. Corner of the Samuel T.

(Give distance and bearing to corner of section or other legal subdivision) Jones DLG 73

being within NE 1/4 of SE 1/4 of Sec. 6, Twp. 10S, Rge. 3W

(Smallest legal subdivision)

(N. or S.)

(E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____

(Name of plat or addition)

County of Linn

(If within city or town, give name)

3. Construction Work was begun on 1944; was completed on 1944

(Date)

(Date)

and the ground water claimed was first used for the purposes set out below on May 1944

(Date)

since which time the water has been used continuously

(Continuously or intermittently)

from May 1944 to present time

(Date)

(Date)

4. Quantity of water claimed and used is 350 gallons per minute; 105.75 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 30 feet. Type drilled

(Dug or drilled)

diameter 10 inches. Elevation of ground at well site 185 feet, mean sea level.

(As near as known)

Depth to water table 10 feet.

7. Capacity of Well: 500 g.p.m. with 4 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____

(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____

(Date)

Water is controlled by _____

(Cap, valve, etc.)

GR-299Z.10

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10 inch diameter steel casing from 0 to 30 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

slit perforations from 24 to 30
 (Number per foot and size of perforations, or describe screen)

from to

from to

from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
not available		

238-359

#10

Beginning at an iron bolt set on the West line of the Samuel T. Jones D.L.C. 73 in T. 10 S. 34 3 1/4 of the Will. Mer. in Linn County, Oregon said beginning point being N. 89°58'30" E. 1165.40 feet from the Northwest corner of said D.L.C. Claim; thence S. 0°03'30" E. 1695.0 feet to an iron bolt; thence N. 89°58'30" E. 621.60 feet to an iron bolt set on the westerly right of way of the Oregon Electric Railroad; thence N. 10°39'30" W. along said right of way line 1724.60 feet to an iron bolt set on the North line of said Jones D.L.C.; thence S. 09°38'30" W. 304.44 feet to the place of beginning and containing 12.00 acres, more or less situated in Linn County, State of Ore. ALSO; Beginning at the Northwest corner of the Samuel T. Jones D.L.C. 73 in T. 10 S. 34 3 1/4 of the Will. Mer. in Linn County, Oregon; thence N. 89°58'30" E. along the North line of said D.L.C. 1165.40 feet to an iron bolt; thence S. 0°03'30" E. 1695.0 feet to an iron bolt; thence N. 89°58'30" E. 621.60 feet to an iron bolt set on the westerly line of the Oregon Electric Railroad right of way; thence S. 10°39'30" E. 1724.60 feet to an iron bolt; thence S. 09°38'30" W. 304.44 feet to an iron bolt; thence S. 88°39' W. 927.00 feet to an iron bolt set on the West line of said Jones D.L.C.; thence N. 0°03'30" W. 3761.70 feet to the place of beginning and containing 100.16 acres, more or less in Linn County, State of Oregon.

If log of well is not available, give name and address of driller. Wymore, Woodburn, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Allis Chalmers 3" Centrifugal Capacity 350 g.p.m.
(Make, type and size)

(b) Motor 15 H P Electric
(Type and horsepower)


14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10S	3W	6	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	26.0	May 19, 1944
10S	3W	6	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	12.0	" " "
10S	3W	6	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	1.3	" " "
10S	3W	6	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	3.0	" " "
				42.3	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 10S Range 3W W.M.

North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Linn

ss.

I, Elbert H. and Esther F. Chambers, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Elbert H. Chambers
Esther F. Chambers
(Signature of Registrant)

Subscribed and sworn to before me this 15th day of December, 1956

My commission expires July 21, 1958

[Signature]
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion

ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 17th day of December, 1956, at 8 o'clock A.M. and has been duly recorded in said office in Book No. 2 of Registration Statements on page GR-299 Z-13

Construction shall be completed by 1958 and the water completely applied to beneficial use by 1959.

Witness my hand this 25th day of February, 1957

Lewis A. Stanley
(State Engineer)

#46.05
3/10.1 Ac.

By _____ (Deputy)

GR-299 Z-13