

REGISTRATION NO. GR-324**Registration Statement**CERTIFICATE NO. GR-306**OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER**

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:I, Sam Schirman 4540 Haysville Driveof Salem County of MarionState of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.1. Source from which water is withdrawn is pump well
(Flowing well, pump well, infiltration trench, or tunnel)2. Location is: 3 miles northeast of Salem
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 1900 feet West and 1600 feet North from SE corner of section 6
(Give distance and bearing to corner of section or other legal subdivision)being within NW 1/4 of SE 1/4 of Sec. 6, Twp. 7S, Rge. 2W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)County of _____
(If within city or town, give name)3. Construction Work was begun on October 1951; was completed on Nov 1951
(Date) (Date)and the ground water claimed was first used for the purposes set out below on Spring of 1952
(Date)since which time the water has been used intermittently
(Continuously or intermittently)from April to October
(Date) (Date)4. Quantity of water claimed and used is 200 gallons per minute; _____ acre feet per year.5. Purpose or Purposes for which water is used irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 120 feet. Type drilled
(Dug or drilled)diameter 8 inches. Elevation of ground at well site 183 feet, mean sea level.
(As near as known)Depth to water table 22 feet.7. Capacity of Well: 375 g.p.m. with 34 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test 11-16-51If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)Water is controlled by _____
(Cap, valve, etc.)

size.)

8" inch diameter all the way down from to feet

..... inch diameter from to feet

..... inch diameter from to feet

..... inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details: _____

9. Perforated Casings or Screens:

12 perforations per ft from 85 to 119

(Number per foot and size of perforations, or describe screen)

from to

from to

from to

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thick-

[illegible]

GR-306A

.....

Bottom width ft. Discharge g.p.m. Date of test

8 (Length, course, and cross sectional size)

(Make, type and size)

(Type and horsepower)

GR-306 B

GR-306 C