

RECEIVED

APR 11 1960
STATE ENGINEER
SALEM, OREGON

Registration No. GR. 3465
Certificate No. GR. 4051

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, A. J. Stone
of Rte 1 Box 240 Amity County of Yamhill
(Mailing address)
State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is 1/2 mile East of Amity
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows: error SW
(a) 30' N and 70' E of NW corner of Bedgwen S Burch DAC
NE 1/4 of NW 1/4 (Give distance and bearing to corner of section or other legal subdivision)
being within NE 1/4 of NW 1/4 of Sec. 28, Twp. 5 S, Rge. 4 W
(Smallest legal subdivision) (N. or S.) (E. or W.)
or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(If within city or town, give name) County of Yamhill
(Name of plat or addition)

3. Construction Work was begun on July '52; was completed on July '52
(Date) (Date)
and the ground water claimed was first used for the purposes set out below on July '52
(Date)
since which time the water has been used Continuously
(Continuously or intermittently)
from July '52 to July '58
(Date) (Date)

4. Quantity of water claimed and used is 15 gallons per minute; _____ acre
feet per year.

5. Purpose or Purposes for which water is used Swamp Drainage & Irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 65 feet. Type Drilled
(Dug or drilled)
diameter 6 inches. Elevation of ground at well site 220 feet, mean sea level.
(As near as known)
Depth to water table 60 feet.

7. Capacity of Well: 15 g.p.m. with _____ feet drawdown.
_____ g.p.m. with _____ feet drawdown.

Date of test July '52

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

Size 1

6 inch diameter from SKY to 65 feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

Perforated Casing from 60 ft to 65 ft
(Number per foot and size of perforations, or describe screen)

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

[illegible]

If log of well is not available, give name and address of driller. *Wilcox Drilling & Pump Co. - Mc Minnville, Ore*

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width _____ ft. Discharge _____ g.p.m. Date of test _____

12. Tunnel: Type of lining -----

Dimensions: _____

(Length, course, and cross section)

Position of water bearing stratum with reference to portal of tunnel, _____

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Universal-Deep Well Jet Capacity 40 g.p.m.
(Make, type and size)

(b) Motor Electric - 2 hp
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
5S	4W	28	NE 1/4 NW 1/4	160	1952
5S	4W	28	NE 1/4 NW 1/4	160	1952
"	"	28	NE 1/4 NW 1/4	2. Total	"

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

