Certificate No. GR 4146

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, Harvey Mitchell
of Route 1, Jeffenson, Oregon County of Linn
State ofOrogon, do hereby make application for a certificate of registration as evidence
of a right to appropriate ground water.
1. Source from which water is withdrawn isPump_well, pump well, infiltration trench, or tunnel)
2. Location is: 5 Hiles South of Jefferson (Approximate distance and direction from nearest city or town)
and is more particularly described as follows:
(a) SElyof SElyof (Smallest legal a. 2.4 rision) (a) SElyof SElyof (Smallest legal a. 2.4 rision) SElyof Selyof (Smallest legal a. 2.4 rision)
SElyots Ely of Sec 2 4 Two 105 Ree 3 W
(Smallest legal s. # A vision) (E or W.)
or (b) within limits of recorded platted property, town or city:
in Lot, Block of
(If within city or town, give name)
(If within city or town, give name)
3. Construction Work was begun on 1948; was completed on 1948
and the ground water claimed was first used for the purposes set out below on
since which time the water has been usedintermittentley
from april to Sept. (Date)
4. Quantity of water claimed and used is800 gallons per minute; acre
feet per year.
5. Purpose or Purposes for which water is used inrigation
(Domestic, irrig. ion, municipal, manufacturing, industrial, etc.)
6. Description of Well: Depth feet. Type drilled
diameter inches. Elevation of ground at well site 226 feet, mean sea level
Depth to water table feet.
7. Capacity of Well: 800 g.p.m. with feet drawdown.
g.p.m. withfeet drawdown.
Date of test $\frac{7/30/5-8}{}$
If Flowing Well: Measured discharge g.p.m. on
Shut-in pressure at ground surface lbs. per sq. in. on
그 그는 회사는 학자들은 사람들은 사고 가수가는 취상되는 생생들은 학생들은 생각 그릇을 통해 되는 생각
Water is controlled by (Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications)	and debin below	ground suriace	or each casing		
10 inch diameter Steel casing	from	to	feet		
inch diameter	from	to	feet		
inch diameter	from	to	to feet		
inch diameter	from	to			
ribe and show depth of shoe, plug, adapter, liner or othe	er details:	***************************************			

9. Perforated Casings or Screens:					
(Number per foot and size of perforations, or describe screen)	fro	m	to		
(Number per foot and size of perforations, or describe screen)		4	and the second s		
10. Log of Well: (Describe each stratum or formatio					
and depth as indicated.)	in caccuracy a minimum of the	waver bearing	, and give lines		
MATERIAL		Thickness (Fest)	Depth to Boitom (Fest)		
Not avaible					
THE CONTRACTOR					
	, *, · · · ·				
	<u>, </u>				
		<u></u>			
*					
			•		
		<u> </u>			
	· · · · · · · · · · · · · · · · · · ·				

	not available		e and address of driller		ulton
	T		egon		*******************************
			or oper		
			ft. Minimum depth .		
Botto	om width	ft. I	Dischargeg.	p.m. Date of test	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		-	•••••••••••••••••••••••••••••••••••••••		**************************************
Dime	ensions:		(Length, course, an	d cross sectional size)	
Posit	ion of water	bearing stra	tum with reference to por	tal of tunnel	
and character o	of materials, a	as pertinent.			ootage from portal
(a) I	oump Fa	whan	k-Motor		g.n.m
· (h) 1	Motor	Electo	(Make, type	and size)	
			(Type and h		
14. Loca	tion of area i	irrigated cr	to be irrigated, or place o	f use if for purposes other	than irrigation.
Township North or South	Range W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
T/05	3 W	24	SWIY SElly	12.0	1948
11	"	24	SE'4 SE'4	25:0_	
11	и	25	NE/4NE/4	38≗	ir .
T105	** <i>R3</i> w	25	NW/4 NE/4	70	,
T105	R2W	19	SW/4 SW/4	52	"
TIOS	R2W	19	NW45W4	90	4
7105	R2W	30	N W/y of NW/y	42	"
				100° Total	
			*		
	:			·	* **
<u></u>					
`					
			•	` `	
		٠.			<u> </u>
15. If th cation for a per	e ground wat	er supply is certificate c	supplemental to an existion adjudicated right to app	ng water supply, identific	eation of any applid by the registrant

Sec TY	Townsh	10S	. Range	3 h	, W.M.		
/		1	Torth				
•							
]			_]	
	İ	. !					
•		3		24	<u>, </u>		
	1 ^			77			
	1						
					R		
					O#.	5)	
	.				7	7)*	
						y	
		1	T				
					_		
		,		25			
			· :				
•						••	
	Y 4 -	11 1			· · · · · · · · · · · · · · · · · · ·		
	Locate	well and acreas	e or arrag 2" == 1 M:		on plat.	• • • • • • • • • • • • • • • • • • • •	
		Scale.	Z === 1 1V1.	116			
STATE OF OREGON			}	* 7			
County of	12411		ss.				
	` 1	-	····· /	. •			
I, JELU e	f // // // // // // // // // // // // //	chell	, being	first dul	y sworn, do	hereby ce	rtify that I hav
my knowledge and be		nent and mat a	מונו לו ווו	, rems m	lerein conta	med are un	ie to the best o
		,	2/2	en	co M	itake	el
		, ,	¥¥	(-)	(Signature	of Registrant)	····\
Subscribed and	sworn to before	me this	day of	60	60		, 19.5.8
			F	, , ,	1,30	1	
Wy commission expire	s My Continuesion Exp	O FOIL OREGON Dires April 19, 10		The fact to a second	(Notar	Public)	
(SEAL)		•	· .	i s		•	
						• • • • • • • • • • • • • • • • • • • •	
				•			
	CF	ertificate ()F REGI	STRATIO	ON		
STATE OF OREGON	. 1						
	ss.			•	*	-	
County of Marion)						
This is to certif	y that the fore	going Registrat	tion Stat	ement w	as received	in the off	ice of the Stat
Engineer on the44	day of	usust	, 19.58	., at	0'0	lockA	M. and has bee
duly recorded in said	office in Book N	10	of Regis	stration S	statements	on page	<u> </u>
•							
		•					
		• • •	, ,			_	
Witness my han	d this <i>5 th</i>	day of	vgvst		<u></u>		
				af y	To Lar	toolow	
25.50						Engineer)	
_ 						*****	

GR 4146