

RECEIVED

FEB 10 1957  
STATE ENGINEER  
SALEM, OREGON

Registration Statement

REGISTRATION No. GR-379  
CERTIFICATE No. GR 365

RECEIVED

FEB 26 1957  
STATE ENGINEER  
SALEM, OREGON

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 768, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Tulina Wadeking

of Route 1, Box 878, Beaverton County of Washington

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 9 Miles S. W. Beaverton, Oregon  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:  
(Measured from photo)

(a) 410 ft. E and 150 ft. S of the NE corner of Thomas Humphrey D12  
(Give distance and bearing to corner of section or other legal subdivision)

being within NE 1/4 NW 1/4 of Sec. 12, Twp. 2S, Rge. 2W N M  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of \_\_\_\_\_  
(If within city or town, give name)

3. Construction Work was begun on April 1955; was completed on June 16 1955  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 16, 1955  
(Date)

since which time the water has been used continuously for house, and  
(Continuously or intermittently)

from May to October for irrigation.  
(Date) (Date)

4. Quantity of water claimed and used is 80 gallons per minute; 5 acre feet per year.

5. Purpose or Purposes for which water is used Domestic Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 315 feet. Type Drilled  
(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 175 feet, mean sea level.  
(As near as known)

Depth to water table 25 feet.

7. Capacity of Well: \_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

80 g.p.m. with 135 feet drawdown.

Date of test June 16, 1955

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap. valve, etc.)





