

RECEIVED

FEB 27 1957  
STATE ENGINEER  
SALEM, OREGON

REGISTRATION NO. GR-380

Registration Statement CERTIFICATE NO. 367

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 703, Oregon Laws 1935.)

TO THE STATE ENGINEER OF OREGON:

I, George Van de Pol  
of Rt. 4, Box 313, Corvallis County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well No. 1  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 2 miles East of Corvallis, Oregon  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 50° 50' E. 35.5 chains from the NW corner Charles Mulkey D.L.C. 69, T. 11 S,  
(Give distance and bearing to corner of section or other legal subdivision) R. 4 W.  
being within NW 1/4 of SW 1/4 of Sec. 31, Twp. 11 S, Rge. 3 W.  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)  
County of Linn  
(If within city or town, give name)

3. Construction Work was begun on October 10, 1949; was completed on October 12, 1949  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 10, 1950  
(Date)

since which time the water has been used continuously  
(Continuously or intermittently)

from \_\_\_\_\_ to present time  
(Date) (Date)

4. Quantity of water claimed and used is 420 gallons per minute; 110.5 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 32 feet. Type Drilled  
(Dug or drilled)

diameter 10 inches. Elevation of ground at well site 215 feet, mean sea level.  
(As near as known)

Depth to water table 18 feet.

7. Capacity of Well: 420 g.p.m. with 5 feet drawdown.

\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test October 12, 1949

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)



If log of well is not available, give name and address of driller. Shafer and Cellatney,

Philomath, Oregon

11. Infiltration Trench: Covered or open .....

Dimensions: Length ..... ft. Minimum depth ..... ft. Maximum depth ..... ft.

Bottom width ..... ft. Discharge ..... g.p.m. Date of test .....

12. Tunnel: Type of lining .....

Dimensions: .....  
(Length, curve, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 3" Gould Centrifugal ..... Capacity 450 ..... g.p.m.  
(Make, type and size)

(b) Motor 20 H. P. electric .....  
(Type and horsepower)


14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation:

Township North or South	Range E. or W. of Williams Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
11 S.	4 W.	31	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	1.3	June 10, 1950
11 S.	4 W.	31	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	19.1	" "
11 S.	4 W.	31	NW $\frac{1}{4}$ of SW $\frac{1}{4}$	4.6	" "
11 S.	5 W.	36	NE $\frac{1}{4}$ of NE $\frac{1}{4}$	0.6	" "
11 S.	5 W.	36	SE $\frac{1}{4}$ of NE $\frac{1}{4}$	14.2	" "
11 S.	5 W.	36	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	4.4	" "
				<u>44.2</u>	

206-448

All that portion of a tract of land situated in Section 31, T. 11 S., R. 4 W. and Section 36, T. 11 S., R. 5 W. of the Will. Mer. in Linn County, Oregon, containing within the boundaries of a strip of land 100 feet in width, being 50 feet on each side of, parallel with and adjacent to the center line of the Oregon Electric Company's railroad, as the same was surveyed, staked out and located over, across and upon the following described property. Beginning at a point on the South boundary line of the D.L.C. of Perry G. Earl and wife, Not. No. 957 and Claim No. 68, in T. 11 S., R. 5 W. which is 20.88 chains East of the Southwest corner of said Claim No. 68, and running thence S.7°20'W. 44.15 chains to the South line of the D.L.C. of Charles Mulkey, Claim No. 69, thence S.1°W. 14.65 chains to the North boundary line of the D.L.C. of Pleasant Robinett, Claim No. 60, in said T. and R.; thence N.89°15'E 5.57 chains; thence N.30°E. 14.63 chains to the South line of said Claim No. 69, in T. 11 S., R. 5 W. of the Will. Mer. in Linn County, Oregon; thence S.89°35'E. 15.07 chains to the center of a certain slough; thence following the center of said slough in a northerly direction to the South line of Perry G. Earl's D.L.C., Claim No. 73, in T. 11 S., R. 4 W. of the Will. Mer. in Linn County, Oregon; thence N.89°36'W. 21.19 chains West to the place of beginning, and containing 87.25 acres, more or less, all lying and being in Linn County, Oregon, the said center line of the Oregon Electric Railroad's railroad being particularly described as follows: Beginning at a point on the West boundary line of the hereinabove described property, distant 1568.2 feet N.7°20'E. measured along the said West boundary line from a stake on the South line of Charles Mulkey's Claim No. 69; thence N.89°46'E. on a tangent making an angle of 82°30' in the Northeast quadrant with the said West boundary line of said above described property, a distance of 1295.6 feet to the center of a certain slough, center of said slough being the East boundary line of said above described property, the area contained in the strip of land hereinabove conveyed being 2.98 acres.

Township 11 S Range 4 E 5 W W.M.



Locate well and acreage of irrigated land on plat.  
Scale: 2" = 1 Mile

STATE OF OREGON *Calif.* }  
County of San Mateo } ss.

I, George Van de Pol, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

*George Van de Pol*  
(Signature of Registrant)

Subscribed and sworn to before me this 20th day of February, 1957

My commission expires Jan 9 1958 *Floyd Lowe*  
(Notary Public)

(SEAL)

See Page GR-367 G for  
CERTIFICATE OF REGISTRATION

STATE OF OREGON }  
County of Marion } ss.

~~This is to certify that the foregoing Registration Statement was read in the office of the State Engineer on the X-X-X-X day of X-X-X-X, 19X-X, and that it has been duly recorded in Book No. X-X-X-X of Registrations, State of Oregon, and that the construction shall be completed by X-X-X-X, 19X-X, and the water completely applied to beneficial use by X-X-X-X, 19X-X.~~

Witness my hand this 30th day of April, 19 57

(State Engineer)

By \_\_\_\_\_ (Deputy)

RECEIVED

FEB 27 1957  
STATE ENGINEER  
SALEM, OREGON

REGISTRATION NO. GR-380  
CERTIFICATE NO. GR 367

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, George Van de Pol

of Box 313, Corvallis County of Linn

State of Oregon do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well No. 2 (Flowing well, pump well, infiltration trench, or tunnel).

2. Location is: 2 miles East of Corvallis, Oregon (Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 34° 50' E. 45 chains from the NW corner of the Charles Mulkey DLC 69, T. 11 S., R. 4 W.

being within NE 1/4 of SE 1/4 of Sec. 26, Twp. 11 S., Rge. 4 W. (Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_ (Name of plat or addition)

County of Linn (If within city or town, give name)

3. Construction Work was begun on May 17, 1952; was completed on May 19, 1952 (Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 18, 1952 (Date)

since which time the water has been used continuously (Continuously or intermittently)

from June 18, 1952 to present time (Date) (Date)

4. Quantity of water claimed and used is 260 gallons per minute; 7 1/2 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 32 feet. Type Drilled (Dug or drilled)

diameter 10 inches. Elevation of ground at well site 215 feet, mean sea level. (As near as known)

Depth to water table 18 feet.

7. Capacity of Well: 600 g.p.m. with 1 feet drawdown.

\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test May 19, 1952

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_ (Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_ (Date)

Water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

GR 367 D



If log of well is not available, give name and address of driller. Shafer and Gellatney.

Philomath, Oregon

11. Infiltration Trench: Covered or open .....

Dimensions: Length ..... ft. Minimum depth ..... ft. Maximum depth ..... ft.

Bottom width ..... ft. Discharge ..... g.p.m. Date of test .....

12. Tunnel: Type of lining .....

Dimensions: .....  
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 2" Gould Centrifugal Capacity 300 g.p.m.  
(Make, type and size)

(b) Motor 15 H. P. Electric  
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
11 S.	4 W.	31	NW $\frac{1}{4}$ of SW $\frac{1}{4}$	10.5	June 18, 1952
11 S.	4 W.	31	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	2.9	" "
11 S.	5 W.	36	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	14.8	" "
11 S.	5 W.	36	SE $\frac{1}{4}$ of SE $\frac{1}{4}$	1.4	" "
				29.6	

146-186

That portion of Section 31 in T. 11 S., R. 4 W. of the Will. Mer. in Linn County, Oregon, described as follows:

Beginning at a point in the North line of the Charles Mulkey D.L.C. No. 69, 20.88 chains East of the Northwest corner thereof S.7°20'W. 44.15 chains to a point in the South line of said Claim No. 69; thence S.1°W. 14.65 chains to a point in the North line of Pleasant Robinett D.L.C. No. 60; thence along said line 89°15'E. 5.57 chains, thence N.0°30'E. 14.63 chains to the South line of said Claim No. 69, thence along said South line 89°35'E. 15.07 chains to the center of a certain slough, thence following the center of said slough in a Northerly direction to its intersection with the North line of the Charles Mulkey D.L.C. No. 87 in said Section 31, and said point being in the South line of the P. G. Carl D.L.C. 73, thence N.89°38'W. 21.19 chains to the place of beginning, and containing 87.25 acres, excepting therefrom a 20 foot road way extending along the entire West line thereof, also excepting a right of way for the Oregon Electric Railroad running across said land from East to West being a strip 100 feet in width, and containing 2.98 acres, also excepting the following described tract:

Beginning at a point on the North line of the Pleasant Robinett D.L.C. 60, 2.30 chains North and 5.81 West of the Southeast corner of Section 36, T. 11 S., R. 5 W. of the Will. Mer. in Linn County, Oregon; thence N.0°30'E. 11.487 chains to a 1" pipe, thence S.89°43'W. parallel with said Claim line 5.17 chains to a 3/4" pipe on the East line of a 20 foot roadway; thence S.1°W. along said line 11.487 chains to the Claim line, thence N.89°43'E. 5.267 chains to the place of beginning, containing 6 acres, also excepting therefrom the right of way conveyed to Linn County, Oregon by deed dated May 14th, 1930 and recorded in Book 139 page 255 of the Linn County, Oregon deed records, containing 0.35 acres, the land hereby conveyed containing net 78.00 acres all in Linn County, Oregon.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

