

RECEIVED

MAR 11 1957
STATE ENGINEER
SALEM, OREGON

Registration Statement

REGISTRATION NO. GR-392
CERTIFICATE NO. 378

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Harvey and Gladys Knifong and Roy Hayden

of Milton-Freewater, Ore, R53, BK 257 County of Umatilla

State of OREGON, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Well

(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1, 3/4 miles

(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 327.05 ft. S from a point 73 ft. East of the NW cor. of Section 174

(Give distance and bearing to corner of section or other legal subdivision)

being within SE 1/4 of the SW 1/4 of Sec. 25, Twp. 6 N., Rge. 35 E.

(Smallest legal subdivision)

(N. or S.)

(E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____

(Name of plat or addition)

County of Umatilla

(If within city or town, give name)

3. Construction Work was begun on July 1915; was completed on July 1915

(Date)

(Date)

and the ground water claimed was first used for the purposes set out below on July 1915

(Date)

since which time the water has been used continuously

(Continuously or intermittently)

from 1915 to Mar 1 1957

(Date)

(Date)

4. Quantity of water claimed and used is 75 gallons per minute; 193,808,400 gal. per M. acre feet per year.

5. Purpose or Purposes for which water is used: Irrigation and Domestic Use

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 23 feet. Type Du. 45 ft. drilled 47 ft.

(Dug or drilled)

Dug part 2' x 3', casing 6" diameter _____ inches. Elevation of ground at well site _____ feet, mean sea level.

(As near as known)

Depth to water table _____ feet. varies from about 10' to 40'

feather pump was a 3" centrifugal and 3 H.P.

7. Capacity of Well: _____ g.p.m. with _____ feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____

(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____

(Date)

Water is controlled by _____

(Cap, valve, etc.)

