

RECEIVED

MAR 13 1955

STATE ENGINEER  
SALEM, OREGON

REGISTRATION NO. GR-400

CERTIFICATE NO. GR 384

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Willard A. and Betty A. Hamlin

of Rt. 4, Box 362 A, Corvallis County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well (Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 2 1/2 miles east of Corvallis, Oregon (Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N. 69° 55' E. 31.97 chains from the SW corner of S. 6, T. 12 S., R. 4 W.W.M. (Give distance and bearing to corner of section or other legal subdivision)

being within SE 1/4 of SW 1/4 of Sec. 6, Twp. 12 S, Rge. 4 W. (Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot, Block of (Name of plat or addition)

County of Linn (If within city or town, give name)

3. Construction Work was begun on October 9, 1944; was completed on October 11, 1944 (Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 5, 1950 (Date)

since which time the water has been used continuously (Continuously or Intermittently)

from June 5, 1945 to Present time (Date) (Date)

4. Quantity of water claimed and used is 300 gallons per minute; 123 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation (Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 30 feet. Type Drilled (Dug or drilled)

diameter 10 inches. Elevation of ground at well site 220.8 feet, mean sea level. (As near as known)

Depth to water table 10 feet.

7. Capacity of Well: 800 g.p.m. with 4 feet drawdown.

g.p.m. with feet drawdown.

Date of test May 10, 1955

If Flowing Well: Measured discharge g.p.m. on (Date)

Shut-in pressure at ground surface lbs. per sq. in. on (Date)

Water is controlled by (Cap, valve, etc.)

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10 inch diameter Steel casing from 0 to 30 feet  
 inch diameter from to feet  
 inch diameter from to feet  
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. **Perforated Casings or Screens:**

Slit perforations from 22 to 30  
 (Number per foot and size of perforations, or describe screen)  
 from to  
 from to  
 from to

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth To Bottom (Feet)
Not available		

Beginning at a 3/4" iron pipe in the ground, 23.875 chains N. and 16.965 chains E. of the NW corner of the D.L.C. of Joseph Robinett, it being Claim No. 51, Not. No. 2007, in T. 12 S., of R. 4 W. of the W.M., in Linn County, Oregon, and running N. 45° East, 24.10 chains to a 3/4" iron pipe in the center of the county road, thence S. 44° 50' East, along the center of said county road, 14.52 chains to a 3/4" iron pipe, thence S. 45° W., 24.105 chains to a 3/4" iron pipe, thence N. 44° 50' W. 14.52 chains to the place of beginning, containing 35 acres more or less.

Also: Beginning at a 3/4" pipe 23.875 chains N. and 16.965 chains E. of the N.W. corner of Joseph Robinett D.L.C. No. 51, T. 12 S., R. 4 W.W.M. in Linn County, Oregon; and running thence S. 45° W. 5.895 chains to an angle point in the W. boundary of James Robinett D.L.C. No. 52, T. 12 S., R. 4 W., thence S. 33° W. 23.50 chains to the NW corner of Joseph Robinett DLC No. 51; thence E. along the N. line of said claim 10.062 chains to a 1 1/4" in pipe; thence S. 3.562 chains; thence N. 45° E. 24.242 chains to an angle iron, thence N. 44° 50' W. 14.52 chains to the place of beginning, containing 32.15 acres.

Beginning at a point 8.00 chains E. of the NW corner of the Joseph Robinett DLC No. 51, in T. 12 S., R. 4 W., and Claim No. 77 in T. 12 S., R. 5 W., of W.M. in Linn County, Oregon; and running thence E. 2.062 chains; thence S. 3.56 chains and running thence N. 45° E. 48.34 chains to a 3/4 inch pipe in the center line of county road, thence S. 45° E. along the said center line 18.59 chains, thence S. 54° W. 57.72 chains, thence W. .23 of a chain, thence N. 21.338 chains, more or less, to the place of beginning, containing 62.99 acres more or less.

Beginning at the NW corner of the DLC of Joseph Robinett, Not. No. 2007, Claim No. 51, in T. 12 S., R. 4 W.W.M., in Linn County, Oregon, and running thence 28 chains; thence S. 26.75 chains, more or less, to the south boundary line of said claim No. 51; thence N. 76° 15' west 6.25 chains; thence N. 75° 45' W. 6 chains; thence N. 8° 15' E. 23.50 chains to the place of beginning, containing 35.51 acres, more or less.

11. Infiltration Trench: Covered or open .....

Dimensions: Length ..... ft. Minimum depth ..... ft. Maximum depth ..... ft.  
 Bottom width ..... ft. Discharge ..... g.p.m. Date of test .....

12. Tunnel: Type of lining .....

Dimensions: .....  
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Fairbanks Morse 1" Centrifugal Capacity 150 g.p.m.  
(Make, type and size)

(b) Motor 15 H. P. electric  
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
12 S	4 W	6	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	26.0	June 5, 1945
12 S	4 W	6	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	10.0	June 5, 1945
12 S	4 W	7	NW $\frac{1}{4}$ of NE $\frac{1}{4}$	8.2	June 5, 1945
12 S	4 W	7	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	5.0	June 5, 1945
				49.2	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

