

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, Dalles City, a municipal corporation of the State of Oregon,  
of City Hall, The Dalles, Oregon County of Wasco  
(Mailing address)  
State of Oregon, do hereby make application for a certificate of registration as evidence  
of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: Third and Court Streets, The Dalles, Oregon  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) SW 1/4 of NW 1/4  
(Give distance and bearing to corner of section or other legal subdivision)

being within SW 1/4 of NW 1/4 of Sec. 3, Twp. 1N Rge. 13E  
(Smallest legal subdivision) (N., S., E., W.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lots 5 & 6, Block 6 of Original Dalles City  
(Name of plat or addition)

The Dalles County of Wasco  
(If within city or town, give name)

3. Construction Work was begun on October 11, 1923; was completed on November 24, 1923  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on December, 1923  
(Date)

since which time the water has been used both continuously and intermittently  
(Continuously or intermittently)

from December, 1923 to July, 1961  
(Date) (Date)

4. Quantity of water claimed and used is 2300 gallons per minute,        acre  
feet per year.

5. Purpose or Purposes for which water is used municipal, domestic, irrigation, manufacturing  
and industrial  
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 200 feet. Type drilled  
(Dug or drilled)

diameter 12 inches. Elevation of ground at well site 90 feet, mean sea level.  
varies from         
(As near as known)

Depth to water table 30 to 56 feet.

7. Capacity of Well: 2300 g.p.m. with        feet drawdown  
       g.p.m. with        feet drawdown.

Date of test First test, November, 1923

If Flowing Well: Measured discharge        g.p.m. on         
(Date)

Shut-in pressure at ground surface        lbs. per sq. in. on         
(Date)

Water is controlled by         
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

12 inch diameter with 8 inch column from 0 to 62 feet  
 inch diameter from to feet  
 inch diameter from to feet  
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

(Number per foot and size of perforations, or describe screen) from to  
 from to  
 from to  
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

	MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
12'	clay		
12' - 19'	shaly stone		
19' - 30'	black rock		
30' - 61'	blue clay		
61' - 62'	black rock		
62' - 66'	gray stone, hard		
66' - 92'	hard black rock		
92' - 135'	very hard gray stone		
135' - 148'	soft black rock, waterbearing		
148' - 180'	solid black hard rock		
180' - 200'	soft black waterbearing rock		

If log of well is not available, give name and address of driller.....

11. Infiltration Trench: Covered or open.....

Dimensions: Length..... ft. Minimum depth..... ft. Maximum depth..... ft.

Bottom width..... ft. Discharge..... g.p.m. Date of test.....

12. Tunnel: Type of lining.....

Dimensions:.....  
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel.....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 3-stage Johnston Pump and 5-stage Johnston Booster Capacity 2300 g.p.m.  
(Make, type and size)

(b) Motor 3-phase 75 horsepower 1800 r. p. m. vertical hollow shaft motor and 3-phase 200 horsepower 1800 r. p. m. vertical hollow shaft motor.  
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.


Township North or South	Range E. or W. of Willamette-Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
Water drawn from the Well is used for the various purposes described above, in Dalles City, Oregon, as part of the municipal water system.					

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

City holds Permit No. U-127 and Application G-23, and has a gravity source from the.....

Dalles City watershed in upper Mill Creek and Dog River in Wasco and Hood River Counties.

Township 1 N Range 13 E W.M.  
North



Locate well and acreage of irrigated land on plat.  
Scale: 2" = 1 Mile

STATE OF OREGON

County of Wasco } ss.

I, John J. Howe Mayor of Dalles City being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

John J. Howe  
(Signature of Registrant)

Subscribed and sworn to before me this 18th day of July 1961

My commission expires 3/23/62

Charles C. [unclear]  
(Notary Public)

(SEAL)

**CERTIFICATE OF REGISTRATION**

STATE OF OREGON

County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 31st day of July 1961, at 8:00 o'clock A. M. and has been duly recorded in said office in Book No. 17 of Registration Statements on page GR-4107

Witness my hand this 16th day of August 1961

Lura A. Stanley  
(State Engineer)

By \_\_\_\_\_ (Deputy)

\$ 30.00

GR-4107