

**Registration Statement** CERTIFICATE NO. GR 415

**OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER**  
(Under Chapter 708, Oregon Laws 1955.)

**TO THE STATE ENGINEER OF OREGON:**

I, Dave H. Jordan

of Route 4, Box 159, Albany County of Benton

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 6 miles North of Albany  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 790' - S<sup>outh</sup> - 77° 30' west of 1 1/2" axle shaft. Which is the SE Corner of Smiley Cont. DLG  
(Give distance and bearing to corner of section or other legal subdivision)

being within NE 1/4 of NW 1/4 of Sec. 14, Twp. 10 S, Rge. 4 W WM  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of \_\_\_\_\_  
(If within city or town, give name)

3. Construction Work was begun on 1942; was completed on 1942  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on 1942  
(Date)

since which time the water has been used intermittently to 1947, continuously since.  
(Continuously or Intermittently)

from 1947 to Oct. 1956  
(Date) (Date)

4. Quantity of water claimed and used is 160 to 240 gallons per minute; 5.0 acre feet per year.

5. Purpose or Purposes for which water is used irrigation, domestic

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 30 feet. Type dug to 8', drilled balance of depth  
(Dug or drilled)

diameter 8" inches. Elevation of ground at well site 180 feet, mean sea level.  
(As near as known)

Depth to water table 18 feet.

7. Capacity of Well: 230 g.p.m. with 10 feet drawdown, June ave.

160 g.p.m. with 15 feet drawdown. min. capy.

Date of test \_\_\_\_\_

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)





