

Registration Statement CERTIFICATE NO. GR-38

REGISTRATION NO. GR-LIL

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON

I, Porcy Hoyerly
of Rt. 1, Box 432, Albany County of Linn
State ofOregon, do hereby make application for a certificate of registration as eyidence of a right to appropriate ground water.
1. Source from which water is withdrawn is
2. Location is: 23 miles S.E. Albany, Oregon (Approximate distance and direction from nearest city or town)
and is more particularly described as follows:
(a) S. 50° E. 25.0 chains from the NW corner of the SW quarter of Sec. 16, T 1
(Give distance and bearing to corner of section or other legal subdivision) R. 3 W. being within NW1 of SW2 of Sec. 16 , Twp. 11 S , Rge 3 W. (Smallest legal subdivision) (Ct. or W.)
or (b) within limits of recorded platted property, town or city:
in Lot , Block of (Name of plat of addition)
County of Linn
3. Construction Work was begun on May 15, 1948 ; was completed on May 17, 1948 (Date)
and the ground water claimed was first used for the purposes set out below on June 15, 1918
since which time the water has been used
from June 15, 1948 to Sept. 15, 1955 (Continuously or intermittently)
4. Quantity of water claimed and used is
5. Purpose or Purposes for which water is used
(Domestic, Irrigation, municipal, manufacturing, thdustrial, etc.) 6. Description of Well: Depth 138 feet. Type Drilled
diameter 8 inches. Elevation of ground at well site 235 feet, mean sea level
Depth to water table24 feet.
7. Capacity of Well: 215 g.p.m. with 10 feet drawdown.
그리는 이렇게 500 시간 사람들은 항상 물론이 하면 없는 사람이 되었다. 그 아니는 사람들은 사람들은 사람들이 모든 사람들이 다른
g.p.m. with feet drawdown.
Date of test June 15, 1948
If Flowing Well: Measured discharge g.p.m. on (Date)
Shut-in pressure at ground surfacelbs. per sq. in. on(Date)
Water is controlled by
가 보다는 말했다는 , 본러를 가셨다면 하면 사람들의 사람들이 되었다. 그리를 하는 (Cap; valvé, etc.) 말 하는 말 말라는 생각이 되었다.

8 inch diameter steel casing	from	0 to	130 fe
inch diameter	from	to	fe
inch diameter	from	to .	fe
inch diamèter	from	to	, fe
ribe and show depth of shoe, plug, adapter, liner or other d			
	4		
9. Perforated Casings or Screens:	~.(
Slit perforations every 2 feet	e fro	m 20 .	to 130
(Number per foot and size of perforations, or describe screen)			
		m	. to
		m	. to
	fro	m	- to
10. Log of Well: (Describe each stratum or formation cland depth as indicated.)	learly, indicate i	f water bearing	g, and give thic
MATERIAL		Thickness (Feet)	Depth to Bottom (Feet)
not proclable		V. 144	
4			
: Tarking The Tarking The - Tarking Tarking The Tark			
경기들은 경기를 가장하는 보고를 하고 있는 것이 되었다. 그렇게 되었다고, 무료 경기 교육하는 것이 있다. 전기 등 사람이 되었다고 있다.			
는 그리 2억(1) : [2] : [2] (1) (1) (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2			
	(2) 3 (4) (2) (2) (2)		 And the second of the second of

Jg OI	well is not available, give name and address of driller. T. J. Burknart, 109 N. 18t W., Tremonton, Utah								
-11.	Infiltration Trench: Covered or open								
	Dimensions: Length ft. Minimum depth ft. Maximum depth								
10,2000	Bottom widthft, Discharge g.p.m. Date of test								
12.	Tunnel: Type of lining								
	Position of water bearing stratum with reference to portal of tunnel								
char	Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from poracter of materials, as pertinent.)								
13.	Pumping Equipment:								
	(a) Pump 2" centrifugal Pacific pump Capacity 200 g.p								
	(b) Motor 72 H.P. electric motor								

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
11 S	3 ₩	16	NW dof SW d	17.0	Prior to 1900 1948
<u> </u>	3 W	16	SW1 of SW1	5.5	Prior to 1900 /948
				22.5	

Beginning at a point on the South boundary line of the D.L.C. of John Burkhart D.L.C. 51 Not. No. 688 in T. 11 S., R 3 W. of the Will. Mer. in Linn County, regon which is 22.68 chains West from the Southeast corner exters of said D.L.C; and running thence North 49.21 chains, more or less, to the South boundary line of the D.L.C. of E. N. White and wife, Not. No. 694 Claim No. 48 in T.ll S., R 3 W. etc. thence West 15.44 chains more or less to the Southwest corner of said Cl. No. 48; thence South 5.11 chains, more or less to the North boundary line of said Cl. No. 51; thence West 7.24 chains to a point on the North boundary line of said Cl. No. 51, which is 45,36 chains West from the Northeast corner of said Cl. 51; thence South 44.10 chains to the South boundary line of siad Cl. No. 51; thence East 22.68 chains to the place of beginning and containing 107.90 acres, more or less: ALSO Beginning at a point 45.37 chains West and 16.38 chains North of the Southeast corner of the D.L.C. of John Burkhart and wife, No. No. 688 and Cl. #51 in T. 11 S., R 3 W. of the Will. Mer. In Linn County, Oregon; and running thence West 21.50 chains, thence North 9.31 chains; thence East 21.50 chains, thence South 9.31 chains to the place of beginning, contining 20 acres, more or less, in Linn County, Oregon ALSO Beginning at a point 45.37 chains West of the Southwast corner of the D.L.C. of John Burkhart and wife Not. No. 688 and C1. #51 in T. 11 S., R 3 W. of the Will. Mer. in Linn County, Oregon; and running thence West on the South line of said D.L.C. 21.50 chains to the center of a of a wagon road; thence North along the center of said road 16.38 chains, thence East 21.50 chains, thence South 16.38 chains to the place of beginning, containing 35.25 acres. ALSO: Beginning at a point 45.37 chains West and 27.68 chains North of the Southeast commer of the D.L.C. of John Burkhart and wife etc. and running thence West 12.20 chains; thence North 11 chains to the center of a county road; thence South 65° East along the center of said county road to a point due North of the place of beginning; ALSO: Beginning at a point in the center of a county road which point is 6 chains South and 1.80 chains East of the Northeast corner of the Southeast quarter of Sec. 17 in T. 11 S., R 3 W. of the Will. Mer. etc. and running thence South 13.65 chains; thence East 5 chains, thence North 11. chains to the center of a county road; thence North 65° West along the center of said county road to the place of beginning, containing 6.15 acres more or less, containing in the aggregate 16.15 acres, more or less, all lying and being situated/in the County of Linn, State of Oregon.

GR- 38 B

				North						
							 			
		1								
				16				1		
		MO	i	c, Rd						
	1/5.52)					-		-		
			1.		·					
	1	Locate we	ell and acrea	age of irriga 74 — 1 Mi		d on pl	at.			
hada katalah dalah dalah <u>1</u> <u>Lahi dalah dalah dalah</u>				4"						
STATE OF OREGON				SS.						
County of Line)						
I, Percy Heye read the foregoing Reg	istration	Statemer	nt and that	, being i all of the	iirst du items t	ly swo herein	rn, do contaŭ	hereby co ned are to	ertify that I ue to the be	have est of
my knowledge and beli	ef.			6)	i	מיוע	00		
				<u>- (ا</u> ب	1	7 (8)	majure of	Registrant)		1
Subscribed and s	worn to b	efore me	this . 17	day of	131	ane.	ubi	العا	, 19.5.S	
My commission expires				1	R	me	he	well	, ble	k
(SEAL)						1		Public)	act, o	quite
								\mathcal{O}		
		•			,					
		CERT	TIFICATE	OF REGIS	TRAT	ON .				
STATE OF OREGON	7			Ţ		1				
County of Marion	ss.									
This is to certify	that the	e foregoi	ng Registra	ation State	ment v	vas rec	eived	in the of	fice of the	State
Engineer on the	day of	Nove	m 4 = r	, 19. <i>55</i> ,	at	8.0	20 o'cle	ock	.M. and has	been
duly recorded in said of	10 mg 10 mg					37 k 37				
Construction shall										ot fo
beneficial use by					, /		17		appli	i i
		I	J							
Witness my hand				Enhun-	, , ,	 _	54			

(Deputy)