

MAY 21 1957

REGISTRATION NO. G.R. 495

Registration Statement CERTIFICATE NO. GR 475

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Charles H. and Theodora G. Bicek

of Rt. 2, Box 117E, Lebanon County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 2 3/4 miles NE of Lebanon, Oregon  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 66° 40' E, 1/4 chains from the NW corner SEC 49, T. 11 S., R. 2 W.  
(Give distance and bearing to corner of section or other legal subdivision)

being within NW 1/4 of SE 1/4 of Sec. 35, Twp. 11 S., Rge. 2 W.  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of Linn

(If within city or town, give name)

3. Construction Work was begun on January 6, 1953; was completed on September 11, 1953  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on September 15, 1953  
(Date)

since which time the water has been used continuously  
(Continuously or Intermittently)

from Sept. 15, 1953 to present time  
(Date) (Date)

4. Quantity of water claimed and used is 180 gallons per minute; 25 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 25 feet. Type Dug  
(Dug or drilled)

diameter 39 inches. Elevation of ground at well site 320 feet, mean sea level.  
(As near as known)

Depth to water table 18 feet.

7. Capacity of Well: 200 g.p.m. with 4 feet drawdown.

\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test Estimated

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)



If log of well is not available, give name and address of driller. Dug by G. H. Bicek

11. Infiltration Trench: Covered or open .....

Dimensions: Length ..... ft. Minimum depth ..... ft. Maximum depth ..... ft.

Bottom width ..... ft. Discharge ..... g.p.m. Date of test .....

12. Tunnel: Type of lining .....

Dimensions: .....  
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump 1 $\frac{1}{2}$ " Jacuzzi centrifugal Capacity 180 g.p.m.  
(Make, type and size)

(b) Motor 5 H. P. electric  
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
11 S.	2 W.	35	NE $\frac{1}{4}$ of SW $\frac{1}{4}$	3.0	Sept. 15, 1953
11 S.	2 W.	35	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	7.0	"
				10.0	

224-229

Beginning 30 chains East of the Northwest corner of the Andrew Kees D.L.C. 69 in T. 11 S., 2 W. of the Will. Mer. in Linn County, Oregon; thence South 20 chains to the true place of beginning of the tract to be described; thence East 20.74 chains; thence North 5 chains; thence West 20.74 chains; thence South 5 chains to said true place of beginning; subject to the right of the public in the County road.


15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

