

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 703, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, E. B. AND CONSTANCE HENNINGSEN

of ROUTE 1, TREFFERSON County of LINN

State of OREGON, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is PUMP WELL NO. 1
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: _____
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 67° 45' W. 56.5 CHAINS FROM NW CORNER S. H. HAMILTON D. & S. T. 22, R. 30.
(Give distance and bearing to corner of section or other legal subdivision)

being within S. 67 OF S. 21 of Sec. 29, Twp. 9 S., Rge. 3 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city: _____

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of LINN
(If within city or town, give name)

3. Construction Work was begun on 1934; was completed on June 1, 1934
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 4, 1934
(Date)

since which time the water has been used CONTINUOUSLY
(Continuously or intermittently)

from June 4, 1934 to PRESENT TIME
(Date) (Date)

4. Quantity of water claimed and used is 350 gallons per minute; 8.5 acre feet per year.

5. Purpose or Purposes for which water is used IRRIGATION

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 22 feet. Type dug
(Dug or drilled)

diameter 12 inches. Elevation of ground at well site 190 feet, mean sea level.
(As near as known)

Depth to water table 10 feet

7. Capacity of Well: 350 g.p.m. with 1/2 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test _____

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)


8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

12 inch diameter, steel casing from 0 to 22 feet
..... inch diameter from to feet
..... inch diameter from to feet
..... inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

.....
.....

9. Perforated Casings or Screens:

open end casing - (unknown) from to
(Number per foot and size of perforations, or describe screen)  from to
..... from to
..... from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
<u>Top soil</u>	<u>0</u>	<u>6</u>
<u>Gravel</u>	<u>6</u>	<u>22</u>

If log of well is not available, give name and address of driller.

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Centrifugal Capacity 400 g.p.m.
(Make, type and size)


(b) Motor H.P. 20
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township (North or South)	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract.	Number Acres To Be Irrigated	Date of Reclamation
9S.	3W	29	NE 1/4 OF SW 1/4	5.5	June 1934
9S.	3W	29	SE 1/4 OF SW 1/4	18.0	" "
9S.	3W	29	SW 1/4 OF SW 1/4	9.5	" "
9S.	3W	32	NE 1/4 OF NW 1/4	0.2	" "
9S.	3W	32	NW 1/4 OF NW 1/4	0.8	" "
				34.0	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 2 S. Range 3 W. W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON

County of LINCOLN } ss.

LELAND CONSTANCE HENNINGSEN, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

.....
(Signature of Registrant)

Subscribed and sworn to before me this day of, 19.....

My commission expires
(Notary Public)

(SEAL)

See Page GR-479 0 for
CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion } ss.

~~x x This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the x-x-x-x day of x-x-x-x-x-x-x-x-19-x-x at x-x-x-x-x-x-x-x'clock x-x-x-x and has been duly recorded in said office in Book No. x-x-x-x-x of Registration Statements on page x-x-x-x-x-x~~

~~Construction shall be completed by x-x-x-x-x-x-x-x-19-x-x and the water completely applied to beneficial use by x-x-x-x-x-x-x-x-19-x-x~~

Witness my hand this day of, 19.....

.....
(State Engineer)

By
(Deputy)

GR - 479 C

Registration Statement CERTIFICATE NO. _____

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, F. B. AND CONSTANCE HENNINGSEN

of ROUTE 1, JEFFERSON County of LINN

State of OREGON, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is PUMP WELL NO. 2
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: _____
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 2.39° 25' W. 58.75 CHAINS FROM NW CORNER D1C 56, T. 9 S., R. 36 W.
(Give distance and bearing to corner of section or other legal subdivision)

being within N. 1/4 OF NW 1/4 of Sec. 32, Twp. 9 S., Rge. 36 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city: _____

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of LINN
(If within city or town, give name)

3. Construction Work was begun on 1934; was completed on June 4, 1934
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 4, 1934
(Date)

since which time the water has been used CONTINUOUSLY
(Continuously or intermittently)

from June 4, 1934 to PRESENT TIME
(Date) (Date)

4. Quantity of water claimed and used is 350 gallons per minute; 95.0 acre feet per year.

5. Purpose or Purposes for which water is used IRRIGATION

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 22 feet. Type Dug
(Dug or drilled)

diameter 12 inches. Elevation of ground at well site 190 feet, mean sea level.
(As near as known)

Depth to water table 10 feet.

7. Capacity of Well: 350 g.p.m. with 1/2 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test _____

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

12 inch diameter *steel casing* from 0 to 22 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

open end casing from 0 to —
(Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Top soil	6	6
Gravel	6	22

If log of well is not available, give name and address of driller.

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Centrifugal Pump Capacity 350 g.p.m.
(Make, type and size)


(b) Motor 20 H.P.
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
9S	3W	32	NE 1/4 OF NW 1/4	15.4	June 1934
9S	3W	32	SE 1/4 OF NW 1/4	0.2	" "
9S	3W	32	SW 1/4 OF NE 1/4	1.2	" "
9S	3W	32	NW 1/4 OF NE 1/4	21.2	" "
				38.0	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 9 S. Range 3 W. W.M.
North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Linn } ss.

I, E.B. AND CONSTANCE HENNINGSEN, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

.....
(Signature of Registrant)

Subscribed and sworn to before me this day of, 19.....

My commission expires
(Notary Public)

(SEAL)

See Page GR-479 O for
CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

~~This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the day of 19..... o'clock and has been duly recorded in said office in Book No. of Registration Statements on page Construction shall be completed by and the water completely applied to beneficial use by 19.....~~

Witness my hand this day of, 19.....

.....
(State Engineer)

By
(Deputy)

Registration Statement

REGISTRATION NO. GR-500
CERTIFICATE NO. OR 479

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, E. B. AND CONSTANCE HEMMINGSEN

of ROBERT J. JEFFERSON County of LINN

State of OREGON, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is PUMP WELL NO. 3
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: _____
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 27° W. 73.5 CHAINS FROM NW CORNER D.E. 56, T. 9 S., R. 3 W.
(Give distance and bearing to corner of section or other legal subdivision)

being within SW 1/4 OF NE 1/4 of Sec. 32, Twp. 9 S., Rge. 3 W.
(Smallest legal subdivision) (N, or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city: _____

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of LINN

(If within city or town, give name)

3. Construction Work was begun on 1934; was completed on June 1, 1934
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 4, 1934
(Date)

since which time the water has been used CONTINUOUSLY
(Continuously or Intermittently)

from June 4, 1934 to Present Time 1957
(Date) (Date)

4. Quantity of water claimed and used is 350 gallons per minute; 95.0 acre feet per year.

5. Purpose or Purposes for which water is used IRRIGATION

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 22 feet. Type Dug
(Dug or drilled)

diameter 12 inches. Elevation of ground at well site 190 feet, mean sea level.
(As near as known)

Depth to water table 10 feet.

7. Capacity of Well: 350 g.p.m. with 1 1/2 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test _____

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

OR - 479 H

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

12 inch diameter steel casing from 0 to 22 feet
..... inch diameter from to feet
..... inch diameter from to feet
..... inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

open end casing from to
(Number per foot and size of perforations, or describe screen)
..... from to
..... from to
..... from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
<u>Top soil</u>	<u>0</u>	<u>6</u>
<u>Gravel</u>	<u>6</u>	<u>22</u>

If log of well is not available, give name and address of driller.

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.
 Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:

(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Centrifugal Capacity 350 g.p.m.
 (Make, type and size)


(b) Motor 20 HP
 (Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
9 S.	3 W.	32	NW ¹ / ₄ OF NE ¹ / ₄	7.5 + 21 ²	June 4, 1934
9 S.	3 W.	32	SW ¹ / ₄ OF NE ¹ / ₄	27.5 + 1 ²	" "
9 S.	3 W.	32	SE ¹ / ₄ OF NW ¹ / ₄	3.0 + 6 ²	" "
				38.0	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 9 S Range 3 W, W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON }
County of Linn } ss.

I, E. B. AND CONSTANCE HENNINGSEN, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

.....
(Signature of Registrant)

Subscribed and sworn to before me this day of, 19.....

My commission expires (Notary Public)

(SEAL)

See Page GR-470 0 for
CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

~~XX This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the - - - - - day of - - - - - 19- - - - - at - - - - - and has been duly recorded in said office in Book No - - - - - of Registration Statements on page - - - - -~~

~~Construction shall be completed by - - - - - and the water completely applied to beneficial use by - - - - -~~

Witness my hand this day of, 19.....

.....
(State Engineer)

By (Deputy) 479 K

Registration Statement

REGISTRATION NO. GR-570
CERTIFICATE NO. 479

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 768, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, F.B. AND CONSTANCE HENNINGSEN
of ROUTE 1, JEFFERSON County of LINN

State of OREGON, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is PUMP WELL NO. #4
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: _____
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 39° W. 74 CHAINS FROM NW CORNER D.C. 56 T. 9S, R. 3W.
(Give distance and bearing to corner of section or other legal subdivision)

being within SE 1/4 of NW 1/4 of Sec. 32, Twp. 9S, Rge. 3W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city: _____

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of LINN
(If within city or town, give name)

3. Construction Work was begun on 1934; was completed on June 1, 1934
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 4, 1934
(Date)

since which time the water has been used CONTINUOUSLY
(Continuously or intermittently)

from June 4, 1934 to PRESENT TIME
(Date) (Date)

4. Quantity of water claimed and used is 450 gallons per minute; 95.0 acre feet per year.

5. Purpose or Purposes for which water is used IRRIGATION

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 22 feet. Type dug
(Dug or drilled)

diameter 12 inches. Elevation of ground at well site _____ feet, mean sea level.
(As near as known)

Depth to water table 10 feet.

7. Capacity of Well: 450 g.p.m. with 3 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test _____

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

GR-479L

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

12 inch diameter *Steel casing* from 0 to 22 feet
 inch diameter from to feet
 inch diameter from to feet
 inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

open end casing unknown from to
 (Number per foot and size of perforations, or describe screen)
 from to
 from to
 from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
<i>Top soil</i>	<i>0</i>	<i>6</i>
<i>Gravel</i>	<i>6</i>	<i>22</i>

If log of well is not available, give name and address of driller.

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Centrifugal Pump Capacity 450 g.p.m.
(Make, type and size)


(b) Motor 25 H.P.
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
9S.	3W.	32	NE $\frac{1}{4}$ OF NW $\frac{1}{4}$	8.0 + 15 $\frac{1}{2}$	June 1934
9S.	3W.	32	NW $\frac{1}{4}$ OF NW $\frac{1}{4}$	1.0 + 0.5	" "
9S.	3W.	32	SW $\frac{1}{4}$ OF NW $\frac{1}{4}$	6.5	" "
9S.	3W.	32	SE $\frac{1}{4}$ OF NW $\frac{1}{4}$	22.0 + 3 $\frac{1}{2}$	" "
9S.	3W.	32	SW $\frac{1}{4}$ OF NE $\frac{1}{4}$	0.5 + 25 $\frac{1}{2}$	" "
				38.0	

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 25, Range 36, W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON

County of Linn } ss.

I. E. B. AND CONSTANCE HENNINGSEN, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

I. E. B. Henningesen
(Signature of Registrant)

Subscribed and sworn to before me this 22 day of May, 1957.

My commission expires Sept. 8, 1960 *Chas. J. Miller*
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON }
County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 22nd day of May, 1957, at 11:00 o'clock A. M. and has been duly recorded in said office in Book No. 3 of Registration Statements on page GR-179 K.

~~Construction shall be completed by x-x-x-x-x-x-x-x-x-x-19-x-x and the water completely applied to beneficial use by x-x-x-x-x-x-x-x-x-x-19-x-x-x-x~~

Witness my hand this 26th day of June, 1957.

Lewis A. Stanley
(State Engineer)

\$ 27.90

By _____ (Deputy)

GR - 4790