

RECEIVED  
MAY 17 1957  
STATE ENGINEER  
SALEM, OREGON

REGISTRATION NO. GR-501  
CERTIFICATE NO. GR-517

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

### TO THE STATE ENGINEER OF OREGON:

I, Delbert and Agnes Sandner, husband and wife  
of Route 2, Box 230, Scio County of Wash  
State of Oregon, do hereby make application for a certificate of registration as evidence  
of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well #1  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: South West 1/4 miles from Station  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) N. 72° 40' E. 20.0 chains from the S.W. Cor. of Sec. 2, T. 19 N., R. 10 E., S. 1 E.  
(Give distance and bearing to corner of section or other legal subdivision)

being within S.E. 1/4 of Sec. 19 of Sec. 19, Twp. 19 N., Rge. 10 E.  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of \_\_\_\_\_  
(If within city or town, give name)

3. Construction Work was begun on 1930; was completed on \_\_\_\_\_  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on \_\_\_\_\_  
(Date)

since which time the water has been used continuously  
(Continuously or intermittently)

from \_\_\_\_\_ to \_\_\_\_\_  
(Date) (Date)

4. Quantity of water claimed and used is \_\_\_\_\_ gallons per minute; \_\_\_\_\_ acre  
feet per year.

5. Purpose or Purposes for which water is used \_\_\_\_\_  
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 24 feet. Type Dug  
(Dug or drilled)

diameter \_\_\_\_\_ inches. Elevation of ground at well site 372 feet, mean sea level.  
(As near as known)

Depth to water table \_\_\_\_\_ feet.

7. Capacity of Well 400 g.p.m. with \_\_\_\_\_ feet drawdown.  
\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test \_\_\_\_\_

If Flowing \_\_\_\_\_ measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

6 inch diameter ..... from 24 to ..... feet  
..... inch diameter ..... from ..... to ..... feet  
..... inch diameter ..... from ..... to ..... feet  
..... inch diameter ..... from ..... to ..... feet

Describe and show depth of shoe, plug, adapter, liner or other details: .....

9. **Perforated Casings or Screens:**

No. of screens ..... from ..... to .....  
(Number per foot and size of perforations, or describe screen)  
..... from ..... to .....  
..... from ..... to .....  
..... from ..... to .....

10. **Log of Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Sandy soil		
Bentonite	12	

If log of well is not available, give name and address of driller .....

11. Infiltration Trench: Covered or open .....

Dimensions: Length ..... ft. Minimum depth ..... ft. Maximum depth ..... ft.

Bottom width ..... ft. Discharge ..... g.p.m. Date of test .....

12. Tunnel: Type of lining .....

Dimensions: .....  
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel .....

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Cornell Centrifugal 3" x 1/2" Capacity 1000 g.p.m.  
(Make, type and size)

(b) Motor 15 H.P. Electric  
(Type and horsepower)


14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
9 S	1 W	19	SW <sup>1</sup> / <sub>4</sub> of SW <sup>1</sup> / <sub>4</sub>	2.5	
9 S	1 W	19	SE <sup>1</sup> / <sub>4</sub> of SW <sup>1</sup> / <sub>4</sub>	38.8	
XX					
XX					
				Total 412	
(1) Note these wells supplement one another for area irrigation.					
(2) Well No. 9 is located as follows: North 80° 04' 14.55 sec East 100.00 feet from corner of Sec. 19, T. 9 S., R. 1 W., S. 1. (See also map on file in office of the Register.)					

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

GR 517B

Township 9 S Range 1 W, W.M.  
North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of .....

*Marion* } ss.

I, *Delbert Sandner*, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

*Delbert Sandner*  
(Signature of Registrant)

Subscribed and sworn to before me this *16* day of *May*, 19*57*.

My commission expires .....

*7/21/58*

*Alvin J. Bell*  
(Notary Public)

(SEAL)

See Page GR-547-G for  
CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion

} ss.

~~This is to certify that the foregoing Registration Statement was received in the office of the State Engineer and that it has been duly recorded in Book No. of Registration State of Oregon.~~

~~Construction shall be completed by 10 and the same completed and reported to the State Engineer.~~

~~Witness my hand this day of 1957.~~

(State Engineer)

By

(Deputy)

GR-547C

RECEIVED  
MAY 17 1937  
STATE ENGINEER

REGISTRATION NO. GR 501  
CERTIFICATE NO. GR-517

# Registration Statement

Well # 2

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

**TO THE STATE ENGINEER OF OREGON:**

I, Delbert and James Gardner, husband and wife  
of Route 2, Box 820, Seio County of Linn

State of Ore., do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Flowing well #2  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: South west 1/4 Sec. 33, Twp. 36N, Rge. 12E  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 171° 30' E, 33.20' S. 1/4 Sec. 33, Twp. 36N, Rge. 12E  
(Give distance and bearing to corner of section or other legal subdivision)

being within 1/4 Sec. 33 of Sec. 33, Twp. 36N, Rge. 12E  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of \_\_\_\_\_  
(If within city or town, give name)

3. Construction Work was begun on 5-23; was completed on 1-22  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on \_\_\_\_\_  
(Date)

since which time the water has been used \_\_\_\_\_  
(Continuously or intermittently)

from May 15 to October 1  
(Date) (Date)

4. Quantity of water claimed and used is 700 gallons per minute; \_\_\_\_\_ acre feet per year.

5. Purpose or Purposes for which water is used \_\_\_\_\_  
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth \_\_\_\_\_ feet. Type \_\_\_\_\_  
(Dug or drilled)

diameter \_\_\_\_\_ inches. Elevation of ground at well site \_\_\_\_\_ feet, mean sea level.  
(As near as known)

Depth to water table \_\_\_\_\_ feet.

7. Capacity of Well: \_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.  
\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test \_\_\_\_\_

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)

GR-517D

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10 inch diameter ..... from 00 to 21 feet  
 ..... inch diameter ..... from ..... to ..... feet  
 ..... inch diameter ..... from ..... to ..... feet  
 ..... inch diameter ..... from ..... to ..... feet

Describe and show depth of shoe, plug, adapter, liner or other details: .....

9. Perforated Casings or Screens:

Slots 3/8" x 3" @ 100 mesh from 15 to 22  
(Number per foot and size of perforations, or describe screen)  
 ..... from ..... to .....  
 ..... from ..... to .....  
 ..... from 0 to .....

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Sand soil	20	0
River gravel	15	35

GR-517 E

If log of well is not available, give name and address of driller. \_\_\_\_\_

11. Infiltration Trench: Covered or open \_\_\_\_\_

Dimensions: Length \_\_\_\_\_ ft. Minimum depth \_\_\_\_\_ ft. Maximum depth \_\_\_\_\_ ft.  
 Bottom width \_\_\_\_\_ ft. Discharge \_\_\_\_\_ g.p.m. Date of test \_\_\_\_\_

12. Tunnel: Type of lining \_\_\_\_\_

Dimensions: \_\_\_\_\_  
(Length, course, and cross sectional size)  
 Position of water bearing stratum with reference to portal of tunnel \_\_\_\_\_

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.) \_\_\_\_\_

13. Pumping Equipment:


(a) Pump 4 x 5 Centrifugal \_\_\_\_\_ Capacity 700 g.p.m.  
(Make, type and size)  
 (b) Motor 25 H.P. 3 phase electric \_\_\_\_\_  
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
25 9 S	1 W	19	SW $\frac{1}{4}$ SW $\frac{1}{4}$	2.5	
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	38.8	
				41.3	
Wells Nos. 1 & 2 are hooked together and serve same area					
These wells supplement use of other. See also on Sheet _____					

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 2 S Range 1 W, W.M.  
North



Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Marion } ss.

I, Delbert Sandrum, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Delbert Sandrum  
(Signature of Registrant)

Subscribed and sworn to before me this 16 day of May, 1957.

My commission expires 4/21/58 James H. Bee  
(Notary Public)

(SEAL)

**CERTIFICATE OF REGISTRATION**

STATE OF OREGON

County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 17th day of May, 1957, at 8:00 o'clock A. M. and has been duly recorded in said office in Book No. 4 of Registration Statements on page GR-517 G.

~~This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the ... day of ... 19... at ... o'clock ... M. and has been duly recorded in said office in Book No. ... of Registration Statements on page ...~~

Witness my hand this 13th day of September, 1957.

Lewis A. Ottum  
(State Engineer)

By \_\_\_\_\_ (Deputy)

#16.20

GR-517 G