

RECEIVED  
MAY 28 1957  
STATE ENGINEER  
Salem, Oregon

SECTION NO. GR-511

CERTIFICATE NO. 490

# Registration Statement

## OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

### TO THE STATE ENGINEER OF OREGON:

I, Walter S. Erickson & Z. Marjorie Erickson

of Warren County of Columbia

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump well #2  
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 2 mile south of Warren, Ore.  
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) Tax lot 25  
(Give distance and bearing to corner of section or other legal subdivision)

being within Tax lot 25 Nully at Sully of Sec. 31, Twp. 4 N., Rge. 2 W.  
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot \_\_\_\_\_, Block \_\_\_\_\_ of \_\_\_\_\_  
(Name of plat or addition)

County of Columbia  
(If within city or town, give name)

3. Construction Work was begun on July 15, 1951, was completed on August 10, 1951  
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on Sept. 15, 1951  
(Date)

since which time the water has been used Continuously  
(Continuously or intermittently)

from Sept. 15, 1951 to Date  
(Date) (Date)

4. Quantity of water claimed and used is 50 gallons per minute; 0 acre feet per year.

5. Purpose or Purposes for which water is used \_\_\_\_\_

Domestic and Irrigation for 8 acres  
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 127 feet. Type Drilled  
(Dug or drilled)

diameter 10" inches. Elevation of ground at well site \_\_\_\_\_ feet, mean sea level.  
(As near as known)

Depth to water table 40 feet.

7. Capacity of Well: 50 g.p.m. with 20 feet drawdown.  
\_\_\_\_\_ g.p.m. with \_\_\_\_\_ feet drawdown.

Date of test August 1951

If Flowing Well: Measured discharge \_\_\_\_\_ g.p.m. on \_\_\_\_\_  
(Date)

Shut-in pressure at ground surface \_\_\_\_\_ lbs. per sq. in. on \_\_\_\_\_  
(Date)

Water is controlled by \_\_\_\_\_  
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10 inch diameter ..... from all the way to ..... feet  
 ..... inch diameter ..... from ..... to ..... feet  
 ..... inch diameter ..... from ..... to ..... feet  
 ..... inch diameter ..... from ..... to ..... feet

Describe and show depth of shoe, plug, adapter, liner or other details: .....

9. Perforated Casings or Screens:

..... from ..... to .....  
 (Number per foot and size of perforations, or describe screen)  
 ..... from ..... to .....  
 ..... from ..... to .....  
 ..... from ..... to .....

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
I don't know.		



