

RECEIVED
MAY 27 1956
STATE ENGINEER

REGISTRATION NO. GR-582
CERTIFICATE NO. GR-554

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 703, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, W W Bassett Hillsboro Rt 3 Box 196 A

of Oregon Hillsboro County of Washington
State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

- Source from which water is withdrawn is well pumping well
(Flowing well, pump well, infiltration trench, or tunnel)
- Location is: About 2 miles North of center of City of Hillsboro
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) ²⁶⁰ feet south ⁸⁴⁰ feet east from N 1/4 of section 25
(Give distance and bearing to corner of section or other legal subdivision)

being within NW 1/4 of NE 1/4 of Sec. 25, Twp. 1 N, Rge. 3 W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city: MILNE ACRES
in Lot 6, Block — of MILNE ACRES
(Name of plat or addition)

HILLSBORO County of Washington
(If within city or town, give name)

3. Construction Work was begun on about May 1950; was completed on May 1950
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on about May 1951
(Date)

since which time the water has been used intermittently
(Continuously or Intermittently)
from May to Sept
(Date) (Date)

4. Quantity of water claimed and used is 35 gallons per minute; 3 acre feet per year.

5. Purpose or Purposes for which water is used Domestic and irrigation
(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 62 feet. Type drilled water level
(Dug or drilled)
diameter 6 inches. Elevation of ground at well site 191 ft feet, mean sea level.
(As near as known)
Depth to water table 22 feet.

7. Capacity of Well: 95 g.p.m. with 13 feet drawdown.
g.p.m. with _____ feet drawdown.

Date of test Have made no test as is impossible as casing is full of pipe and has never been pumped

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

6 inch diameter *Solid Steel casing* from *top* to *62* feet
..... inch diameter from to feet
..... inch diameter from to feet
..... inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

Solid steel casing from *top* to *62 ft* ^{*or bottom of well*}
(Number per foot and size of perforations, or describe screen)
..... from to
..... from to
..... from to

10. Log of Well (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

*Top soil 20 ft sand 20 ft blue clay or hard pan
11 ft sand 5 ft blue clay or hard pan get water below*

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
<i>Steel casing</i>		

If log of well is not available, give name and address of driller.

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.
Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)
Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Mauggi Pump Capacity 35 to 40 g.p.m.
(Make, type and size)
(b) Motor Elec. Pump 2 1/2 h.p.
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E or W of Williamsite Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
T1N	R3W	25	NW 1/4 of NE 1/4	3.0 acres	May 1951

Beginning at the N.E. corner of the ...
 U.S. D.L.C. 15 49 in
 T1N R3W cor. 41 of
 Washington County,
 thence S 0° 19' E 587.5
 thence N 88° 24' E 2017.7
 thence S 0° 26' E 20 ...
 thence N 88° 23' E 200.3 (N.E. corner of lot 6)
 East 225 ft. South to well 67 ft

15. If cation for a p

supply, identification of any appli-water made or held by the registrant.

1236.8
680.9
2017.7

GR-554 B

