

RECEIVED
NOV 19 1957

STATE ENGINEER
SALEM, OREGON

Registration Statement

REGISTRATION NO. GR-725
CERTIFICATE NO. GR-701

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, WADE STROWGER, President of SUNSET HILLS MEMORIAL PARK

of Portland County of Multnomah

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is Pump Well

(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 1/4th Mile West of Sylvan, Oregon

(Approximate distance and direction from nearest city or town)

and is more particularly described as follows: Approximately 40 ft. S and 45 ft. E of initial point of Garden of Peace of SUNSET HILLS MEMORIAL PARK cemetery, which point bears from NE Corner of Wm. Foster DLC: N. 89° 05' 10" W. 1849.7 ft. to a point; thence 0° 23' 20" E. 1442.78 ft. to a point; thence S. 15° 18' 36" to said initial point of Garden of Peace.

being within S.W. 1/4, S.E. 1/4 of Sec. 1 Twp. 1 S. Rge. 1 W.

(Smallest legal subdivision)

(N. or S.)

(E. or W.)

~~xx~~ and (b) within limits of recorded platted property, ~~known~~ N. of Lots 120-121-122 and E. of 107 - 109 Garden of

~~xx~~ Lots 111-113, Block Peace of Sunset Hills Memorial Park Cemetery, according to official plat

(Name of plat or addition)

thereof on file in Washington County of Washington

(If within city or town, give name)

3. Construction Work was begun on Not known; was completed on not known

(Date)

(Date)

and the ground water claimed was first used for the purposes set out below on Unknown (about 1932)

(Date)

since which time the water has been used Intermittently until 1949, continuously

(Continuously or intermittently)

from August 1949 to Sept. 1957

(Date)

(Date)

4. Quantity of water claimed and used is 60 gallons per minute; acre feet per year.

5. Purpose or Purposes for which water is used Irrigation (cemetery)

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 900 feet. Type Drilled

(Dug or drilled)

diameter: Casing, 6 inches. Elevation of ground at well site 750 feet, mean sea level.

Depth to water table 355 feet. Pump down 370 ft.

Impeller down 375 ft. (As near as known)

7. Capacity of Well: 60 g.p.m. with 15 feet drawdown.

 g.p.m. with feet drawdown.

Date of test July 1951

If Flowing Well: Measured discharge 28 g.p.m. on

(Date)


Shut-in pressure at ground surface lbs. per sq. in. on

(Date)

Water is controlled by

(Cap, valve, etc.)

Section 1,
 Township 1 S Range 1 W, W.M.
 North



See map prepared in connection with application shown at Item 15.

(Attached)

Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of Multnomah } ss.

I, Wade Strowger, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

By Wade Strowger
 (Signature of Registrant)

Subscribed and sworn to before me this 18th day of November, 1957.

My commission expires Dec. 11, 1959 Leslie B. Elliott
 (Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 19th day of November, 1957, at 8:00 o'clock A.M. and has been duly recorded in said office in Book No. 4 of Registration Statements on page GR-701 C.

Construction shall be completed by 1958 and the water completely applied to beneficial use by 1959.

Witness my hand this 24th day of January, 1958

Lewis A. Stanley
 (State Engineer)

By _____
 (Deputy)

GR-701 C