

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, John or Fessie Miller

of Halsey

(Mailing address)

County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well

(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 5 miles west of Halsey, Oregon

(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 42°50' E. 27.0 chains from NW corner of S. 5, T. 17 S., R. 4 W.

(Give distance and bearing to corner of section or other legal subdivision)

being within N $\frac{1}{2}$

(Smallest legal subdivision)

of Sec. 5

Twp. 16 S.

(N. or S.)

Rge. 4

(E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____

Block _____

of _____

(Name of plat or addition)

County of Linn

(If within city or town, give name)

3. Construction Work was begun on Dec. 10, 1951

(Date)

; was completed on Dec. 17, 1951

(Date)

and the ground water claimed was first used for the purposes set out below on June 12, 1952

(Date)

since which time the water has been used Continuously

(Continuously or intermittently)

from June 12, 1952 to present time

(Date)

(Date)

4. Quantity of water claimed and used is 210 gallons per minute; 181.7 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 108 feet. Type Drilled

(Dug or drilled)

diameter 8 inches. Elevation of ground at well site 271 feet, mean sea level.

(As near as known)

Depth to water table 16 feet.

7. Capacity of Well: 300 g.p.m. with 20 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test Estimated-not tested

If Flowing Well: Measured discharge _____ g.p.m. on _____

(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____

(Date)

Water is controlled by _____

(Cap. valve, etc.)

8. Casing: (Give diameter, commercial specifications and depth below ground surface of each casing size.)

8 inch diameter Steel Casing from 0 to 56 feet
6 inch diameter Steel Casing from 56 to 86 feet
inch diameter from to feet
inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. Perforated Casings or Screens:

Slot Perforations from 20 to 86
(Number per foot and size of perforations, or describe screen)
(" wide x 2" long spaced 8" apart) from to
from to
from to

10. Log of Well: (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depth as indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Not available		

If log of well is not available, give name and address of driller: CASEY 29022

Pleasant Hill, Oregon

11. Infiltration Trench: Covered or open

Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross section) (size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump Fairbanks Morse Turbine Capacity 250 g.p.m.
(Make, type and size)

(b) Motor 10 H. P. Electric
(Type and horsepower)


14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
14 S.	4 W.	5	NE 1/4 of NE 1/4	3.0	June, 1952
14 S.	4 W.	5	N. 1/2 of NE 1/4	14.0	June, 1952
14 S.	4 W.	5	SW 1/4 of NE 1/4	5.4	June, 1952
14 S.	4 W.	5	SE 1/4 of NE 1/4	0.5	June, 1952
14 S.	4 W.	5	NE 1/4 of NW 1/4	28.8	June, 1952
14 S.	4 W.	5	NE 1/4 of NW 1/4	21.5	June, 1952
14 S.	4 W.	5	S. 1/2 of NW 1/4	2.7	June, 1952
14 S.	4 W.	5	SE 1/4 of NW 1/4	4.8	June, 1952
				80.7	

TRACT I: Beginning 4.50 chains south and 6 chains east of the northwest corner of Section 5, T. 14 S. R. 4 W. of the W.M.; running thence east 56 chains; thence south 20 chains; thence west 56 chains; thence north 20 chains to the place of beginning, SUBJECT the right of the public in roads.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 145 Range 4W, W.M.
North



Locate well and acreage of irrigated land on plat.
Scale: 2" = 1 Mile

STATE OF OREGON

County of Linn } ss.

I, John or Bessie Miller, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

John Miller
Bessie Miller
(Signature of Registrant)

Subscribed and sworn to before me this 13th day of Jan, 1958

My commission expires MY COMMISSION EXPIRES HEREIN Ben C. Kautz
(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion } ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 17th day of January, 1958, at 8:00 o'clock A.M. and has been duly recorded in said office in Book No. 57 of Registration Statements on page 871

Witness my hand this 21 day of April, 1958

Lewis A. Otton
(State Engineer)

By _____ (Deputy)