

RECEIVED
JUN 6 1944
STATE ENGINEER
SALES CREDIT

Registration No. GR - 970
Certificate No. GR - 941

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

TO THE STATE ENGINEER OF OREGON:

I, Rebecca A. Hofer

of Rt. 2, Box 333, Albany County of Linn

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 7 miles west of Jefferson, Oregon
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) S. 50° W. 11.78 chains from the NE corner of SE $\frac{1}{4}$, S. 1, T. 10 S., R. 1 W.
(Give distance and bearing to corner of section or other legal subdivision)
being within NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 1, Twp. 10 S., Rge. 1 W.
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot _____, Block _____ of _____
(Name of plat or addition)

County of Linn
(If within city or town, give name)

3. Construction Work was begun on May, 1944; was completed on May 1944
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on June 1944
(Date)

since which time the water has been used continuously
(Continuously or intermittently)

from June 1944 to present time
(Date) (Date)

4. Quantity of water claimed and used is 320 gallons per minute; 110 acre feet per year.

5. Purpose or Purposes for which water is used Irrigation

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 20 feet. Type Drilled
(Dug or drilled)

diameter 10 inches. Elevation of ground at well site 161 175 feet, mean sea level.
(As near as known)

Depth to water table 5 feet.

7. Capacity of Well: 1000 g.p.m. with 1 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test June 1944

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Cap, valve, etc.)

8. **Casing:** (Give diameter, commercial specifications and depth below ground surface of each casing size.)

10 inch diameter steel casing from 0 to 20 feet
inch diameter from to feet
inch diameter from to feet
inch diameter from to feet

Describe and show depth of shoe, plug, adapter, liner or other details:

9. **Perforated Casings or Screens:**

Slot perforations

(Number per foot and size of perforations, or describe screen)

from 14 to 20

from to

from to

from to

10. **Log Well:** (Describe each stratum or formation clearly, indicate if water bearing, and give thickness and depths indicated.)

MATERIAL	Thickness (Feet)	Depth to Bottom (Feet)
Not available		

If log of well is not available, give name and address of driller. Bill Hamilton Drilling Co.,

838 East Third Ave., Albany, Oregon

11. Infiltration Trench: Covered or open
 Dimensions: Length ft. Minimum depth ft. Maximum depth ft.

Bottom, width ft. Discharge g.p.m. Date of test

12. Tunnel: Type of lining

Dimensions:
(Length, course, and cross sectional size)

Position of water bearing stratum with reference to portal of tunnel

Log of tunnel: (Preceding table for log of well may be used, if desired. Give footage from portal and character of materials, as pertinent.)

13. Pumping Equipment:

(a) Pump: American Marsh 3" Centrifugal Capacity 400 g.p.m.
(Make, type and size)

(b) Motor 20 H. P. Electric
(Type and horsepower)

14. Location of area irrigated or to be irrigated, or place of use if for purposes other than irrigation.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	Date of Reclamation
10 S	4 W	1	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	7.3	June 1944
10 S	4 W	1	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	36.4	June 1944
10 S	3 W	6	NW $\frac{1}{4}$ of SW $\frac{1}{4}$	4.0	June 1944
				<u>47.7</u>	

Beginning at a point on the North boundary line of the Donation Land Claim of John T. Crooks, and wife, same being Notification No. 1677, and Claim No. 74, in Township No. Ten (10) South of Range No. Three (3) West of the Willamette Meridian, Oregon, which is 2.20 chains East of the quarter Section post on the West boundary line of Section No. Six (6) in said Township and Range and running thence South 18.21 chains, thence West 28.56 chains, thence North 18.21 chains, thence East 28.56 chains to the place of beginning, containing Fifty-two (52) acres more or less, all lying and being situate in the County of Linn and State of Oregon.

15. If the ground water supply is supplemental to an existing water supply, identification of any application for a permit, permit, certificate or adjudicated right to appropriate water made or held by the registrant.

Township 10 S Range 3 & 4 W., W.M.

R4W

North

R3W

Locate well and acreage of irrigated land on plat.

Scale: 2" = 1 Mile

STATE OF OREGON

County of LINN

ss.

I, Rebecca A. Hoefler, being first duly sworn, do hereby certify that I have read the foregoing Registration Statement and that all of the items therein contained are true to the best of my knowledge and belief.

Rebecca A. Hoefler (Signature of Registrant)

Subscribed and sworn to before me this ... day of ... 19...

My commission expires ...

(Notary Public)

(SEAL)

CERTIFICATE OF REGISTRATION

STATE OF OREGON

County of Marion

ss.

This is to certify that the foregoing Registration Statement was received in the office of the State Engineer on the 6 day of February, 1958, at 8:00 o'clock A.M. and has been duly recorded in said office in Book No. 50 of Registration Statements on page 941

Witness my hand this 7 day of May, 1958.

Lewis A. Standen (State Engineer)

By (Deputy)