

RECEIVED
FEB 11 1958
STATE ENGINEER
CLAIMS SECTION

REGISTRATION NO. GR-991
CERTIFICATE NO. GR-960

Registration Statement

OF CLAIMANT OF RIGHT TO APPROPRIATE GROUND WATER

(Under Chapter 708, Oregon Laws 1955.)

TO THE STATE ENGINEER OF OREGON:

I, Peter Parvin

of Amity, Route 1 Box 216 County of Yamhill

State of Oregon, do hereby make application for a certificate of registration as evidence of a right to appropriate ground water.

1. Source from which water is withdrawn is pump well
(Flowing well, pump well, infiltration trench, or tunnel)

2. Location is: 3/2 miles east of Amity
(Approximate distance and direction from nearest city or town)

and is more particularly described as follows:

(a) 19.20 feet south & 500 feet east from N 1/4 corner Section 25
(Give distance and bearing to corner of section or other legal subdivision)

being within SW 1/4 of NE 1/4 of Sec. 25, Twp. 5S, Rge. 4W
(Smallest legal subdivision) (N. or S.) (E. or W.)

or (b) within limits of recorded platted property, town or city:

in Lot 6h, Block _____ of Willamette Gardens recorded February 6, 1913 Book 4, Page 17
(Name of plat or addition)

County of Yamhill

(If within city or town, give name)

3. Construction Work was begun on summer 1954; was completed on Fall of 1954
(Date) (Date)

and the ground water claimed was first used for the purposes set out below on summer 1955
(Date)

since which time the water has been used continuously
(Continuously or Intermittently)

from 1955 to present
(Date) (Date)

4. Quantity of water claimed and used is 75 gallons per minute, average 5 to 9 acre feet per year.

5. Purpose or Purposes for which water is used irrigation and orchard sprays

(Domestic, irrigation, municipal, manufacturing, industrial, etc.)

6. Description of Well: Depth 268 feet. Type drilled and cased
(Dug or drilled)

diameter 10 inches. Elevation of ground at well site aprox 550 feet, mean sea level.
(As near as known)

Depth to water table 225 feet. in summer

7. Capacity of Well: 75 g.p.m. with about 30 feet drawdown.

_____ g.p.m. with _____ feet drawdown.

Date of test Fall of 1954 and spring of 1955

If Flowing Well: Measured discharge _____ g.p.m. on _____
(Date)

Shut-in pressure at ground surface _____ lbs. per sq. in. on _____
(Date)

Water is controlled by _____
(Can, plug, etc.)

