



- Wells shall have an access port with a minimum diameter of 3/4 inch. The access shall be adequate to determine the water level at any time.
  - A water user may install a functioning airline with a pressure gauge in addition to the access port.
  - A water user shall install and maintain a totalizing flow meter on each well authorized by OAR 690-507-0670. The meter shall meet the requirements of OAR 690-507-0645.
  - A water user shall record flow meter and power meter readings on a weekly basis at times when water is being used. The water user shall use forms provided by the Department and shall mail the readings to the Department in Salem by December 1st of the same year.
- 4) OAR 690-507-0650 states in pertinent part that each of the eight subareas in the Butter Creek Critical Groundwater Area shall be managed according to the sustainable annual yield within that subarea. The Department shall refine the sustainable annual yield value over time through the use of pumpage data and the response of groundwater levels. The initial sustainable annual yield for each of the eight subareas was calculated using data from the 1983 through the 1989 irrigation seasons and is listed below by subarea followed by the sustainable annual yield in Acre Feet:
- North, 250 Acre Feet;
  - Section 21, 28 Acre Feet;
  - Echo Junction, 1,260 Acre Feet;
  - Fourmile Canyon, 1,300 Acre Feet;
  - West, 5,670 Acre Feet;
  - East, 720 Acre Feet;
  - Pine City, 4,150 Acre Feet;
  - South, 1,000 Acre Feet.
- 5) OAR 690-507-0670 states in pertinent part that the method for distributing the sustainable annual yield from the basalt groundwater reservoir within each subarea in the Butter Creek Critical Groundwater Area is as follows:
- A water user who intends to pump water during any year shall make a request to the Department in Salem by July 1st of the preceding year on forms provided by the Department.
  - The distribution of groundwater shall be based on the priority dates of the water rights within the individual subarea.

- In determining the amount of groundwater each water user is allocated to pump during the next calendar year or irrigation season, the Department may consider:
  - ♦ Request for allocations received;
  - ♦ The sustainable annual yield;
  - ♦ The limits of the groundwater rights;
  - ♦ The relative dates of priority;
  - ♦ Historical usage;
  - ♦ Whether or not a water user is physically capable of pumping and putting to a beneficial use the quantity requested; and
  - ♦ Any other factors deemed appropriate by the Department.
- If pumpage for a particular year exceeds the sustainable annual yield for a subarea, the total subarea allocation for the second year after that occurrence shall be reduced by that volume.
- If any water user requests more water than has been historically used, the Department may allocate less water than requested if, upon investigation, it appears unlikely the user will pump the volume requested.
- If any water user requests less water than has been historically used, the Department may allocate more water than requested if, upon investigation, it appears likely that the user will pump more than the volume requested.

### **FINDINGS OF FACT**

1. Certificate 76727 is for wells UMAT 1183 and UMAT 1203 that develop water from the Columbia River Basalts. The permitted diversion is 1.87 cfs for 212.40 acres of primary irrigation and 226.70 acres of supplemental irrigation with a priority date of May 24, 1967.
2. J.R. Simplot Company is a water right holder in the Echo Junction Subarea.
3. On May 8, 2007, Hale Brothers, Inc., McCarty and the Department entered into a Water Allocation Agreement wherein the parties stipulated and agreed to specific allocation requests for Hale Brothers, Inc. and McCarty.
4. A Water User Agreement between all of the water users in the Echo Junction Subarea became effective on May 4, 2007. Hale Brothers Inc. and McCarty have agreed that their water use will not exceed the allocations ordered by the Department and have agreed that regardless of the seniority of their respective water rights, exceeding the allocation is subject to regulation pursuant to the Water User Agreement for the Echo Junction Subarea, dated May 4, 2007.

5. On June 7, 2011 the Department sent letters asking water users within the Butter Creek Critical Groundwater Area to request the amount of water that they would need for the 2012 irrigation season.
6. No request from J.R. Simplot Company was received by the Department.
7. Both wells, UMAT 1183 and UMAT 1203, have cement plugs in them that prevent their use.
8. The sustainable annual yield for the Echo Junction Subarea is 1260 acre feet.
9. The sustainable annual yield for the Echo Junction Subarea has been allocated.
10. The allocation for the 2012 irrigation season for Water Rights Certificate 76727 is 0.0 acre-feet because the sustainable annual yield for the Echo Junction Subarea has been allocated.
11. The allocation to J.R. Simplot Company does not exceed the limits of the water right.

### **DISCUSSION**

The Department considered the requests received as reflected in the Water Allocation Agreement, the sustainable annual yield for the subarea, the limits of the water right, the priority date, historical usage, reconstruction of the well, the pump, the distribution system, and the Water Allocation Agreement.

### **CONCLUSIONS OF LAW**

The allocation of groundwater for the Butter Creek Critical Groundwater Area for the year 2012 is consistent with the requirements of ORS 537.705 and 540.505 to 540.580, and Oregon Administrative Rules Chapter 690, Division 507.

The Water User Agreement for the Echo Junction Subarea, unless terminated, shall control distribution of water in lieu of any order the Department may issue pursuant to ORS 540.045(1)(a).

### **PROPOSED ORDER**

Now, THEREFORE, it is ORDERED that no water be allocated to J.R. Simplot Company under Certificate 76727 for the year 2012 from the Echo Junction Subarea of the Butter Creek Critical Groundwater Area.

Distribution of water shall be consistent with the terms of this Order and consistent with the terms of the Water User Agreement for the Echo Junction Subarea.

Special Order Vol 86 pg 334

### OPPORTUNITY FOR HEARING

You are entitled to a hearing on this matter as provided by the Administrative Procedures Act (Chapter 183, Oregon Revised Statutes). If you want a hearing, you must file a written request for hearing directed to Ms. Juno Pandian, Manager, Well Construction and Compliance Section, Water Resources Department, 725 Summer Street NE, Suite A, Salem, OR 97301-1271. The request for hearing must state your grounds for disagreement with proposed action and must be received by the Department by 5:00 P.M. on September 8, 2011 (within 30 days of the date of service of this notice). You will be notified of the date set for hearing if a hearing is requested.

You may be represented by legal counsel. Legal aid organizations may be able to assist you if you have limited financial resources. If you make a timely request for a hearing, you will be notified of the time and date of such hearing. The rights and procedures in a contested case will be provided to you upon receipt of a request for a formal contested case hearing.

### FINAL ORDER

If you fail to request a hearing within 30 days of receipt of this notice, withdraw a hearing request, notify the Department or the Administrative Law Judge that you will not appear, or fail to appear at a scheduled hearing, this order shall become final. If this order becomes a Final Order by default, the Department designates its file on this matter as the record.

Dated at Salem, Oregon this 9 day of August, 2011



Barry F. Norris, Administrator  
Technical Services Division

### RIGHT TO JUDICIAL REVIEW OF FINAL ORDER


You have the right to appeal a Final Order to the Oregon Court of Appeals to ORS 183.482. To appeal you must file a petition for judicial review with the Court of Appeals within 60 days from the day this Order becomes final.

86 335

CERTIFICATE OF SERVICE

I certify that on August 9, 2011, I mailed the attached PROPOSED ORDER NOT ALLOCATING GROUNDWATER by certified mail to:

Rob Cox J.R. Simplot  
P.O. Box 850  
Hermiston, OR 97838

  
\_\_\_\_\_  
Arla Heare  
Oregon Water Resources Department