

5. Permit Amendment Application T-11992 proposes five additional points of appropriation (POA) described below with approximate distances from the authorized points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximate Distances	
						Authorized POA	mile
4 N	25 E	WM	2	SE NW	EB WELL #1-1372 FEET SOUTH AND 3646 FEET WEST FROM THE NE CORNER OF SECTION 2	WELL 4 A	1.07
						WELL 5A	1.06
						PORT WELL #6	1.64
						PORT WELL #7	0.90
4 N	25 E	WM	2	SE NW	EB WELL #2- 1444 FEET SOUTH AND 3710 FEET WEST FROM THE NE CORNER OF SECTION 2	WELL 4 A	1.23
						WELL 5A	1.21
						PORT WELL #6	1.5
						PORT WELL #7	0.76
4 N	25 E	WM	2	SE NW	EB WELL #3- 1595 FEET SOUTH AND 3850 FEET WEST FROM THE NE CORNER OF SECTION 2	WELL 4A	1.14
						WELL 5A	0.98
						PORT WELL #6	1.44
						PORT WELL #7	1.04
4 N	25 E	WM	12	NW NW	FARM WELL #2-338 FEET SOUTH AND 691 FEET EAST FROM THE NW CORNER OF SECTION 12	WELL 4A	1.15
						WELL 5A	1.00
						PORT WELL #6	1.42
						PORT WELL #7	1.03
4 N	25 E	WM	12	NW NW	FARM WELL #3- 1030 FEET SOUTH AND 120 FEET EAST FROM THE NW CORNER OF SECTION 12	WELL 4A	1.18
						WELL 5A	1.03
						PORT WELL #6	1.38
						PORT WELL #7	1.00

6. Permit Amendment Application T-11992 also proposes to change the place of use of the permit to:

INDUSTRIAL USES
WITHIN THE SERVICE BOUNDRY

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
4 N	25 E	WM	11	NE NE	0.30
4 N	25 E	WM	11	SW NE	6.50
4 N	25 E	WM	11	SE NE	11.10
4 N	25 E	WM	11	NE SE	12.50
4 N	25 E	WM	11	NW SE	31.50
4 N	25 E	WM	12	NW NW	3.70
4 N	25 E	WM	12	SW NW	26.80
4 N	25 E	WM	12	NW SW	25.80
4 N	25 E	WM	12	SW SW	0.60
Total					118.8

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
4 N	25 E	WM	1	NE NE	1	30.30
4 N	25 E	WM	1	NW NE	2	33.80
4 N	25 E	WM	1	SW NE		34.30
4 N	25 E	WM	1	SE NE	3	20.00
4 N	25 E	WM	1	NE NW		0.80
4 N	25 E	WM	1	SW NW		20.30

SUPPLEMENTAL IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
4 N	25 E	WM	1	SE NW		37.30
4 N	25 E	WM	1	NE SW		35.80
4 N	25 E	WM	1	NW SW		18.30
4 N	25 E	WM	1	NE SE		35.40
4 N	25 E	WM	1	NW SE		34.70
4 N	25 E	WM	1	SW SE		11.70
4 N	25 E	WM	1	SE SE		33.80
4 N	25 E	WM	12	NE NE		38.10
4 N	25 E	WM	12	NW NE		0.70
4 N	25 E	WM	12	SW NE		9.20
4 N	25 E	WM	12	SE NE		1.60
4 N	25 E	WM	12	SE NW		0.10
4 N	25 E	WM	12	NE SE		30.80
4 N	25 E	WM	12	NW SE		36.80
4 N	25 E	WM	12	SW SE		9.20
4 N	25 E	WM	12	SE SE		7.30
4 N	26 E	WM	6	SW NE		0.50
4 N	26 E	WM	6	SE NE		6.60
4 N	26 E	WM	6	NE NW	3	31.10
4 N	26 E	WM	6	NW NW		34.50
4 N	26 E	WM	6	SW NW		12.00
4 N	26 E	WM	6	SE NW		8.50
4 N	26 E	WM	6	NE SW		32.40
4 N	26 E	WM	6	NW SW		30.90
4 N	26 E	WM	6	SW SW		39.70
4 N	26 E	WM	6	SE SW		38.00
4 N	26 E	WM	6	NE SE		34.30
4 N	26 E	WM	6	NW SE		31.00
4 N	26 E	WM	6	SW SE		20.20
4 N	26 E	WM	6	SE SE		18.00
4 N	26 E	WM	7	NE NW		12.00
4 N	26 E	WM	7	NW NW		21.00
Total						851.0

Permit Amendment Review Criteria

5. The changes would not result in injury to other water rights.
6. The proposed place of use is owned and/or controlled by the permit holder.
7. The changes do not enlarge the permit.
8. The changes do not alter any other terms of the permit.
9. The proposed place of use is contiguous to the authorized place of use.


Conclusions of Law

The additional points of appropriation and change in place of use proposed by Permit Amendment Application T-11992 are consistent with the requirements of ORS 537.211.

Now, therefore, it is ORDERED:

1. The additional points of appropriation and change in place of use proposed by Permit Amendment Application T-11992 are approved.
2. Permit G-17516, in the name of Port of Morrow, is issued to replace Permit G-16935, and incorporates the amendments approved by this order and the extension of time. Permit G-16935 in the name of Port of Morrow is no longer of any force or effect.
3. The combined quantity of water diverted at the new points of appropriation, together with that diverted at the old points of appropriation, shall not exceed the quantity of water lawfully available at the original points of appropriation.
4. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device at each point of appropriation (new and existing).
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
5. Water shall be acquired from the same aquifer as the original points of appropriation.
6. The former place of use shall no longer be irrigated as part of this permit.
7. All other terms and conditions of Permit G-16935 remain the same.

Dated at Salem, Oregon this 8 day of February, 2015.



Dwight French, Water Right Services Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

Mailing Date: FEB 22 2016