

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Special Order Volume 98)
Pages 243 - 246) CORRECTING FINAL ORDER

Applicant
CITY OF MILTON-FREEWATER
PO BOX 6
MILTON FREEWATER, OR 97862

Findings of Fact

1. On November 17, 2015, the Department issued an order approving Transfer Application T-11851. The order was recorded at Special Order Volume 98, Pages 243 - 246.
2. A scrivener's error was found in the order on page 244.
3. The scrivener's error was found in the original point of diversion table, Finding No. 10 on Page 244. The table inaccurately describes the range designation of the original POD as being Range 35 E.:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5 N	35 E	WM	18	SW NW	2220 FEET SOUTH AND 100 FEET EAST FROM THE NW CORNER OF SECTION 18

4. The correct range designation is Range 36 E., as follows:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
5 N	36 E	WM	18	SW NW	2220 FEET SOUTH AND 100 FEET EAST FROM THE NW CORNER OF SECTION 18

Now, therefore, it is ORDERED:

1. The order approving Transfer Application T-11851, recorded at Special Order Volume 98, Pages 243 - 246 is amended to correct a scrivener error described in this order.
2. All other provisions of the order approving T-11851 are unchanged.

Dated at Salem, Oregon this 5 day of April, 2016.



Dwight French, Water Right Services Administrator, for
Thomas M. Byler, Director
Oregon Water Resources Department

APR 13 2016

Mailing date: _____

This is a final order in other than contested case. This order is subject to judicial review under ORS 183.484. Any petition for judicial review must be filed within the 60 day time period specified by ORS 183.484(2). Pursuant to ORS 536.075 and OAR 137-004-0080 you may either petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.