STATE OF OREGON

COUNTY OF DESCHUTES

ORDER APPROVING ADDITIONAL POINTS OF APPROPRIATION AND CHANGE IN USE

Pursuant to ORS 537.705, after notice was given and no objections were filed, and finding that no injury to existing water rights would result, this order approves, as conditioned or limited herein, TRANSFER 7779 submitted by

AVION WATER COMPANY, INC. 60813 PARRELL ROAD BEND, OREGON 97702.

The first right to be modified, as evidenced by Certificate 65352, was perfected under Permit G-9217 with a date of priority of FEBRUARY 11, 1981. The right allows the use of WELLS 1 AND 2, in the DESCHUTES RIVER BASIN, for QUASI-MUNICIPAL USE. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed 500 GALLONS PER MINUTE (GPM), BEING 250 GPM FROM EACH WELL, if available at the original wells; SE% SE%, SECTION 6, T 18 S, R 12 E, W.M.; WELL 1 - 75 FEET NORTH AND 100 FEET WEST, WELL 2 - 90 FEET NORTH AND 95 FEET WEST, BOTH FROM THE SE CORNER OF SECTION 6, or its equivalent in case of rotation, measured at the well.

The second right to be modified, as evidenced by Certificate 65353, was perfected under Permit G-9269 with a date of priority of APRIL 1, 1981. The right allows the use of WELLS 1, 2, AND 3, in the DESCHUTES RIVER BASIN, for QUASI-MUNICIPAL USE. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed 140 GALLONS PER MINUTE (GPM), BEING 40 GPM WELL 1, 40 GPM FROM WELL 2, AND 60 GPM FROM WELL 3, if available at the original wells; SE% NW%, SECTION 8, T 17 S, R 12 E, W.M., WELL 1 - 256 FEET SOUTH AND 282 FEET EAST, WELL 2 - 300 FEET SOUTH AND 272 FEET EAST, WELL 3 - 325 FEET SOUTH AND 342 FEET EAST, ALL FROM THE CENTER 1/16 CORNER OF THE NW% OF SECTION 8, or its equivalent in case of rotation, measured at the well.

The third right to be modified, was perfected under Permit G-9320 with a date of priority of MAY 11, 1981. The right allows the use of ONE WELL, in the DESCHUTES RIVER BASIN, for QUASI-MUNICIPAL USE. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed 0.04 CUBIC FOOT PER SECOND (CFS), if available at the original well; NW% NE%, SECTION 19, T 17 S, R 13 E,

W.M.; 635 FEET SOUTH AND 815 FEET EAST FROM THE N¼ CORNER OF SECTION 19, or its equivalent in case of rotation, measured at the well.

The fourth right to be modified, as evidenced by Certificate 63686, was perfected under Permit G-9976 with a date of priority of JULY 13, 1981. The right allows the use of CHEYENNE WELL, in the DESCHUTES RIVER BASIN, for GROUP DOMESTIC SUPPLIES FOR 9 FAMILIES INCLUDING IRRIGATION OF LAWNS AND GARDENS NOT TO EXCEED ONE-HALF ACRE PER FAMILY. The amount of water to which this right is entitled is limited to an amount actually beneficially used and shall not exceed 0.03 CUBIC FOOT PER SECOND (CFS), if available at the original wells; SW% NW%, SECTION 30, T 18 S, R 12 E, W.M.; 100 FEET NORTH AND 470 FEET EAST FROM THE W% CORNER OF SECTION 30, or its equivalent in case of rotation, measured at the well.

The use shall conform to any reasonable rotation system ordered by the proper state officer.

The authorized places of use are as follows:

PERMIT 9217

SW¼ SW¼ SECTION 5

NE% NE% SECTION 7

SE% SE% SECTION 6

NW¼ NW¼ SECTION 8

TOWNSHIP 18 SOUTH, RANGE 12 EAST, W.M.

PERMIT 9269

SW¼ NE¼ NW¼
W½ NW¼
SE¼ NW¼
SECTION 8

TOWNSHIP 17 SOUTH, RANGE 12 EAST, W.M.

PERMIT 9320

SW% SE% SE% SE% SECTION 18 N⅓ NE⅓ SECTION 19

TOWNSHIP 17 SOUTH, RANGE 13 EAST, W.M.

PERMIT 9976

NE% SE% SECTION 25

TOWNSHIP 18 SOUTH, RANGE 11 EAST, W.M.

SW% NW% SECTION 30

TOWNSHIP 18 SOUTH, RANGE 12 EAST, W.M.

This use may be regulated if analysis of data available discloses that the appropriation will measurably reduce the surface water flows necessary to maintain the free-flowing character of a scenic waterway in quantities necessary for recreation, fish and wildlife in effect as of the priority date of this right or as those quantities may be reduced.

The right to use water for the above purpose is restricted to beneficial use on the lands or place of use described.

The applicant proposes to add additional points of appropriation so that water under these permits may be appropriated from any one, or any combination of, the following wells:

WELL 1 (WHISPERING PINES) -SE% SE%, SECTION 21, T 16 S, R 12 E, W.M.; 20 FEET NORTH AND 20 FEET WEST FROM THE SE CORNER OF SECTION 21.

WELL 2 (GLACIER VIEW) - SW1/4, SECTION 28, T 16 S, R 12 E, W.M.; 885 FEET NORTH AND 1395 FEET WEST FROM THE S1/4 CORNER OF SECTION 28.

WELL 3 (POHAKU RANCH) - NW% NW%, SECTION 33, T 16 S, R 12 E, W.M.; 165 FEET SOUTH AND 950 FEET EAST FROM THE NW CORNER OF SECTION 33.

WELL A-1 - NE% NW%, SECTION 3, T 18 S, R 12 E, W.M.; 325 FEET SOUTH AND 200 FEET EAST FROM THE N% CORNER OF SECTION 3.

WELL A-2 - NE% NW%, SECTION 3, T 18 S, R 12 E, W.M.; 325 FEET SOUTH AND 86 WEST FROM THE N% CORNER OF SECTION 3.

WELL B-1 - SE% SE%, SECTION 3, T 18 S, R 12 E, W.M.; 264 FEET NORTH AND 947 FEET WEST FROM THE SE CORNER OF SECTION 3.

- WELL B-2 SE% SE%, SECTION 3, T 18 S, R 12 E, W.M.; 274 FEET NORTH AND 937 FEET WEST FROM THE SE CORNER OF SECTION 3.
- WELL C-1 SE% NE%, SECTION 10, T 18 S, R 12 E, W.M.; 2000 FEET SOUTH AND 706 FEET WEST FROM THE NE CORNER OF SECTION 10.
- SW% NW%, SECTION 30, T 18 S, R 12 E, W.M.; 100 FEET NORTH AND 470 FEET EAST FROM THE W% CORNER OF SECTION 30.
- WELL D-1 SW% NW%, SECTION 2, T 18 S, R 12 E, W.M.; 90 FEET NORTH AND 700 FEET EAST FROM THE W% CORNER OF SECTION 2.
- WELL E-1 NW% NW%, SECTION 10, T 18 S, R 12 E, W.M.; 268 FEET SOUTH AND 260 FEET EAST FROM THE NW CORNER OF SECTION 10.
- WELL F-1 SE% NE%, SECTION 21, T 18 S, R 12 E, W.M.; 2260 FEET SOUTH AND 315 FEET WEST FROM THE NE CORNER OF SECTION 21.
- WELL F-2 SE% NE%, SECTION 21, T 18 S, R 12 E, W.M.; 2260 FEET SOUTH AND 300 FEET WEST FROM THE NE CORNER OF SECTION 21.
- WELL G-1 NE% NW%, SECTION 1, T 18 S, R 12 E, W.M.; 1010 FEET SOUTH AND 1805 FEET EAST FROM THE NW CORNER OF SECTION 1.
- WELL H-1 NW1/4 SE1/4, SECTION 1, T 18 S, R 12 E, W.M.; 1413 FEET NORTH AND 1070 FEET EAST FROM THE S1/4 CORNER OF SECTION 1.
- WELL 1 SW1/4 SE1/4, SECTION 7, T 18 S, R 12 E, W.M.; 70 FEET NORTH AND 2242 FEET WEST FROM THE SE CORNER OF SECTION 7.
- WELL 2 NW% SE%, SECTION 18, T 18 S, R 12 E, W.M.; 240 FEET SOUTH AND 260 FEET EAST FROM THE CENTER CORNER OF SECTION 18.
- WELL 3 SE% SE%, SECTION 18, T 18 S, R 12 E, W.M.; 1019 FEET NORTH AND 640 FEET WEST FROM THE SE CORNER OF SECTION 18.
- WELL 4 NW% SE%, SECTION 18, T 18 S, R 12 E, W.M.; 195 FEET SOUTH AND 260 FEET EAST FROM THE CENTER CORNER OF SECTION 18.
- WELL 5 (RIVERBEND #1) SW% NE%, SECTION 19, T 18 S, R 12 E, W.M.; 1380 FEET SOUTH AND 1500 FEET WEST FROM THE NE CORNER OF SECTION 19.

- WELL 1 NE% NW%, SECTION 36, T 16 S, R 12 E, W.M.; 930 FEET SOUTH AND 735 FEET WEST FROM THE N% CORNER OF SECTION 36.
- WELL 2 SE% NE%, SECTION 36, T 16 S, R 12 E, W.M.; 330 FEET NORTH AND 170 FEET WEST FROM THE E% CORNER OF SECTION 36.
- WELL 3 SE% SE%, SECTION 26, T 16 S, R 12 E, W.M.; 740 FEET NORTH AND 1217 FEET WEST FROM THE SE CORNER OF SECTION 26.
- WELL A SW% SW%, SECTION 14, T 17 S, R 12 E, W.M.; 343 FEET NORTH AND 792 FEET EAST FROM THE SW CORNER OF SECTION 14.
- WELL B NW% NE%, SECTION 14, T 17 S, R 12 E, W.M.; 975 FEET SOUTH AND 2000 FEET WEST FROM THE NE CORNER OF SECTION 14.
- WELL C SW% NE%, SECTION 16, T 17 S, R 12 E, W.M.; 1393 FEET SOUTH AND 1950 FEET WEST FROM THE NE CORNER OF SECTION 16.
- WELL D SE% SW%, SECTION 16, T 17 S, R 12 E, W.M.; 865 FEET NORTH AND 1700 FEET EAST FROM THE SW CORNER OF SECTION 16.
- WELL E NW% SE%, SECTION 23, T 17 S, R 12 E, W.M.; 868 FEET SOUTH AND 116 FEET EAST FROM THE CENTER CORNER OF SECTION 23.
- WELL F NE% SE%, SECTION 23, T 17 S, R 12 E, W.M.; 55 FEET SOUTH AND 42 FEET WEST FROM THE E% CORNER OF SECTION 23.
- WELL G SE% SE%, SECTION 9, T 17 S, R 12 E, W.M.; 312 FEET NORTH AND 15 FEET WEST FROM THE SE CORNER OF SECTION 9.
- NW¼ NE¼, SECTION 20, T 18 S, R 13 E, W.M.; 868 FEET SOUTH AND 368 FEET EAST FROM THE N¼ CORNER OF SECTION 20.
- WELL 1 NW% NW%, SECTION 26, T 18 S, R 11 E, W.M.; 320 FEET SOUTH AND 25 FEET EAST FROM THE NW CORNER OF SECTION 26.
- WELL 2 NW% NE%, SECTION 25, T 18 S, R 11 E, W.M.; 250 FEET SOUTH AND 200 FEET EAST FROM THE N% CORNER OF SECTION 25.

- WELL A SW% NE%, SECTION 13, T 18 S, R 11 E, W.M.; 2400 FEET SOUTH AND 1800 FEET WEST FROM THE NE CORNER OF SECTION 13.
- WELL B-2 (RIVERBEND WELL #2) SW% NE%, SECTION 19, T 18 S, R 12 E, W.M.; 1360 FEET SOUTH AND 1490 FEET WEST FROM THE NE CORNER OF SECTION 19.
- WELL C-1 (TEKAMPE #1) SE% NE%, SECTION 21, T 18 S, R 12 E, W.M.; 2225 FEET SOUTH AND 315 FEET WEST FROM THE NE CORNER OF SECTION 21.
- WELL C-2 (TEKAMPE #2) SE% NE%, SECTION 21, T 18 S, R 12 E, W.M.; 2260 FEET SOUTH AND 315 FEET WEST FROM THE NE CORNER OF SECTION 21.
- WELL C-3 (TEKAMPE #3) SE% NE%, SECTION 21, T 18 S, R 12 E, W.M.; 2240 FEET SOUTH AND 310 FEET WEST FROM THE NE CORNER OF SECTION 21.
- WELL D-1 SE% NW%, SECTION 8, T 17 S, R 12 E, W.M.; 1550 FEET SOUTH AND 1700 FEET EAST FROM THE NW CORNER OF SECTION 8.
- WELL D-2 SE% NW%, SECTION 8, T 17 S, R 12 E, W.M.; 1600 FEET SOUTH AND 1680 FEET EAST FROM THE NW CORNER OF SECTION 8.
- WELL D-3 SE% NW%, SECTION 8, T 17 S, R 12 E, W.M.; 1700 FEET SOUTH AND 1780 FEET EAST FROM THE NW CORNER OF SECTION 8.
- WELL E-1 SE% SE%, SECTION 18, T 18 S, R 12 E, W.M.; 1019 FEET NORTH AND 640 FEET WEST FROM THE SE CORNER OF SECTION 18.
- WELL E-2 SE% SE%, SECTION 18, T 18 S, R 12 E, W.M.; 1020 FEET NORTH AND 640 FEET WEST FROM THE SE CORNER OF SECTION 18.
- WELL F-1 SE% SE%, SECTION 6, T 18 S, R 12 E, W.M.; 75 FEET NORTH AND 100 FEET WEST FROM THE SE CORNER OF SECTION 6.
- WELL F-2 SE% SE%, SECTION 6, T 18 S, R 12 E, W.M.; 90 FEET NORTH AND 95 FEET WEST FROM THE SE CORNER OF SECTION 6.
- WELL G-1 SE% SE%, SECTION 3, T 18 S, R 12 E, W.M.; 264 FEET NORTH AND 947 FEET WEST FROM THE SE CORNER OF SECTION 3.

- WELL G-2 SE% SE%, SECTION 3, T 18 S, R 12 E, W.M.; 274 FEET NORTH AND 937 FEET WEST FROM THE SE CORNER OF SECTION 3.
- WELL H-1 NE% NW%, SECTION 3, T 18 S, R 12 E, W.M.; 400 FEET SOUTH AND 200 FEET WEST FROM THE N% CORNER OF SECTION 3.
- WELL H-2 NE% NW%, SECTION 3, T 18 S, R 12 E, W.M.; 400 FEET SOUTH AND 86 FEET WEST FROM THE N% CORNER OF SECTION 3.
- WELL I NW% SE%, SECTION 26, T 17 S, R 12 E, W.M.; 868 FEET SOUTH AND 116 FEET EAST FROM THE CENTER CORNER OF SECTION 26.
- WELL J SW1/4, SECTION 14, T 17 S, R 12 E, W.M.; 343 FEET NORTH AND 892 FEET EAST FROM THE SW CORNER OF SECTION 14.
- WELL K SE% SW%, SECTION 16, T 17 S, R 12 E, W.M.; 1973 FEET SOUTH AND 575 FEET WEST FROM THE CENTER CORNER OF SECTION 16.
- WELL L SW% NE%, SECTION 16, T 17 S, R 12 E, W.M.; 1425 FEET SOUTH AND 1950 FEET WEST FROM THE NE CORNER OF SECTION 16.
- WELL M SE% SE%, SECTION 9, T 17 S, R 12 E, W.M.; 312 FEET NORTH AND 12 FEET WEST FROM THE SE CORNER OF SECTION 9.
- WELL O SW% SW%, SECTION 33, T 17 S, R 13 E, W.M.; 340 FEET NORTH AND 796 FEET WEST FROM THE SE CORNER OF SECTION 33.
- WELL P SW% NW%, SECTION 33, T 17 S, R 13 E, W.M.; 455 FEET NORTH AND 1263 FEET EAST FROM THE W% CORNER OF SECTION 33.
- WELL Q NW% NE%, SECTION 19, T 17 S, R 13 E, W.M.; 644 FEET SOUTH AND 1826 FEET WEST FROM THE NE CORNER OF SECTION 19.
- WELL S SE% SE%, SECTION 21, T 16 S, R 12 E, W.M.; 20 FEET NORTH AND 20 FEET WEST FROM THE SE CORNER OF SECTION 21.
- WELL T SW% SE%, SECTION 21, T 16 S, R 12 E, W.M.; 137 FEET NORTH AND 2290 FEET WEST FROM THE SE CORNER OF SECTION 21.
- WELL V NW½ NW½, SECTION 33, T 16 S, R 12 E, W.M.; 140 FEET SOUTH AND 950 FEET EAST FROM THE NW CORNER OF SECTION 33.

WELL X - NE% NW%, SECTION 36, T 16 S, R 12 E, W.M.; 894 FEET SOUTH AND 708 FEET WEST FROM THE N% CORNER OF SECTION 33.

WELL Y - SE% NE%, SECTION 36, T 16 S, R 12 E, W.M.; 400 FEET NORTH AND 155 FEET WEST FROM THE E% CORNER OF SECTION 36.

WELL Z-1 (BOONESBOROUGH-McGRATH WELL #1) - SE% SE%, SECTION 36, T 16 S, R 12 E, W.M.; 131 FEET NORTH AND 693 FEET WEST FROM THE SE CORNER OF SECTION 36.

WELL Z-2 (BOONESBOROUGH-McGRATH WELL #2) - SE% SE%, SECTION 36, T 16 S, R 12 E, W.M.; 160 FEET NORTH AND 796 FEET WEST FROM THE SE CORNER OF SECTION 36.

WELL A-1 - SE% SE%, SECTION 26, T 16 S, R 12 E, W.M.; 726 FEET NORTH AND 1210 FEET WEST FROM THE SE CORNER OF SECTION 26.

WELL A-2 - NW% NE%, SECTION 20, T 18 S, R 13 E, W.M.; 868 FEET SOUTH AND 368 FEET EAST FROM THE N% CORNER OF SECTION 20.

WELL N-1 (SUNDANCE WELL #1) - NW% NE%, SECTION 31, T 18 S, R 13 E, W.M.; 1225 FEET SOUTH AND 2105 FEET WEST FROM THE NE CORNER OF SECTION 31.

WELL N-2 (SUNDANCE WELL #2) - NW% NE%, SECTION 31, T 18 S, R 13 E, W.M.; 1225 FEET SOUTH AND 1985 FEET WEST FROM THE NE CORNER OF SECTION 31.

WELL R (CONESTOGA) - NE% NW%, SECTION 22, T 18 S, R 13 E, W.M.; 283 FEET SOUTH AND 3240 FEET WEST FROM THE NE CORNER OF SECTION 22.

WELL U - NE% SE%, SECTION 23, T 17 S, R 12 E, W.M.; 55 FEET SOUTH AND 42 FEET WEST FROM THE E% CORNER OF SECTION 23.

WELL W - SW1/4 SW1/4, SECTION 28, T 16 S, R 12 E, W.M.; 885 FEET NORTH AND 1395 FEET WEST FROM THE S1/4 CORNER OF SECTION 28.

CHINA HAT WELL - NE% NE%, SECTION 29, T 18 S, R 12 E, W.M.; 400 FEET SOUTH AND 900 FEET WEST FROM THE NE CORNER OF SECTION 29.

PARRELL ROAD WELL - SW1/4 SW1/4, SECTION 17, T 18 S, R 12 E, W.M.; 200 FEET NORTH AND 570 FEET EAST FROM THE SW CORNER OF SECTION 17.

TUSCARORA WELL - NW% NW%, SECTION 26, T 18 S, R 11 E, W.M.; 300 FEET SOUTH AND 30 FEET EAST FROM THE NW CORNER OF SECTION 26.

CODY ROAD WELL - SW% SW%, SECTION 33, T 17 S, R 13 E, W.M.; 270 FEET NORTH AND 445 FEET EAST FROM THE SW CORNER OF SECTION 33.

The applicant proposes to change the use of a water right perfected under Permit G-9976 to QUASI-MUNICIPAL USE.

Satisfactory proof for the completion of Permit G-9320 is confirmed as described above.

THIS CHANGE TO AN EXISTING WATER RIGHT MAY BE MADE PROVIDED THE FOLLOWING CONDITIONS ARE MET BY THE WATER USER:

- 1. The proposed changes shall be completed on or before October 1, 1999.
- 2. The quantity of water diverted at the new points of appropriation (wells), together with the quantity diverted at the old points of appropriation, shall not exceed the quantity of water lawfully available from the original points of appropriation.
- 3. When required by the Department the water user shall install in-line flow meter(s) or other suitable device(s) for measuring and recording the quantity of water used. The type and plans of the measuring device(s) must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department.
- 4. If substantial or undue interference with an existing well used under an existing right, including existing exempt uses, occurs, and such interference can be shown to the satisfaction of the Department to result from the change in the way the water rights are exercised as authorized herein, the use of water from the wells authorized by this transfer causing the interference shall be regulated to mitigate the interference.
- 5. Water shall be acquired from the same aquifer as the original points of appropriation.

Certificates 65352, 65353, 63686 are cancelled. When satisfactory proof of the completed change is received, new certificates confirming these water rights will be issued.

WITNESS the signature of the Water Resources Director,

affixed_____NOV..04 1997_____.

Martha O. Pagel, Director