*Enlargement Permit No. 100 CERTIFICATE NO. 9640 APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Ī	Harriet L Veazie
-	(Name of Applicant)
of	Portland , County of Multnomah (Postoffice)
	f
followin	g described public waters of the State of Oregon, subject to existing rights.
If t	he applicant is a corporation, give date and place of incorporation
	∫ Vilson Creek by storing unappropriated
sin	waters thereof in accordance with The source of the proposed appropriation is Reservoir Permit No. 108, applied for with appropriation to be made by the enlargement (or extension) of
	Lyle Ditch and Reservoir
owned	(Give name or canal or works to be enlarged) by me
3.	The amount of water which the applicant intends to apply to beneficial use is
2	cubic feet per second, which amount is in addition to the present claimed appropriation.
4.	The use to which the water is to be applied is
	Irrigation
	uring, domestic supplies, etc.)
	ID AN ADDI WALLEY DATE OF THE BALL
	n and Description of Ditch or Works which it is Proposed to Enlarge or Extend—
Locatio	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from
Locatio	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from (Give distance and bearing to section corner)
Locatio	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from (Give distance and bearing to section corner) quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE4 of the SW4
5.	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from Give distance and bearing to section corner) quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE4 of the SW4 (Smallest legal subdivision) 5 , Tp. 10 S , R. 15 East , W. M., in the county of Crook (No. N. or S.) (No. E. or W.)
5.	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from (Give distance and bearing to section corner) quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE 4 of the SW4 (Smallest legal subdivision) 5 , Tp. 10 S , R. 15 East W. M., in the county of Crook (No. N. or S.) (No. E. or W.)
5. the	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from (Give distance and bearing to section corner) quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE 4 of the SW 4 (Smallest legal subdivision) 5 , Tp. 10 S , R. 15 East W. M., in the county of Crook (No. N. or S.) (No. E. or W.) (Crook ditch (Ditch, canal or flume) of Sec. 6 , Tp. 10 S , R. 15 East
5. the of Sec.	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from Give distance and bearing to section corner) quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE4 of the SW4 (Smallest legal subdivision) 5 , Tp. 10 S , R. 15 East (No. E. or W.) (No. E. or W.) (Crook (c) Said ditch is 3/4 of a miles in length and terminates in the Of the SE4 of Sec. 6 , Tp. 10 S , R. 15 East (Smallest legal subdivision)
5. the of Sec.	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from (Give distance and bearing to section corner) quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE do of the SW do of the section corner) (Smallest legal subdivision)
the of Sec. WE 1	(a) The point of diversion from the stream is. South 80° 21" East 1793 feet from Give distance and bearing to section corner) Quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE¼ of the SW. Smallest legal subdivision) 5, Tp. 10 S, R. 15 East W. M., in the county of No. N. or S.) Crook (c) Said ditch is 3/4 of a miles in length and terminates in the Of the SE¼ of Smallest legal subdivision) of the SE¼ of Sec. 6, Tp. 10 S, R. 15 East M. (Smallest legal subdivision) the proposed location being shown throughout on the accompanying map. (d) The dimensions of said ditch just below the headgate are: Width on top (at water)
the of Sec. W. M.,	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from (Give distance and bearing to section corner) quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE¼ of the SW¼. 5 , Tp. 10 S , R. 15 East , W. M., in the county of Crook (c) Said ditch (No. N. or S.) (No. E. or W.) (c) Said ditch (Ditch, canal or flume) of the SE¼ of Sec. 6 , Tp. 10 S , R. 15 East (Smallest legal subdivision) the proposed location being shown throughout on the accompanying map. (d) The dimensions of said ditch just below the headgate are: Width on top (at water feet; width on bottom. 1½ feet; depth of water 6 inches
the of Sec. W. M., line) grade	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from (Give distance and bearing to section corner) quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE of the SW (Smallest legal subdivision) 5
the of Sec. W. M., line) grade	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from Give distance and bearing to section corner; quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE4 of the SW4 (c) The headgate is located within the NE4 of the SW4 (d) The headgate is located within the Seast W. M. M., in the county of the Seast W. M. M., in the county o
the of Sec. W. M., line) grade	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from (Give distance and bearing to section corner) quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE\$\frac{1}{4}\$ of the SW\$\frac{1}{4}\$ Smallest legal subdivision) 5, Tp. 10 S, R. 15 East W. M., in the county of Crook (c) Said ditch (Ditch, canal or flume) of the SE\$\frac{1}{4}\$ of Sec. 6, Tp. 10 S, R. 15 East (Smallest legal subdivision) the proposed location being shown throughout on the accompanying map. (d) The dimensions of said ditch just below the headgate are: Width on top (at water feet; width on bottom 1 \frac{1}{2}\$ feet; depth of water 6 inches feet, set per second. (e) Said ditch now serves to irrigate the following described land:
the 5. the of Sec. W. M., line) grade cubic fe	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from Give distance and bearing to section corner; quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE 1/2 of the SW 1/4 (Smallest legal subdivision) 5 , Tp. 10 S , R. 15 East , W. M., in the county of Urook (c) Said ditch is 3/4 of a miles in length and terminates in the Often, canal or flume) of the SE 1/4 of
the 5. the of Sec. W. M., line) grade cubic fe	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from Give distance and bearing to section corner, quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE4 of the SV4 (c) The headgate is located within the NO. N. or S.) (c) No. N. or S.) (d) The headgate is located within the No. N. or S.) (e) Said ditch No. N. or S.) (f) No. N. or S.) (g) No. E. or W.) (he headgate is located within the No. E. or W.) (g) No. E. or W.) (g) No. E. or W.) (he headgate is located from the county of the headgate are: Width on top (at water 3 feet; width on bottom 1½ feet; depth of water 6 inches feet, 1000 feet; having a maximum safe capacity of 1 feet; depth of water 6 inches feet, 1000 feet, having a maximum safe capacity of 1 feet; depth of SE4 of SE4 of SE4 of Section 6; (if not used for irrigation, give purpose for which said ditch is used, extent of power developed, mines served, etc.) (he KE4 of SE4 of SE4 and
the 5. the of Sec. W. M., line) grade cubic fe	(a) The point of diversion from the stream is South 80° 21" East 1793 feet from (Give distance and bearing to section corner) quarter section post in East line of Section 6 Tp. 10 S., R. 15 East W. M. (b) The headgate is located within the NE of the SU (Smallest legal subdivision) 5 , Tp. 10 S , R. 15 East , W. M., in the county of Urook (c) Said ditch is 3/4 of a miles in length and terminates in the Of the SE of the S

*A different form of application is provided for new appropriations, and where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

(f) The total area now irrigated from said ditch is ninety acre
(g) The diversion works of said ditch are described as follows: Timber dam, filled in above with stone, brush and earth;
(If any, give character of dam, height, length on top and bottom; spillway over or around dam) height 10 feet, length on top 30 feet
on bottom 15 feet; spillway over dam.
Description of Proposed Enlargement—
6. (a) The diversion dam, after enlargement Will remain unchanged except that it
may be necessary to increase height 2 feet and length 20 feet. or if changed, give height, length, character of material, etc.)
(b) The dimensions of ditch just below the headgate, when enlarged to be: Width on top (c
water line) 4 feet; width on bottom 2 feet; depth of water 1 feet
grade
(c) Atmiles from headgate: Width on top (at water line)fee
width on bottomfeet; depth of waterfeet; gradefeet fa
per 1000 feet. No change in dimensions during course of ditch (Give further dimensions at points where changed in dimensions)
(d) The ditch or canal as enlarged to be 3/4 of miles in length, terminating in the NE4 of SE4 of Sec. 6, Tp. 10 S, R. 15 East, W. M. (Give smallest legal subdivision) (e) The head of the proposed extension is located sime as present ditch as above described.
(If proposed work is extension of the original ditch or a ditch tapping same, locate by tie to Government corner)
Fill in the Following Information, where the Water Appropriated is to be Used for:
Irrigation—
7. The land to be irrigated by the proposed extension or enlargement has a total area of
585 acres, located in each smallest legal subdivision, as follows:
In W 3 of SW4 Section 29, 80 acres; (Give estimated irrigable acreage in each smallest legal subdivision of land which it is proposed to irrigate) in NE4 of SE4 Section 30, 25 acres;
in S g of SEg Section 30, 80 acres; and
in E $\frac{4}{2}$ of Section 31, - 320 acres; all being in Tp. 9 S. R. 15 East 47. M.; and in $\mathbb{K}\mathbb{J}_{4}^{1}$ of $\mathbb{N}\mathbb{H}_{4}^{1}$ Section 6, 40 acres;
in ST of NE of Section 6, 25 acres; and
in NV2 of Sh of Section 6. 15 acres (If more space required, attach separate sheet)
All in Township 10 S. R. 15 East W. M.
Power, Mining, Manufacturing or Transportation Purposes—
8. (a) Total amount of power to be developed horsepower
(b) Total fall to be utilizedfeet.

located	in	Sec.	Tp.	R.	, W.
*	(Legal subdivision) (d) The use to which t				
	(iii) The use to which t	•	applied is		
	(e) The nature of the	mines to be served.		······································	••••••
_	pal Supply— To supply the city of				•••••••••••
estimat	ted future population of		in 19		
10.	Estimated cost of the pr	roposed extension of	r enlargement \$		
	Construction work will b				
	Construction work will				
	The water will be compl				
	licate maps of the origina				xtension, 1
pared i	in accordance with the re		77		
			harriet L Veazi	(Name of Applicant)	
			Her attorner	7 in fuct	•••••••••••••••••••••••••••••••••••••••
Sign	ned in the presence of us	s as witnesses:		7 in fact	
(1)	L A Smith (Name)		Corbett Bldg	g., Portland, Ore	•
(2)	E K Thompson	·····•	.jg 19	(Address of Witness)	
Rem	narks:				
•				,	
***********		··		· · · · · · · · · · · · · · · · · · ·	
STATE	E OF OREGON,)			
Co	ounty of Marion	SS.			
Thi	is is to certify that I hav	ve examined the for	egoing application,	together with the	accompani
	and data, and return the				
maps					
maps a			••••••		
maps (
maps ε					
	order to retain its pr	iority, this applica	ition must be return	ned to the State E	ngineer, i
In	order to retain its pr				ngineer, 1
In correct				., 19	•
In correct	tions, on or before			., 19, 19	· .
In correct	tions, on or before			., 19, 19	· .
In correct	tions, on or before			., 19, 19	•

1417 Application No.

Enlargement Permit No.

PERMIT

To appropriate the public waters of the State of Oregon

	Division No2 District No
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 6 day of May,
	19 11; at 8:30 o'clock M. Returned to applicant for correction
	Corrected application received
	Approved Jun 2 1911
	Recorded in Book No. 1 of Enlargements
	on Page100
	John H Lewis
	42.25 State Engineer
STATE OF OREGON,	`
County of Marion	ss.
This is to certify that I	have examined the foregoing application and do hereby grant the same,
subject to the following lin	nitations and conditions:
•	riation for irrigation purposes shall be limited to one-eightiet
of one cu.	ft. per sec. for each acre irrigated.
The priorit	y date of this permit is May 6, 1911
· · · · · · · · · · · · · · · · · · ·	ppropriated shall be limited to the amount which can be applied to beneficial (2.50) cubic feet per second.
Actual construction work	shall begin on or before June 2, 1912
	secuted with reasonable diligence and be completed on or before
	June 2, 1914
Complete application of	the water to the proposed use shall be made on or before
WITNESS my hand this	June 2, 1916 2nd day of June , 19 11.

John H Lewis

State Engineer.