Rice Interest 513 22

\*Enlargement Permit No. 39

## APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

THANSfore-Spar Vol.4

	(Name of Applicant)		
of	Prineville	, County of	Crook
Stata	(Postoffice)  Oregon	do havaha maka ann	lication for a permit to appropriate the
	0/		
	ing described public waters of		
If	the applicant is a corporation	n, give date and place of	incorporation
	Мо		
1.	The source of the proposed	appropriation is	Prooked River (Name of stream)
2.	The appropriation to be ma	de by the enlargement 1	extension) of
	В	iggs Ditch	
ad		e name or canal or works to be en	nlarged)
	ū	·r	
3.	The amount of water which	the applicant intends to	apply to beneficial use is
7	cubic feet per second	l, which amount is in addi	tion to the present claimed appropriation
4.	The use to which the water is	s to be applied is	
		·	(Irrigation, power, mining
nanufac	turing, domestic supplies, etc.)	\	
of Se	es. 25 & 36 T 15 S R 15 I	R. W. M.	20! E 28.55 chains to the cor (Give distance and bearing to section corner
of Se	(b) The headgate is located	E W. M.  within the SE 1 NE 1	(Give distance and bearing to section corner
•••••	(b) The headgate is located	E W. M.  within the SE 1 NE 2  (Sm	(Give distance and bearing to section corner  Later legal subdivision)  15 E, W. M., in the county o
f Sec	(b) The headgate is located	within the SE 1 NE 2 (Sm  15 S , R.	(Give distance and bearing to section corner  Later legal subdivision)  15 E, W. M., in the county o
f Sec	(b) The headgate is located  . 36 , Tp	within the SE 1 NE 2 (Sm (Sm (No N. or S.) (No	(Give distance and bearing to section corner  Later legal subdivision)  15 E , W. M., in the county of the county
f Sec	(b) The headgate is located  36 , Tp	E W. M.  within the SE 1 NE 2  (Sm  15 S , R.  O. N. or S.) (No.  is 3 1/4	(Give distance and bearing to section corner  Lallest legal subdivision)  15. E, W. M., in the county of
f Sec	(b) The headgate is located  36 , Tp	Within the SE 1 NE 2 (Sm (Sm (No Sec. 18 , T)	(Give distance and bearing to section corner  Later legal subdivision)  15. E, W. M., in the county of th
f Sec	(b) The headgate is located  36 , Tp	within the SE 1 NE 2 (Sm  15 S , R.  N. or S.) (No  15 S , R.  is 3 1/4  Sec. 18 , T  shown throughout on the	(Give distance and bearing to section corner to the county of the county
f Sec	(b) The headgate is located  36 , Tp	within the SE 1 NE 2 (Sm  15 S , R.  N. or S.) (No  15 S , R.  is 3 1  Sec. 18 , T  shown throughout on the id ditch just below the	(Give distance and bearing to section corner to the county of the county
f Sec	(b) The headgate is located  36 , Tp	within the SE 1 NE 2 (Sm  15 S , R.  N. or S.) (No  15 S , R.  is 3 1  Sec. 18 , T  shown throughout on the id ditch just below the	(Give distance and bearing to section corner to the county of the county
f Sec SE V. M.	(b) The headgate is located  36 , Tp	within the SE 1 NE 2 (Sm  15 S , R.  is 3 1/4  Sec. 18 , T'  shown throughout on the id ditch just below the bottom 4 f	(Give distance and bearing to section corner to the county of the county
f Sec  SE  V. M.  ine)	(b) The headgate is located  36 , Tp	within the SE 1 NE 2 (Sm  15 S , R.  is 3 1/4  Sec. 18 , T'  shown throughout on the id ditch just below the bottom 4 f	(Give distance and bearing to section corner to the county of the county
f Sec  SE  V. M.  ine)	(b) The headgate is located  36 , Tp	within the SE 1 NE 2 (Sm  15 S , R.  is 3 1/4  Sec. 18 , T'  shown throughout on the id ditch just below the bottom 4 f  1000 feet, having a max	(Give distance and bearing to section corner  tablest legal subdivision)  15 E , W. M., in the county of the count
f Sec  SE  W. M.  ine)  trade  ubic f	(b) The headgate is located  36 , Tp	within the SE 1 NE 2 (Sm  15 S , R.  N. or S.) (No  15 S , R.  is 3 1/4  Sec. 18 , Tr  shown throughout on the id ditch just below the bottom. 4 f  1000 feet, having a max to irrigate the following	(Give distance and bearing to section corner labels (Give distance and bearing to section corner labels)  Labels (Legal subdivision)  Labels (Legal subdivision)  M. M., in the county of the county o
SE  V. M.  ine)  rade  ubic f	(b) The headgate is located  36 , Tp	within the SE 1 NE 3 (Sm  15 S , R.  No. N. or S.) (No. N. or S.)  is 3 4  Sec. 18 , Ty  shown throughout on the id ditch just below the bottom. 4 f  1000 feet, having a max to irrigate the following SW 2 SW 2 of Sec 19	(Give distance and bearing to section corner labels (Give distance and bearing to section corner labels)  Labels (Legal subdivision)  Labels (Legal subdivision)  M. M., in the county of the county o
f Sec  SE  V. M.  ine)  rade  ubic f	(b) The headgate is located  36 , Tp	within the SE 1 NE 3  15 S , R. (No. N. or S.) (No. N. or S.) (No. N. or S.)  is 3 1/4  Sec. 18 , T.  shown throughout on the id ditch just below the bottom 4 f  1000 feet, having a max to irrigate the following SW 1 SW 2 of Sec 19  purpose for which said ditch is us	(Give distance and bearing to section corner labels (Give distance and bearing to section corner labels)  Labels (Legal subdivision)  List E
f Sec  SE  V. M.  ine)  rade  ubic f	(b) The headgate is located  36 , Tp	within the SE 1 NE 2 (Sm  15 S , R.  N. or S.) (No  15 S , R.  is 3 1  Sec. 18 , T  shown throughout on the id ditch just below the bottom 4 f  1000 feet, having a max  to irrigate the following SW 1 SW 2 of Sec 19  purpose for which said ditch is us NE 1 NE 1  NE 1 NE 1	(Give distance and bearing to section corner labels (Give distance and bearing to section corner labels)  allest legal subdivision)  15 E , W. M., in the county of the co
SE 1. W. M. W. Sec 1. W. S	(b) The headgate is located  36 , Tp	within the SE 1 NE (Sm  15 S , R.  N. or S.) (No  15 S , R.  N. or S.) (No  15 Sec. 18 , Tr  shown throughout on the did ditch just below the bottom. 4 f  1000 feet, having a max  to irrigate the following SW 1 SW 1 of Sec 19  purpose for which said ditch is us NE 1 NE 1  SE NE 1 SE 1	(Give distance and bearing to section corner labels legal subdivision)  15 E , W. M., in the county of E. or W.)  miles in length and terminates in the p. 15 S , R. 16 E  e accompanying map. e headgate are: Width on top (at water leet; depth of water leet; depth of water feet wimum safe capacity of feet wimum safe capacity of leet.)  T 15 S R 16 E W. M. also ed, extent of power developed, mlnes served, etc.)
SE V. M.  ine)  irade  www  ivade	(b) The headgate is located  36 , Tp	within the SE 1 NE (Sm  15 S , R.  N. or S.) (No  15 S , R.  N. or S.) (No  15 Sec. 18 , Tr  shown throughout on the did ditch just below the bottom. 4 f  1000 feet, having a max  to irrigate the following SW 1 SW 1 of Sec 19  purpose for which said ditch is us NE 1 NE 1  SE NE 1 SE 1	(Give distance and bearing to section corner labels and subdivision)  15. E, W. M., in the county of the coun
SE W. M.  ine)  grade  grade  www  www  www  www  www  www  www  www	(b) The headgate is located  36	within the SE 1 NE 3 (Sm  15 S , R.  N. or S.) (No  is 3 4  Sec. 18 , Ty  shown throughout on the id ditch just below the bottom 4 f  1000 feet, having a max  to irrigate the following SW 2 SW 2 of Sec 19  purpose for which said ditch is us NE 1 NE 1  SE 1 SE 1  SE 2 SE 1  SE 3 SE 1  SE 4 SE 1  SE 4 SE 1	(Give distance and bearing to section corner labels (Give distance and bearing to section corner labels)  allest legal subdivision)  15 E , W. M., in the county of the co

\*A different form of application is provided for new appropriations, and where storage works are contemplated. These forms can secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

	The diversion works of said ditch are described as follows: The dam has been washed
	by freshet and ice gorge.
	(If any, give character of dam, height, length on top and bottom; spillway over or around dam)
·=	
scription	n of Proposed Enlargement—
6. (a)	The diversion dam, after enlargement change to new location see Head of property (Will remain unchange
if changed,	nsion below, 5 feet high at deepest part 125 feet long cribwork of timber fi. give height, length, character of material, etc.) stone.
	The dimensions of ditch just below the headgate, when enlarged to be: Width on top (
	11 feet; width on bottom feet; depth of water 2 fee
	5/10 feet fall per 1000 feet.
	At $\frac{2}{5}$ miles from headgate: Width on top (at water line) 8 fee
	ottom 4 feet; depth of water 2 feet; grade 5/10 feet for
	eet. (Give further dimensions at points where changed in dimensions)
Sec. (If prop	of Sec. 18 , Tp. 15 S , R. 16 E , W. I response to the proposed extension to the Quarter of diversion of the proposed extension to the Quarter of the proposed extension to the Quarter of diversion of the original ditch or a ditch tapping same, locate by tie to Government corner)
	ill in the Following Information, where the Water Appropriated is to be Used for:
	e land to be irrigated by the proposed extension or enlargement has a total area of 547
	acres, located in each smallest legal subdivision, as follows:
30 a NI 38 a N	also 25 a NE 1 NE 1  V 1 NE 1  timated irrigable acreage in each smallest legal subdivision of land which it is proposed to irrigate)  30 a SW 1 NE 1
10 a S	timated irrigable acreage in each smallest legal subdivision of land which it is proposed to irrigate)  30 a SW 1 NE 1  30 a SW 2 NE 1  30 a SW 2 NE 1
22 a Ni	40 a NE
5 a Ni	2 SE
89 a SV	V 🛊 SE 🛊 of Sec 25 T 15 S R 15 E, W. M.
.o a. o.	T 15 S, R 16 E W. H.
	(If more space required, attach separate sheet)
	· M. C. · · · · · · · · · · · · · · · · · ·
ver, Mi	ning, Manufacturing or Transportation Purposes—
	ning, Manufacturing or Iransportation Purposes—  Total amount of power to be developed

	(c) The nature of the work				
ocated	in (Legal subdivision)				
	(d) The use to which the				
•	(e) The nature of the mine				
,					
	pal Supply—  To supply the city of	· · · · · · · · · · · · · · · · · · ·			
	County	, having a present	t population of		and an
estimat	ted future population of		in 19		
	Estimated cost of the propo				
11.	Construction work will begin	n on or before	Nov 1st, 19	910	
12.	Construction work will be d	completed on or bef	ore " " 19	912	••••••
13.	The water will be completel	y applied to a bene	eficial use on or b	efore July 1st ]	1913
Dupl	icate maps of the original co	anal or other work	s, showing also the	e enlargement or e	xtension, pre
pared a	in accordance with the rules	of the Board of C	ontrol, accompany	this application.	
				Name of Applicant)	
	•			***************************************	
Sign	ned in the presence of us as				
		······································	Prineville,	Ore	
	(Mane)	,	(-	iddless of withess,	•
	(Name)		(2	Address of Withess)	
Ren	narks:				
STATE	E OF OREGON,	$\rangle_{\mathrm{ss.}}$		,	
Ca	ounty of Marion	) ss.			
Thi	is is to certify that I have e	xamined the forego	ing application, to	ogether with the	accompanying
maps o	and data, and return the sar	ne for correction or	r completion, as fo	llows:	·
			•		
	.\$		••••••		••
In	order to retain its priori	ty, this application	n must be return	ed to the State E	ngineer, wit
	tions, on or before				- ,
	TNESS my hand this		•	•	.•
		<u></u>		_	tate Engineer.

Compared S. a

## Application No. 533

Enlargement	Permit	No.	39
-------------	--------	-----	----

## **PERMIT**

To appropriate the public waters of the State of Oregon

Division No. 2 District No.		
This instrument was fir	st received in the	
office of the State Engineer	at Salem, Oregon,	
on the 28 day of	February,	
19_09, at 8:30 o'clock	M.	
Returned to applicant for	or correction	
Corrected application re	ceived	
Approved		
Apr 18 1910		
Recorded in Book No. 1	of Enlargements	
on Page 39.	•	
John H Lewis		
40.35	State Engineer	

STATE OF OREGON,	)	
County of Marion	ss.	
This is to certify that I have	examined the for	regoing application and do hereby grant the same,
subject to the following limitation	ns and conditions	18:
		on purposes shall be limited to one-eightieth ch acre irrigated.
		imited to the amount which can be applied to beneficial
$Actual\ construction\ work\ shall$	begin on or befor	re April 18, 1911
and shall thereafter be prosecuted	$l \ with \ reasonable$	e diligence and be completed on or before
		April 18, 1912
Complete application of the w	ater to the prope	osed use shall be made on or before
		April 18, 1914 extended to 10/1/15
WITNESS my hand this	18th	day of, 1910
		John H Lewis  State Engineer.