

COPIED From File G-10846
690-10-PG-a LHM 1/5/07

Western Heights Homeowner's Use
Rt. 1, Western Heights
Baker, Or. 97814
Abstract of Permit

This is to certify that I have examined APPLICATION **G-10846** and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

This permit is issued to **Assigned Ronald D. Cuirley** of Route 1 Western Heights, Baker, Oregon 97814, phone 523-6825, for use of the waters of a well

for the PURPOSE of **domestic use for 42 families including the irrigation of lawn and garden not to exceed one-half acre for each**

that the PRIORITY OF THE RIGHT dates from **November 24, 1982**

and is limited to the amount of water which can be applied to beneficial use and shall not exceed **0.05 cubic foot per second**

measured at the point of diversion from the **well**, or its equivalent in case of rotation with other water users.

The well is to be LOCATED: **725 feet South and 325 feet West from the Center Corner of Section 13, being within the NE 1/4 SW 1/4 of Section 13, Township 9 South, Range 39 East, WM, in the County of Baker.**

A description of the PLACE OF USE under the permit, and to which such right is appurtenant, is as follows:

Township 9 South, Range 39 East, WM	Section 13	SW 1/4	NE 1/4
		SW 1/4	NW 1/4
		SE 1/4	NW 1/4
		NE 1/4	SW 1/4
		NW 1/4	SE 1/4

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

Actual construction work shall begin on or before **April 15, 1984**, and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 **84**.

Complete application of the water to the proposed use shall be made on or before October 1, 19 **85**.

Witness my hand this **15th** day of **April**, 19 **83**.

B.C. ext 10-1-97

WATER RESOURCES DIRECTOR

This permit is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

STATE OF OREGON WATER RESOURCES DEPARTMENT

RECEIVED

Application for a Permit to Appropriate Ground Water

NOV 24 1982
WATER RESOURCES DEPT.
SALEM, OREGON

I, Ronald D. Gaigley (Name of Applicant)

of Rt 1 Water Hhs (Mailing Address) Baker (City)

State of OR (State) 97014 (Zip Code) Phone No. 523-6825 do hereby

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of ONE WELL (Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of 8" and an estimated depth of 345 feet.

2. The well or other source is to be located 725 ft. S (N. or S.) and 325 ft. W (E. or W.)

from the Center corner of Sec 13, T. 9S., R. 39E W.M. (Public Land Survey Corner)

(If there is more than one well, each must be described)

being within the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Sec. 13 Tp. 9S R. 39E, W. M., in the county of BAKER.

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
9S	39E	13	SW $\frac{1}{4}$ NE $\frac{1}{4}$	DOMESTIC ^{5001 day} NEW COMMERCIAL LAWN? COVERED 5001
"	"	"	SW $\frac{1}{4}$ NW $\frac{1}{4}$	" 5001
"	"	"	SE $\frac{1}{4}$ NW $\frac{1}{4}$	" 5001
"	"	"	NE $\frac{1}{4}$ SW $\frac{1}{4}$	" 5001
"	"	"	NW $\frac{1}{4}$ SE $\frac{1}{4}$	" 5001

4. It is estimated that 345 feet of the well will require 6" x 8" Steel (Kind) casing.

5. Depth to water table is estimated 100 (Feet) Well drilled by Max Holloway # 16

57910

6. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second or ~~.....~~ gallons per minute.

7. The use to which the water is to be applied is Supplemental Domestic
~~and for irrigation~~ for Western Heights Subdivisions No. 1 & No 2

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
NA

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.
NA

10. DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

3 IP SUBMERSIBLE ABOUT 250' 7" PVC PIPE TO STORAGE TANK DISTRIBUTION SYSTEM SAME AS FILE No. 54701 PERMIT No. 41864. TOTAL OF ⁴² HOMES OR FAMILIES.

11. Construction work will begin on or before HAS STARTED

12. Construction work will be completed on or before OCT 1, 1985

13. The water will be completely applied to the proposed use on or before OCT 1, 1985

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right. Appl No. 54701, Permit No 41864 plus new application enclosed here with.

Application No. G-10846

Permit No.

Remarks: ⁴² TOTAL OF 43 LOTS WITH ONE HOME/LOT.

DOMESTIC INCLUDES UP TO 1/2 AC OF NO COMMERCIAL LAWN & GARDEN PER LOT.

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Ronald D. Gungl - Chairman, Water & Hk. Assn.
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before February 23 April 1, 1983.

WITNESS my hand this 28th day of December, 19 82
1st day of February, 1983

James E. Sexson Water Resources Director

By *Chris L. Hughes*
Chris L. Hughes

RECEIVED
JAN 10 1983
WATER RESOURCES DEPT.
SALEM, OREGON

RECEIVED
FEB 28 1983
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 24th day of November, 19 82, at 8:00 o'clock A.M.

Application No. G-10846

Permit No.

90/

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, **SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from.....a...w...e...!!

The use to which this water is to be applied is Dam (42) incl L & G F A

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is Nov. 24, 1982

Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.....

Complete application of the water to the proposed use shall be made on or before October 1, 19.....

WITNESS my hand this day of....., 19.....

RH B