Friday 1, or 1911 after

Person S. S. 1910

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Anto			•	••	
4670 Labi	sh Garden Road S	eren ale	county of .	Merion	
ste of TORO	B	do hereby m	sice application fo	r apermit to	sppropriate the
Howing & seribed	ground waters of the sta				
If the applica	nt is a corporation, give de	ste and place of	secorporation.		
	, , , , , , , , , , , , , , , , , , ,			•	
					4
1. Give name	e of nearest stream to wi	tick the well, to	nnel or other sou	rce of water	development is
ituated Pu	dding River	*************			*
		(Hume of t	tributery of		
	The transport of the second se				
	nt of water which the ap 3ΩΩ gallons pe/m		to apply to benefi	cial use is	cubic
-	•		Irrigation	٠	
3. The use to	which the water is to be	e applied is	11.189.101	(Sp	rinkler)
					•••••
4. The well o	or other source is located .	550 ft So	uthand	ft.495. West	tom the Center
	tion 13, Townshi	(N. e	# #.)	(2. or W.)	
	or or so the sound in	(Section or se	(bdivision)		************************
	(If professible, gi	ve distance and baseles	t to section corner)		•
	(M profesable, gi	ive distance and bearing	to service corner)		
	(If there is more than one we!!.	each must be described			2 W•
	(If there is more than one we'!. NE I of SW2	each must be described			, R. 2 W.
	(If there is more than one we'!. NE I of SW2	each must be described			, R. 2 W.
W. M., in the count	NE L of SW.	each must be described	Sec. 13 , T1	6 S.	
W. M., in the count	If there is more than one we!!. NE I of SW. y of Marion (Caral e pi	each must be described of &	Sec. 13 , T1	_{wp.} 6 S.	miles
W. M., in the count 5. The n length, terminate	(If there is more than one we'!. NE _ of SW_ y of Marion (Caral r pi	each must be described Of k (pe line)	Sec. 13 , T1	6 S.,	miles
W. M., in the count 5. The n length, terminate	If there is more than one we!!. NE I of SW. y of Marion (Caral e pi	each must be described Of k (pe line)	Sec. 13 , T1	6 S.,	miles
W. M., in the count 5. The in length, terminate R, W. M.	(If there is more than one we'!. NE _ of SW_ y of Marion (Caral r pi	each must be described of f pe line) allest legal subdivision) being shown thr	Sec. 13 To be to be oughout on the ac	6 S. wp. 6 S.	miles 'wp map.
W. M., in the count 5. The in length, terminate R, W. M.	(If there is more than one we!! NE _ of SW_ y of Marion (Caral r pi ing in the	each must be described of f pe line) allest legal subdivision) being shown thr ks is	Sec. 13 , Ti to be of Sec. oughout on the ac	6 S. wp. 6 S.	miles 'wp map.
W. M., in the count 5. The in length, terminate R, W. M. 6. The name	(If there is more than one we!! NE _ of SW_ y of Marion (Caral r pi ing in the	each must be described of L pe line) allest legal subdivision) being shown thr ks is	Sec. 13 , Ti to be of Sec. oughout on the ac	6 S. , 7	miles "wp, map.
W. M., in the count 5. The in length, terminate R, W. M 6. The name	NE Tof SWay y of Marion (Caral spining in the Smith of the well or other work) of the well or other work or other wor	each must be described of L pe line) allest legal subdivision) being shown thr ks is	Sec. 13 , Ti to be of Sec. oughout on the ac	6 S. , 7	miles "wp, map.
W. M., in the count 5. The in length, terminate R, W. M 6. The name	NE of SW. y of Marion (Caral a ping in the Small of the well or other work) to f the well or other work of the well or other work or other work of the well of the well of the well or other work of the well or other work of the well of the well or other work of the well of th	each must be described of k pe line) allest legal subdivision) being shown thr ks is CRIPTION OF 1, the works to b	Sec. 13 To be to be of Sec. oughout on the action works	ccompanying	"wpmiles map. servation of the
W. M., in the count 5. The in length, terminate R, W. M 6. The name	NE Tof SWay y of Marion (Caral spining in the Smith of the well or other work) of the well or other work or other wor	each must be described of k pe line) allest legal subdivision) being shown thr ks is CRIPTION OF 1, the works to b	Sec. 13 To be to be of Sec. oughout on the action works	ccompanying	"wpmiles map. servation of the
W. M., in the count 5. The in length, terminate R, W. M 6. The name	NE of SW. y of Marion (Caral a ping in the Small of the well or other work) to f the well or other work of the well or other work or other work of the well of the well of the well or other work of the well or other work of the well of the well or other work of the well of th	pe line) allest legal subdivision) being shown thr ks is CRIPTION OF 1, the works to b	Sec. 13 To be to be of Sec. Oughout on the action works	, 7 ccompanying	wp. miles map. servation of the
W. M., in the count 5. The in length, terminate R, W. M 6. The name	NE Tof SWarion (Caral * ping in the Swarion location loc	each must be described of k pe line) allest legal subdivision) being shown thr ks is CRIPTION OF a, the works to b	to be of Sec. WORKS e used for the con	ccompanying	miles wp. map. servation of the
W. M., in the count 5. The	(If there is more than one we!! NE I of SW. y of Marion (Caral * pi ing in the	pe line) cach must be described of & pe line) being shown thr ks is CRIPTION OF the works to b	to be of Sec. WORKS e used for the con	, 7 ccompanying	miles wp. map. servation of the
W. M., in the count 5. The	NE of SW. NE of SW. y of Marion (Caral r ping in the Sw. In the proposed location to the well or other work of the well or other work use must be described.	each must be described of L pe line) allest legal subdivision) being shown thr ks is CRIPTION OF t, the works to b	to be of Sec. oughout on the au WORKS e used for the con Viell manufact of wells, tunnels	ccompanying	miles 'wp map. servation of the
V. M., in the count 5. The	(If there is more than one we!! NE I of SW. y of Marion (Caral * pi ing in the	each must be described of L pe line) allest legal subdivision) being shown thr ks is CRIPTION OF t, the works to b	to be of Sec. oughout on the au WORKS e used for the con Viell manufact of wells, tunnels	ccompanying	miles 'wp map. servation of the

		-	feet; grade	feet fall pe
Je	et; depth of wate	·	The state of the s	
d feet.				
b) Ąt	mile	s from headgat	e: width on top (at water liv	w)
	feet; width on be	ottom	feet; depth of water	r
	jest fall pe	er one thousand	feet.	
	· ·		at intake,in.	; in size at
			ein.; diffe	
			rade uniform?	
		,		•
	•		Cox	+wifugal Pump
lo. If pump	e are to be used, g	ive size and typ	e 20 hp Cer	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	······································		to be used _ 26 HP 3	
		••••••		
			danalammama ananis ta 1aas	then one-founth mile:
11. If the lo	cation of the well	, tunnel, or other	r development work is less now to the nearest point on	each of such channe
1		VIVE INE WHILE	the an attended and because our	
il stream or Herence in s	elevation between	the stream bed	and the ground surface at	the source of develop
il stream or ference in e	elevation between	the stream bed	and the ground surface at	the source of develo
il stream or ference in e	elevation between	the stream bed	and the ground surface at	the source of develo
l stream or	elevation between	the stream bed	and the ground surface at	the source of develo
d stream or	elevation between	the stream bed	and the ground surface at	the source of develo
d stream or	elevation between	the stream bed	and the ground surface at	the source of develo
fevence in e	elevation between	the stream bed	and the ground surface at	the source of develo
fevence in e	elevation between	the stream bed	and the ground surface at	the source of develo
12. Locatio	m of area to be in Wange E. or W. of Willemette Meridien	rigated, or place	of use	Number Acres
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Forty-acre Tract	Number Acres To Be Irrugated
12. Locatio	m of area to be in Wange E. or W. of Willemette Meridien	rigated, or place	of use	Number Acres To Be Irrigated 4.17
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Forty-acre Tract	Number Acres To Be Irrigated 4.17 25.83
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Forty-acre Tract	Number Acres To Be Irrigated 4.17
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Forty-acre Tract	Number Acres To Be Irrigated 4.17 25.83
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Porty-acre Tract SEL-NWL NEL-SWL	Number Acres To Be Irrigated 4.17 25.83
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Porty-acre Tract SEL-NWL NEL-SWL	Number Acres To Be Irrigated 4.17 25.83
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Porty-acre Tract SEL-NWL NEL-SWL	Number Acres To Be Irrigated 4.17 25.83
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Porty-acre Tract SEL-NWL NEL-SWL	Number Acres To Be Irrigated 4.17 25.83
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Porty-acre Tract SEL-NWL NEL-SWL	Number Acres To Be Irrigated 4.17 25.83
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Porty-acre Tract SEL-NWL NEL-SWL	Number Acres To Be Irrigated 4.17 25.83
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Porty-acre Tract SEL-NWL NEL-SWL	Number Acres To Be Irrigated 4.17 25.83
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place	of use Porty-acre Tract SEL-NWL NEL-SWL	Number Acres To Be Irrigated 4.17 25.83
12. Locatio	m of area to be irrectly willemente Meridian	rigated, or place Section 13 13	of use Porty-acre Tract SEL-NWL NEL-SWL	Number Acres To Be Irrigated 4.17 25.83

		of A	1
	15 M. 17 AND 10 W	ALL CAME	
34 Refin and bush of proposal water, 2	B6.60	- C.	iga Jan
IR Combustos with a straight of straight	october 1	,1968 .	
14. Construction was still be completed on	or before Octob	er 30,19 66	
17. The water will be completely applied to	·		16.1959
أأوا الما المتحاربين والأوالي والمنتبك والمستقدم والمتصفيف والمنتقد والمنتقد المتحارب والمنتقد	معتداءات المصادعة والأكالة المتيهيم منت		,
M. If the ground water supply is supplention for permit, permit, certificate or adjudic	sted right to appre	g water supply, i girlate water, ma	de or held by t
	anton	, QI	V
	anton	I June	
Remarks:	albert agen base store e rase e en ra von a na e apa apasa	· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·		4

		and and analysis analysis and analysis analysis and analysis analysis analysis analysis analysis	# CAMP COMMAND CO. CAMPAGE CO. T. P.
	***************************************	•••••••••••••••••••••••••••••••••••••••	•
		· · · · · · · · · · · · · · · · · · ·	•
	••••••	••••••••••	•••••••••••

			•••••
	,		
•			
*		•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••
			•••••••••••••••••
			•••••••
			••••••
	•••••		
TATE OF OREGON,			
County of Marion,			
This is to certify that I have examined the	foregoing applicati	on, together with	the accompany
ops and data, and return the same for			
In order to retain its priority, this applicat	ion must be setume	d to the State For	
In order to retain its priority, this applicat		a to the State Eng	nneer, with corr
ons on or before	, 19		
WITNESS my hand this day of	·····	•••••••	, 19
•			
•			STATE ENGINEE

County of Marion

This is to certify that I have enumined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	cubic feet per secon			
irce of appropriation, or its				
The use to which this u	pater is to be applied is	irriga	i.m.	
If for irrigation, this app		ited to 1/80	of one	e cubic foot per secon
its equivalent for each acre	,			
re feet per acre for each ac	•			
· · · · · · · · · · · · · · · · · · ·				
i shall be subject to such t	reasonable untation sust	em as man be or	dered by the m	roper state officer.
The well shall be cased				
The west sinks be cased	en accining and control	naine to prepent	the waste of g	round water.
works shall include prope	er capping and control	outre to prevent		
works shall include property. The works constructed e, adequate to determine	l shall include an air li water level elevation i	ne and pressure n the well at all	gauge or an acc times.	cess port for measuri
The works constructed	shall include an air li water level elevation i stall and maintain a we	ne and pressure n the well at all rir, meter, or othe	gauge or an acc times.	cess port for measuri
The works constructed e, adequate to determine to The permittee shall interp a complete record of the	shall include an air li water level elevation i stall and maintain a we e emount of ground wa	ne and pressure n the well at all ir, meter, or othe iter withdrawn.	gauge or an acc times. er suitable mea	cess port for measuri
The works constructed e, adequate to determine to The permittee shall imper a complete record of the The priority date of the	shall include an air li water level elevation i stall and maintain a we e emount of ground wa is permit is	ne and pressure n the well at all rir, meter, or othe ster withdrawn. Septembe	gauge or an accitimes. er suitable mea	cess port for measuring device, and sho
The works constructed e, adequate to determine to The permittee shall im- ep a complete record of the The priority date of the Actual construction we	shall include an air li water level elevation i stall and maintain a we e emount of ground wa is permit is	ne and pressure n the well at all rir, meter, or othe ster withdrawn. Septembe	gauge or an accitimes. er suitable mea. er 9, 1958	cess port for measuring device, and sha
The works constructed e, adequate to determine to The permittee shall im- ep a complete record of the The priority date of the Actual construction we ereafter be prosecuted wi	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence	ne and pressure n the well at all rir, meter, or othe ster withdrawn. September efore and be comple	gauge or an accitimes. er suitable measur 9, 1958 eptember 26, ted on or before	suring device, and sha 1959 and sha re October 1, 19.59
The works constructed e, adequate to determine to The permittee shall impered a complete record of the The priority date of the Actual construction we ereafter be prosecuted wi Complete application of	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop	ne and pressure in the well at all cir, meter, or other iter withdrawn. September efore September and be comple	gauge or an acceptimes. er suitable means or 9, 1958 optember 26, ted on or before made on or be	suring device, and sha 1959 and sha re October 1, 19 59 fore October 1, 19 60
The works constructed e, adequate to determine to The permittee shall imper a complete record of the The priority date of the Actual construction we ereafter be prosecuted wi	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop	ne and pressure n the well at all rir, meter, or othe ster withdrawn. September e and be comple to sed use shall be September	gauge or an accitimes. er suitable measur 9, 1958 eptember 26, ted on or before made on or be	suring device, and sha 1959 and sha re October 1, 19.59
The works constructed e, adequate to determine to The permittee shall impered a complete record of the The priority date of the Actual construction we ereafter be prosecuted wi Complete application of	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop	ne and pressure in the well at all cir, meter, or other iter withdrawn. September and be comple cored use shall be September	gauge or an accitimes. er suitable means r 9, 1958 ptember 26, ted on or before made on or be	suring device, and sha 1959 and sha re October 1, 19 59 fore October 1, 19 60
The works constructed e, adequate to determine to The permittee shall im- ep a complete record of the The priority date of the Actual construction we ereafter be prosecuted wi Complete application of	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop	ne and pressure n the well at all rir, meter, or othe ster withdrawn. September e and be comple socied use shall be September LETIS	gauge or an acctimes. er suitable measure 9, 1958 eptember 26, ted on or before made on or be	suring device, and shows and shows and shows and shows and shows are October 1, 19.59. fore October 1, 19.60
The works constructed e, adequate to determine The permittee shall impered a complete record of the The priority date of the Actual construction we ereafter be prosecuted wi Complete application of WITNESS my hand the	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop	ne and pressure n the well at all rir, meter, or othe ster withdrawn. September e and be comple cosed use shall be September	gauge or an acceptimes. er suitable means r 9, 1958 ptember 26, ted on or before made on or be	suring device, and shows the state engineer of the state engineer eng
The works constructed and adequate to determine to the The permittee shall impactority date of the The priority date of the Actual construction we ereafter be prosecuted with Complete application of WITNESS my hand the	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop	ne and pressure n the well at all rir, meter, or othe ster withdrawn. September e and be comple cosed use shall be September	gauge or an acctimes. er suitable measure 9, 1958 eptember 26, ted on or before made on or be	suring device, and shows the state end of the state end o
The works constructed e, adequate to determine The permittee shall impered a complete record of the The priority date of the Actual construction we ereafter be prosecuted wi Complete application of WITNESS my hand the	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop	ne and pressure n the well at all rir, meter, or othe ster withdrawn. September e and be comple cosed use shall be September	gauge or an acctimes. er suitable measure 9, 1958 eptember 26, ted on or before made on or be	suring device, and share October 1, 1959 fore October 1, 1960 1958
The works constructed e, adequate to determine The permittee shall impered a complete record of the The priority date of the Actual construction we ereafter be prosecuted wi Complete application of WITNESS my hand the	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop	ne and pressure n the well at all rir, meter, or othe ster withdrawn. September e and be comple cosed use shall be September	gauge or an accitimes. er suitable means or 9, 1958 pressber 26, ted on or before made on or be	suring device, and share October 1, 1959 fore October 1, 1960 1958
The works constructed e, adequate to determine The permittee shall important a complete record of the The priority date of the Actual construction we ereafter be prosecuted with Complete application of WITNESS my hand the WITNESS my hand the	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop	ne and pressure n the well at all rir, meter, or othe ster withdrawn. September and be comple to sed use shall be September LEVIS By	gauge or an accitimes. er suitable means or 9, 1958 pressber 26, ted on or before made on or be	suring device, and share October 1, 1959 fore October 1, 1960 1958
The works constructed e, adequate to determine The permittee shall import a complete record of the The priority date of the Actual construction we ereafter be prosecuted with Complete application of WITNESS my hand the WITNESS my hand the WITNESS my hand the Complete application of WITNESS my hand the WIT	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop	ne and pressure n the well at all rir, meter, or othe ster withdrawn. September and be comple to sed use shall be September LEVIS By	gauge or an accitimes. er suitable means or 9, 1958 pressber 26, ted on or before made on or be	suring device, and shows the state end shows t
The works constructed e, adequate to determine The permittee shall important a complete record of the The priority date of the Actual construction we ereafter be prosecuted with Complete application of WITNESS my hand the	shall include an air li water level elevation i stall and maintain a we semount of ground wa is permit is ork shall begin on or be th reasonable diligence of the water to the prop is 26th day of	ne and pressure n the well at all rir, meter, or othe ster withdrawn. September e and be comple cosed use shall be September	gauge or an acctimes. er suitable measure 9, 1958 eptember 26, ted on or before made on or be	suring device, and shows a suring device, and sh

0031