

RECEIVED
JUL 1 1954
STATE ENGINEER
SALTATION

23056

APPROPRIATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

Julian B. Falk

I, _____
of Rt. 1 Box 202 686 Eugene, _____ county of Lane
state of Oregon.

do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated _____
W illamette River
tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 200 _____ gallons per minute. ea ch well.

3. The use to which the water is to be applied is nine acres pasture land.

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the _____
Section 5 T17S R4 W4M (N. or S.) (E. or W.)
corner of _____
Well No. 2 is located 330 ft. N & 822ft W from the SE
corner of section 5 Township 17S R4E W4M

being within the _____ of _____ of SE _____ of SE _____ of Sec. 5 _____, Twp. 17 _____, R. 4 _____ of W. M., in the county of Lane containing 10 acres. *

5. The portable sprinkler main pipe _____ to be 1320 feet
80 rods _____ miles-
(Canal or pipe line)
in length, terminating in the approximate center ea. 5 acres* of Sec. 5 _____, Twp. 17 _____
(Smallest legal subdivision)

R. 4 _____, W. M., the proposed location being shown throughout on the accompanying map.
Well No. 1 & Well No. 2

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of Two driven pipe wells _____ having a
Existing well 2 3/4 inches _____ (Give number of wells, tunnels, etc.)
diameter of new 2 3/4 inches and an estimated depth of 20 feet. It is estimated that _____
feet of the well will require none (driven pipe) casing. Depth to water table is estimated _____ Existing well 13 ft
(Kind) _____ (Feet) _____ No. 1

CANAL SYSTEM OR PIPE LINE

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1280 ft.; size at intake, 4 in.; in size at 1280 ft. laterals 2" x 600 laterals 2" x 600 in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 1 1/2" Outlet centrifugal Pump make - Union Pump - make Union Give horsepower and type of motor or engine to be used 5 HP Electric Motor, 3 phase 5 HP Electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: T17S, R4W, 5, SE 1/4 of SE, 10.

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

12. To supply the use of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 120.00
- 15. Construction work will begin on or before July 15, 1958
- 16. Construction work will be completed on or before Aug 1, 1958
- 17. The water will be completely applied to the proposed use on or before Aug 1, 1958

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Julian E. Falk
Julian E. Falk
(Signature of applicant)

Remarks:

*Will use 20-10 gal sprinklers
will irrigated about 12 weeks during
summer and will apply about 1 1/2" of water
per weeks*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 10, 1958

WITNESS my hand this 10th day of July, 1958

LEWIS A. STANLEY
STATE ENGINEER

RECEIVED
AUG 26 1958

By *James W. Carver, Jr.*
James W. Carver, Jr. ASSISTANT

STATE ENGINEER
EM. OREGON

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.13 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 2 wells

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 2, 1958

Actual construction work shall begin on or before October 20, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of October 1958

Lewis A. Stanley
STATE ENGINEER

Application No. G-1034

Permit No. G-1024

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 20th day of July 1958, at 2:00 o'clock A. M.

Returned to applicant:

Approved: October 20, 1958
Recorded in book No. 4 of Ground Water Permits on page 1024

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 2 page 92V