

RECEIVED
JUN 25 1938
STATE ENGINEER
SALEM, OREGON

1938
APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Victor Groshens - City Superintendent
(Name of applicant)
of Happner Oregon, county of Morrow
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

City of Happner

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willow Creek
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 350 gallons per minute.

3. The use to which the water is to be applied is Municipal

4. The well or other source is located 760 ft. N and 1120 ft. W from the SE corner of Sec 31 - Morrow County T. 25, R. 27E, W. M.
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 Sec 31 of Sec. 31, Twp. 25, R. 27E, W. M., in the county of Morrow

5. The pipe line to be 3 miles in length, terminating in the City of Happner of Sec. 34-35, Twp. 25, R. 26, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is City of Happner Well #3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well having a diameter of _____ inches and an estimated depth of 159 feet. It is estimated that _____ feet of the well will require 10" Steel casing. Depth to water table is estimated _____

CANAL SYSTEM

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 15900 ft.; size at intake, 6" in.; in size at 40 ft. from intake 8" in.; size at place of use 8" in.; difference in elevation between intake and place of use, 250 ft. Is grade uniform? *yes* Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *Peerless - four Bixie - 6"*

Give horsepower and type of motor or engine to be used *Fair Bank Motor*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

400 ft. to Willow Creek. Well is 30 ft higher than creek.

12. Location of area to be irrigated, or place of use *City of Hesperia*

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>2 South</i>	<i>26</i>	<i>26-27 34-35</i>	<i>✓</i>	<i>✓</i>
			<i>All in Marion County</i>	
<i>2 S</i>	<i>26 E</i>	<i>26</i>	<i>SW 1/4</i>	
		<i>27</i>	<i>SE 1/4</i>	
		<i>34</i>	<i>NE 1/4</i>	
			<i>N 1/2 SE 1/4</i>	
		<i>35</i>	<i>NW 1/4</i>	
			<i>N 1/2 SW 1/4</i>	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Heppner
in Marion county, having a present population of 1760
and an estimated population of 3500 to ~~2000~~ 2000

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3000
- 15. Construction work will begin on or before May 1952
- 16. Construction work will be completed on or before Aug 1952
- 17. The water will be completely applied to the proposed use on or before 1953

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Permits on well #1 & #2 now on file
with Dept. of State Engineer, also water right
from Marion & Clatsop Counties Victor J. Carver
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 21, 19 58.

WITNESS my hand this 21st day of August, 19 58.

LEWIS A. STANLEY

STATE ENGINEER

By James W. Carver, Jr.
James W. Carver, Jr. ASSISTANT

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.78 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Well No. 3

The use to which this water is to be applied is municipal use

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 25, 1958

Actual construction work shall begin on or before October 20, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of October, 1958

Lewis A. Stanley
STATE ENGINEER

Application No. G- 1089

Permit No. G- 1034

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 25th day of July,
1958, at 1:45 o'clock P. M.

Returned to applicant:

Approved:

October 20, 1958

Recorded in book No. 4 of

1034
Ground Water Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 7 page 41