

RECEIVED

Permit No. G. 1054

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, City of Annsville (Name of applicant)

of Annsville, county of Marion

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1911 Annsville, Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Stayton Ditch or Mill Creek - From North Santiam River & Mill Creek

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 135 gallons per minute.

3. The use to which the water is to be applied is municipal

4. The well or other source is located \_\_\_\_\_ ft. and \_\_\_\_\_ ft. from the NE corner of Block 11 of Merrifield's Addition to the City of Annsville

S 46° 18' W. 20.2 ft.

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 25, Twp. 8 S., R. 2 W. W. M., in the county of Marion

5. The pipe line to be 1,100 feet in length, terminating in the City Limits of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_, R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Annsville Water Works

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 8 inches and an estimated depth of 100 feet. It is estimated that feet of the well will require standard iron casing. Depth to water table is estimated 20 ft.

**CANAL SYSTEM OR PIPE LINE—**

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type .....

Give horsepower and type of motor or engine to be used .....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well is located approximately 850 feet from Stayton Ditch or sometimes called Mill Creek. Well is approximately 20 feet higher than the creek.

12. Location of area to be irrigated, or place of use .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S.	2 W.	25	NE $\frac{1}{4}$ SE $\frac{1}{4}$	municipal
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	"
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	"
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	"

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

12. To what use or uses of \_\_\_\_\_  
in \_\_\_\_\_ county, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 1958.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$1,200 for drilling - \$6,000 for completed project
- 15. Construction work will begin on or before June 18, 1958
- 16. Construction work will be completed on or before August 10, 1958
- 17. The water will be completely applied to the proposed use on or before September 1, 1958

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. This well is supplemental to existing well which is now in use.

*John Holmquist-Recorder*  
(Signature of applicant)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_.

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_.

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

County of Marion;

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.30 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is municipal use

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 1, 1958

Actual construction work shall begin on or before October 20, 1959 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of October, 1958.

Lewis A. Stanley STATE ENGINEER

Application No. G- 1143

Permit No. G- 1051

PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1 day of August, 1958, at 9:20 o'clock A. M.

Returned to applicant:

Approved:

October 20, 1958

Recorded in book No. 4 of

Ground Water Permits on page 1051

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 92 W