

RECEIVED
AUG 11 1958
STATE ENGINEER
SALEM, OREGON

Permit No. G-1058

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Cecil E. Carruth
(Name of applicant)
of 10285 S. W. North Dakota St., Tigard, county of Washington,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Panno Creek
(Name of stream)

tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is 0.41 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation
(Has been used for domestic supply only)

4. The well or other source is located 175 ft. S and 1240 ft. W from the 1/4 corner NE on the east line of Section 34, T1S, R1W, W.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of the SE 1/4 of Sec. 34, Twp. 1S, R. 1W, W. M., in the county of Washington

5. The portable pipe to be used to be miles in length, terminating in the of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line)
(Smallest legal subdivision)

6. The name of the well or other works is unnamed

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 6 inches and an ~~estimated~~ depth of 67 feet. ~~Estimated depth~~ 66 ft. of steel casing. Depth to water table is estimated 45 feet.
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 675 ft.; size at intake, 8 in.; in size at ft. from intake in.; size at place of use 8 in.; difference in elevation between intake and place of use, none ft. Is grade uniform? yes Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Gould Jet-o-matic, 20 g. p. m.

Give horsepower and type of motor or engine to be used 1 1/2 h. p. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

| Township N. or S. | Range E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|-------------------|---------------------------------------|---------|------------------|------------------------------|
| 1S | 1W | 34 | NE 1/4 of SE 1/4 | 3.3 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

Character of soil sandy clay

Kind of crops raised potatoes

in _____ county, having a present population of _____ and an estimated population of _____ in 19_____

14. Estimated cost of proposed works, \$ 390.00 (for irrigation only)

15. Construction work will begin on or before _____

16. Construction work will be completed on or before will be completed August 9, 1956

17. The water will be completely applied to the proposed use on or before Summer of 1957

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Cecil K. Casahan
(Signature of applicant)

Remarks: Up to the present time the well has been used for domestic supply only, for which permit is not required (Rules and Regulations, page 3)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 29, 1956.

WITNESS my hand this 29th day of August, 1956.

LEWIS A. STANLEY

STATE ENGINEER

By Traver Jones
Traver Jones, Assistant

STATE OF OREGON

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.5 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 11, 1958

Actual construction work shall begin on or before October 20, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of October, 1958

Lewis A. Stanley STATE ENGINEER

Application No. G-1189

Permit No. G-1058

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of August, 1958, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

October 20, 1958

Recorded in book No. 4 of

Ground Water Permits on page 1058

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2 page 92X