1000

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

, EDWIN A. BOL	-146R	***************************************
of 8t 3 Box IR, SILV	Pron of applicants country of MA	ARION.
state of ORE WAY following described ground waters of the	, do hereby make application for a peri	nit to appropriate the
If the applicant is a corporation, give	late and place of incorporation	
1. Give name of nearest stream to situated BRHSH CREEK	phich the well, tunnel or other source of	water development is
	tributary of	R CREEK
2. The amount of water which the feet per second or	spplicant intends to apply to beneficial use minute. RRIGATION OF THE PROPERTY AND	J (
4. The well or other source is locate corner of SEC 9	3646 ft. and ft. 58 (E. c. (Section or subdivision)	6E from the NW
(If preferable	give distance and hearing to section corner)	
being within the NE 4 OF NW4 of	NE 4. of Sec. 9. Twp. 7	5 , R. /W
W. M., in the county of MARION	······································	
5. The(Canal o	pipe line) to be	miles
in length, terminating in the	mallest legal subdivision)	, Twp
R, W. M., the proposed location	being shown throughout on the accompa	nying map.
6. The name of the well or other w	rks is	
DI	SCRIPTION OF WORKS	
7. If the flow to be utilized is artest supply when not in use must be described	an, the works to be used for the control as	nd conservation of the
		· · · · · · · · · · · · · · · · · · ·
8. The development will consist of	INFILIRATION 1RENCH 50 (Give number of wells, tunnels, etc.)	x 100' x 10 having a
diameter of inches and an e	timated depth of feet. It is e	estimated that
feet of the well will require	casing. Depth to water table is	estimated (Feet)

			•	ged in size, stating mile
			r line)	- ·
	feet; depth of wa	ter	feet; grade	feet fall p
wand feet.			*	•
			edgate: width on top (et wate	
	•		feet; depth of w	ater
	fort fall 1			
			i; size at intake,	
			of use in.; d	
ike and place	of use,	ft	t. Is grade uniform?	Estimated ca
*	•			
10. If pur	nps are to be used,	give size an	d type / # × / "	
UNIVERS	AL	***************************************	•••••••	
Give hors	enomer and tune of	motor or e	ngine to be used	
	epower and type of	MINOROT OF E	nyine w be used	
1 40	Manager 1	-		
11. If the ural stream	location of the wel or stream channel	l, tunnel, or	other development work is le listance to the nearest point bed and the ground surface	ss than one-fourth mile ; on each of such channe
11. If the ural stream	location of the wel or stream channel	l, tunnel, or	other development work is le listance to the nearest point	ss than one-fourth mile ; on each of such channe
11. If the ural stream difference is	location of the wel or stream channel a elevation between	L tunnel, or, give the c	other development work is le listance to the nearest point	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference in	location of the wel or stream channel a elevation between	L tunnel, or, give the c	other development work is le listance to the nearest point bed and the ground surface	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is	location of the well or stream channel televation between tion of area to be ir	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo
11. If the ural stream difference is 12. Locat	location of the well or stream channel a elevation between ion of area to be irr Range Range Willeamette Meridian	l, tunnel, or, give the control the stream	other development work is ledistance to the nearest point of bed and the ground surface of use	ss than one-fourth mile on each of such channe at the source of develo

	618
The first set was long to the contract of the	NO 14, 15, 16, 17 AND 18 SW ALL CASES
14. Estimated wast of proposed work	te, 1
18. Construction work will begin on	or before
18. Construction work will be compl	leted on or before 7-15-58
17. The water will be completely ag	pplied to the proposed use on or before 9-15-58
II. If the ground water supply is	supplemental to an existing water supply, identify any appli-
tion for permit, permit, certificate or	adjudicated right to appropriate water, made or held by the
pplicant.	***************************************
	Edwin a. Bolliger
Remerks:	
L. D N/2 of the NN	1/2 of the NE 14 of Sec 9, T75, RIW W.
	Against particularly Mausenman production in the Superior Specific.
······································	
······································	······································
	,
,	
	*
STATE OF OREGON,	
County of Marion,	
This is to certify that I have exam	nined the foregoing application, together with the accompanyin
maps and data, and return the same for.	
•	
In order to retain its uniquies this	and in the same of
	s application must be returned to the State Engineer, with corre
tions on or before	, 19
•	
WITNESS my hand this	day of, 19
	STATE ENGINEER
	Da.
	By

County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

If for its equit and shall be the works. The line, adequate thereafter Con	propriation, or invigation, this valent for each er acre for each er acre for each works construction permittee shall include propriete record of priority date of the prosecuted in plete application.	b water is appropriate cre irrigate acre irrigate as necesper capping and shall interest and the amount this perm work shall with reason of the unit of the unit and the amount and the a	to be app tion shall ted and si ated duri cessary in ing and co nclude an evel elevel d maintai nt of grou it is ll begin of onable di eater to th	be limi hall be ng the accord ontrol to air live ation in n a wee	ted to further li irrigation irrigation and be	y be order the good prorevent the essure gau l at all time or other strawn. August Controls completed shall be mo	each each each eactice wast ge or es. uitable	the prop and if e of grown an access measur 1958	er state the flow ind was s port f ing dev	of per ceed in terms or me continue, and are 1, 19 over 1, 19	seco 21.
										a1	rd s
Con	nplete applicatio	n of the u	ater to th	ie prop	osed use :	shall be mo	ıde on	or befor	e Octob	er 1, 1	₉ 61
WIT	TNESS my hand	this 20	th day	y of		orto Flu	UVQ	a. 4	lan San	ley	GINE
Application No. G- 1/99 Permit No. G- 1060	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the 15 day of $August$	SB, at 10,210'clock A. M.	Returned to applicant:	Approved:	October 20, 1958	Recorded in book No. 4 of		THE PARTY	Drainage Basin No. 人 page イムΔ

State Printing