Person 1073

APPLICATION FOR A PERMIT

To Apprepriate the Ground Waters of the State of Oregon

1, Ann j Merryman (the of septemb)						
of Rt. 1, Box 195 Eugene Dropas county of Lane						
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:						
If the applicant is a corporation, give date and place of incorporation						
1. Give name of neapest stream to which the well, tunnel or other source of water development is						
situated Long Tom River (Name of stream)						
(Name of stream) tributary of						
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or300 gallons per minute.						
3. The use to which the water is to be applied is ITTIGATION						
4. The well or other source is located 450 ft. North and 340 ft. East from the 5W corner of Section 31 Top 165 & Range 4W (Section or subdivision)						
(If preferable, give distance and bearing to section corner)						
being within the SWIY of SWIY of SWIY, such must be described. Use separate sheet if necessary)						
W. M., in the county of						
5. The						
in length, terminating in the						
R W. M., the proposed location being shown throughout on the accompanying map.						
6. The name of the well or other works is Merryman Pit						
DESCRIPTION OF WORKS						
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.						
·						
8. The development will consist of ONE SUMP having a (Give number of wells, tunnels, etc.)						
diameter of 700 x 500 suches and an estimated depth of 35 feet. It is estimated that 1001.						
feet of the well will require casing. Depth to water table is estimated (Feet)						

49	6 Grandingscort at an	ch point of on	nel where meterially changed in	size, stating miles fr
guto. At hoo	dgate: width on top	et water lin	•)	feet; width on bott
	feet; depth of wat	B y	feet; grode	feet fall per
sund feet.			·	
(b) At		es from headg	ate: width on top (at water line)
14.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12.0 - 12	feet; width on b	octom	feet; depth of water	f
	feet fall p	,		
		•	ize at intake, in.; i	
			use in.; differe	
•		ft. Is	grade uniform?	Estimated capa
	sec. ft.		pe Fairbanks-Mors	e 2/2 Court
10. If pun	ips are to be used, g	rive size and ty	pe	
			2040 6	San lien Enni
Give horse	power and type of	motor or engi	ne to be used 30 KP. G	asome Ligh
•••••			••••••	
11. If the	location of the wel	l, tunnel, or oth	her development work is less the	an one-fourth mile from
ural stream	or stream channel	, give the dist	cance to the nearest point on ed	ich of suc h channels
ural stream	or stream channel	, give the dist	her development work is less the cance to the nearest point on eded and the ground surface at the	ich of suc h channels
ural stream	or stream channel	, give the dist	cance to the nearest point on ed	ich of suc h channels
ural stream	or stream channel	, give the dist	cance to the nearest point on ed	ich of suc h channels
ural stream	or stream channel	, give the dist	cance to the nearest point on ed	ich of suc h channels
ural stream difference in	or stream channel selevation between	, give the dist	cance to the nearest point on ed	ich of suc h channels
ural stream difference in	or stream channel selevation between	, give the dist	cance to the nearest point on eded and the ground surface at the	ich of suc h channels
ural stream difference in 12. Locat	ion of area to be in	, give the dist	ce of use Party-acre Tract Sway of Sway	nch of such channels ne source of develops Number Acres
difference in 12. Locat	ion of area to be in	give the distance the stream be rigated, or pla	ce of use Party-serv Tract Sway of Sway NWay of Sway	Number Acres To Be Irrigated
ural stream difference in 12. Locat Township N. or S.	ion of area to be in Range R. or W. Meridian	rigated, or pla	ce of use Forty-scre Tract S. Why of SW/4 NW/4 of SE/4 SE/4 of SE/4	Number Acres To Be Irrigated
ural stream difference in 12. Locat Township N. or S.	ion of area to be in Range R. or Willemette Meridian	give the dist the stream be rigated, or pla	ce of use Party-serv Tract Sway of Sway NWay of Sway	Number Acres To Be Irrigated
ural stream difference in 12. Locat Township N. or S.	ion of area to be in Range R. or Willemette Meridian	give the distance the stream be the stream b	ce of use Forty-scre Tract S. Why of SW/4 NW/4 of SE/4 SE/4 of SE/4	Number Acres To Be Irrigated
ural stream difference in 12. Locat Township N. or S.	ion of area to be in Range R. or Willemette Meridian	give the distance the stream be the stream b	ce of use Forty-scre Tract S. Why of SW/4 NW/4 of SE/4 SE/4 of SE/4	Number Acres To Be Irrigated /2.5 /6.5
ural stream difference in 12. Locat Township N. or S.	ion of area to be in Range R. or Willemette Meridian	give the distance the stream be the stream b	ce of use Forty-scre Tract S. Why of SW/4 NW/4 of SE/4 SE/4 of SE/4	Number Acres To Be Irrigated /2.5 /6.5
ural stream difference in 12. Locat Township N. or S.	ion of area to be in Range R. or Willemette Meridian	give the distance the stream be the stream b	ce of use Forty-scre Tract S. Why of SW/4 NW/4 of SE/4 SE/4 of SE/4	Number Acres To Be Irrigated /2.5 /6.5
ural stream difference in 12. Locat Township N. or S.	ion of area to be in Range R. or Willemette Meridian	give the distance the stream be the stream b	ce of use Forty-scre Tract S. Why of SW/4 NW/4 of SE/4 SE/4 of SE/4	Number Acres To Be Irrigated /2.5 /6.5
ural stream difference in 12. Locat Township N. or S.	ion of area to be in Range R. or Willemette Meridian	give the distance the stream be the stream b	ce of use Forty-scre Tract S. Why of SW/4 NW/4 of SE/4 SE/4 of SE/4	Number Acres To Be Irrigated /2.5 /6.5
ural stream difference in 12. Locat Township N. or S.	ion of area to be in Range R. or Willemette Meridian	give the distance the stream be the stream b	ce of use Forty-scre Tract S. Why of SW/4 NW/4 of SE/4 SE/4 of SE/4	Number Acres To Be Irrigated /2.5 /6.5

By ASSISTANT

County of Merion,

This is to certify that I have exemined the foregoing application and do hereby grant the same,

The v	ight herein grante	d is limited to the emo	unt of wat	ter which can be applied to beneficial use and
hall not ex	cood	cubic feet per seco	nd measu	red at the point of diversion from the well or
ource of ap	propriation, or its			th other water users, froma. wall
The 1	use to which this u			ation.
If for	r irrigation, this ap	propriation shall be lin	nited to	
•	•			limited to a diversion of not to exceed2\$
scre feet p	er acre for each ac	ere irrigated during the	e irrigatio	on season of each year;
*******			•••	
•••••			••••••	
	•••••••			

and sha ll b	e subject to such t	reasonable votation sys	tem as mo	ay be ordered by the proper state officer.
The	well shall be case	d as necessary in accor	rdance wi	ith good practice and if the flow is artesian
The	works constructed		ine and p	prevent the waste of ground water. ressure gauge or an access port for measuring
The	permittee shall in		eir, meter	r, or other suitable measuring device, and shall
The	priority date of th	is permit is	••••	September 2, 1958
Actu	ial construction w	ork shall begin on or b	efore	October 20, 1959 and shall
thereafter	be prosecuted wi	ith reasonable diligenc	e and be	completed on or before October 1, 19.60
Con	aplete application	of the water to the pro	posed use	shall be made on or before October 1, 19 61
wi	TNESS my hand th	ris 20th day of	•••••	October , 19,58.
				Fluis A. Stanley
11		ا ت ی وہ اا	,	**************************************
	Ð	in th regor		
<i>†</i>	ROUN	eived em, C		1(P)
123	T HE GROI S STATE	st rece at Sale pter		dage 1
Application No. G- 12-34 Permit No. G- 1073	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the ce of the State Engineer at Salem, Oregon, the AM day of Septembel.		d: October 20, 1958 ded in book No. Water Permits on pa LEVIS A. STANLEI uge Basin No. 2 1
Application N Permit No. G-	PER PPRIATE RS OF OR OR	nent w ite Eng day of	icant:	proved: October 20, 1 Recorded in book No. und Water Permits or LEMIS A. STAN Drainage Basin No. Z
olicati mit N	P) APPROPR WATERS OF	nstrumer he State Me da G. 10	appl	d: Octobe Octobe ded in l Water P uage Bas
App. Per		is ins of the of the	ned to	oo oorde Corde ILE
	TO	This instrument was first received in the office of the State Engineer at Salem, Oregon on the 2 M day of September 1958, at A. 10 o'clock P. M.	Returned to applicant:	Approved: October 20, 1958 Recorded in book No. Ground Water Permits on page LENIS A. STANLET Drainage Basin No. Z. pa
ı	•		, Mi	