the La Care of the State of Oregon

Star Seute, Box 40, St. Paul , county of Marion ,
de hereby make application for a permit to appropriate the
following described ground senters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situatedWillamatta Rivar(Winno of stream)
tributary ofCalumbia River
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied isirrigation

4. The well or other source is located888 ft8 and158 ft
(M. or S.) (E or W.)
corner of Michael Accetti D. L. C. #73 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SNL of Ma. of Sec. 19 Twp. 48. , R. 24
W. M., in the county of
5. The to be miles
in length, terminating in the
R. W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is Buckley!s. #2
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
en e
en de la composition de la composition La composition de la
8. The development will consist of one well having a (Give number of wells, tunnels, etc.)
diameter of 12 inches and an estimated depth of 150 feet. It is estimated that
, see and the contract
first of the well will require steel (150 ft.) casing. Depth to water table is estimated (Feet)

			The second second	ist store, stating mile
				feet; width on
		and the same of the same of		
. 111			jest; grade	
				.a.\
			ste: width on top (at water lin	
			feet; depth of water	***************************************
	feet fall per	r one thousan	d feet.	
c) Lough	of pipe,	ft.; si	ze at intake, in.;	In size at
			usein.; diffe	
and place	of use,	ft. Is	grade uniform?	Estimated c
			,	
0. If pum	ps are to be used, gi	ive size and ty	rpe7" line shaft tu	rbine
Give horse	power and type of i	motor or engi	ne to be used25HP3#	480 V - electi
_	location of the well,	wine the dist	her development work is less tence to the nearest point on ed and the ground surface at	each of such chan
_	location of the well,	, tunnel, or oth	her development work is less t	each of such chan
l stream (ference in	location of the well, or stream channel, elevation between	, tunnel, or oth give the dist the stream be	her development work is less to sence to the nearest point on ed and the ground surface at	the source of deve
l stream of ference in 12. Locati	location of the well, or stream channel, elevation between ion of area to be irr	, tunnel, or oth give the dist the stream be	her development work is less t	the source of deve
l stream of ference in	location of the well, or stream channel, elevation between ion of area to be irr	, tunnel, or oth give the dist the stream be	her development work is less to the nearest point on ed and the ground surface at the control of	Number Acre To Be Irrigate
l stream (ference in 12. Locati	location of the well, or stream channel, elevation between ion of area to be irr	, tunnel, or oth give the dist the stream be	her development work is less to the nearest point on ed and the ground surface at the contract of the series of th	Number Acre To Be Irrigate
12. Locati	location of the well, or stream channel, elevation between ion of area to be irresponding to the irrespond	tunnel, or othe give the disternance the stream be rigated, or pla	her development work is less to the nearest point on ed and the ground surface at the control of	Number Acre To Be Irrigate . 6
12. Locati	location of the well, or stream channel, elevation between ion of area to be irresponding to the irrespond	tunnel, or othe give the distention be the stream between the s	her development work is less to the nearest point on ed and the ground surface at the contract of the series of th	Number Acre To Be Irrigate . 6 5.7 3.4
12. Locati	location of the well, or stream channel, elevation between ion of area to be irresponding to the irrespond	tunnel, or oth give the dist the stream be rigated, or pla	her development work is less to the nearest point on ed and the ground surface at the ce of use Forty-serv Treat NE's of NWs	Number Acre To Be Irrigate . 6 5.7 3.4
12. Locati	location of the well, or stream channel, elevation between ion of area to be irresponding to the irrespond	rigated, or pla	her development work is less to the nearest point on ed and the ground surface at the control of	Number Acre To Be Irrigate
12. Locati	location of the well, or stream channel, elevation between ion of area to be irresponding to the irrespond	tunnel, or oth give the dist the stream be the stream be rigated, or pla	rece to the nearest point on ed and the ground surface at the grou	Number Acre To Be Irrigate .6 5.7 3.4
1 stream of ference in 12. Location N. or S. 4 S	location of the well, or stream channel, elevation between ion of area to be irrectly and williams the Meridian 2. W	rigated, or pla section 19 19 19 19	ther development work is less to the nearest point on the and the ground surface at the	Number Acre To Be Irrigate .6 5.7 3.4
12. Locati Township N. or S.	location of the well, or stream channel, elevation between ion of area to be irrectly and williams the Meridian 2. W	tunnel, or oth give the dist the stream be the stream be rigated, or pla section 19 19 19 19 19 19 19 19 19 19 19 19 19	rece to the nearest point on ed and the ground surface at the grou	Number Acre To Be Irrigate .6 5.7 3.4 37.4 12.4
1 stream of ference in 12. Location N. or S. 4 S	location of the well, or stream channel, elevation between ion of area to be irrectly and williams the Meridian 2. W	tunnel, or oth give the dist the stream be the stream be rigated, or pla section 19 19 19 19 19 24 24 24	rer development work is less to the nearest point on the and the ground surface at the g	Number Acre To Be Irrigate .6 5.7 37.4 12.4 .6 5.8

(If more space required, attack separate sheet)

Character of soil	Heavy silt leam	
Kind of crops raised	Pasture, corn	

· · · · · · · · · · · · · · · · · · ·	
	Amount of the control
	• • • • • • • • • • • • • • • • • • •
	pyropriate water, made or held by t
	3.72.
	1.0
	n Bushly
Remarks:	<u></u>

	•
STATE OF OREGON, } ss.	
County of Marion,	
This is to certify that I have examined the foregoing app	olication, together with the accompany
maps and data, and return the same for	
	eturned to the State Engineer, with corr
In order to retain its priority, this application must be re	
In order to retain its priority, this application must be re	

is the foregoing application and do hereby grant the same, RESERVE and the following limitations and conditions:

eary in accordance and control valuate an air line a levation in the control water of ground water are gin on or before the diligence and the propose	ary in accordance with good and control valve to prevent ude an air line and pressure g I elevation in the well at all traintain a weir, meter, or other of ground water withdrawn. October 9, egin on or before Movember to the proposed use shall be day of Movember LEWIS	ary in accordance with good practice and and control valve to prevent the waste of ude an air line and pressure gauge or an all elevation in the well at all times. The intains a weir, meter, or other suitable me of ground water withdrawn. October 9, 1958 egin on or before November 6, 1959 the diligence and be completed on or before to the proposed use shall be made on or before day of November LEWIS A. STANLE	of ground water withdrawn. October 9, 1958 egin on or before November 6, 1959 ible diligence and be completed on or before October er to the proposed use shall be made on or before Octobe day of November 1958 LEWIS A. STANLEY BY May November
	ce with good be to prevent and pressure g be well at all t meter, or other withdrawn. October 9, e November d use shall be November LEWIS	ce with good practice and be to prevent the waste of ind pressure gauge or an a se well at all times. meter, or other suitable me withdrawn. October 9, 1958 e November 6, 1959 id be completed on or before the duse shall be made on or before the made on or befo	ce with good practice and if the flow be to prevent the waste of ground water and pressure gauge or an access port for the well at all times. meter, or other suitable measuring devict withdrawn. October 9, 1958 e November 6, 1959 id be completed on or before October duse shall be made on or before October 19, 58. LEWIS A STANLEY BY May Worked

0202