

RECEIVED  
MAY 1 1954

STATE ENGINEER  
SALEM, OREGON

Permit No. 1103

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Cecil S. And Neil E. Woods  
(Name of applicant)  
of Star Route, Dexter, Oregon, county of Lane  
(Residence Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Lost Creek  
(Name of stream)

Middle Fork of Willamette River  
tributary of

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 10 gallons per minute. PUMP CAPACITY.

3. The use to which the water is to be applied is irrigate garden, berries and lawn

4. The well or other source is located 1276 ft. S and 645 ft. E from the corner of SEC. 8 Twp. 19 S. R. 1 W. W.M.  
(Section or subdivision)  
SECTION CORNER 56-56-57-58  
(If preferable, give distance and bearing to section corner)

being within the NW 1/4 of Sec. 8, Twp. 19 S., R. 1 West., W. M., in the county of Lane

5. The \_\_\_\_\_ to be \_\_\_\_\_ miles in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_, R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is \_\_\_\_\_

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development ~~will~~ <sup>DOES</sup> consist of 1 Well having a diameter of 5 inches and an estimated depth of 72 feet. It is estimated that 26 feet of the well ~~will require~~ <sup>HAS</sup> STEEL PIPE casing. Depth to water table is estimated 15 feet.  
(Kind)

CANAL SYSTEM OR PIPE LINE

(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type DEEP WELL JET PUMP 1 1/2" SECTION, 1 1/2" PRESSURE LINE

Give horsepower and type of motor or engine to be used 110/220 volt single phase

1 Horse power Electric motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

ABOUT 725 ft from Well to CLOSEST POINT ON Lost CREEK WHICH IS IN A SOUTH EASTERLY DIRECTION AND THE TOP OF CASING IS APPROX. 10 FT. ABOVE LOST CREEK

12. Location of area to be irrigated, or place of use

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Handwritten entries include 19 South, 1 West, Section 8, SW 1/4 of NW 1/4, 1/8 acre.

(If more space required, attach separate sheet)

Character of soil CLAY LOAM

Kind of crops raised BARRIERS, HAY, FEED

PROPERTY OF STATE ENGINEER

12. To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_

ANSWER QUESTIONS 14, 15, 16 AND 17 IN ALL CASES

14. Estimated cost of proposed works, \$ 7712

15. Construction work will begin on or before FINISHED

16. Construction work will be completed on or before "

17. The water will be completely applied to the proposed use on or before IN USE

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

*Carl H. Woods & Carl E. Woods*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 22, 1958

WITNESS my hand this 22 day of August, 1958

LEWIS A. STANLEY

STATE ENGINEER

101-11-1958

By

*James H. Carver, Jr.*  
James H. Carver, Jr.

ASSISTANT

STATE OF OREGON,

PERMIT

County of Multnomah

I, the State Engineer, do hereby certify that I have examined the foregoing application and do hereby grant the same, subject to existing rights and the following limitations and conditions:

The right to the water granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 1, 1958. Construction work shall begin on or before November 20, 1959 and shall be prosecuted with reasonable diligence and be completed on or before October 1, 1960. The application of the water to the proposed use shall be made on or before October 1, 1961.

WITNES My hand this 20th day of November, 1958.

STATE ENGINEER

Application No. G-1152
Permit No. G-1103

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of August, 1958, at 2:00 o'clock P.M.

Returned to applicant:

Approved:

November 20, 1958

Recorded in book No. 5 of

Ground Water Permits on page 1103

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 2, page 92X