

RECEIVED
AUG 4 1958
STATE ENGINEER
SALEM, OREGON

Permit No. G-1105

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

NAME OF APPLICANT: C. MERIZA
Address: 2239-9TH STREET BAKER, county of BAKER
State of OREGON

Do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated POWDER RIVER

tributary of SNAKE RIVER

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 200 gallons per minute. EACH WELL

3. The use to which the water is to be applied is FARM IRRIGATION

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the corner of SEE PLAT OF SUB-DIVISION

Well No. 1 approx. in SE corner Lot 1, Block 51, and Well No. 2 approx. 20 ft. E. and 10 ft. N. of SE cor Lot 1, Block 50, all in Leven's Second Addition, Baker, Oregon.
being within the NW 1/4 of the NW 1/4 of Sec. 17, Twp. 9 S., R. 40 E., W. M., in the county of Baker

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is WELL NO. 1 AND NO. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 WELLS having a diameter of 5 FEET inches and an estimated depth of 35 FEET feet. It is estimated that _____ feet of the well will require CREOSOTED PLANKING casing. Depth to water table is estimated 20 FEET

CANAL SYSTEM OR PIPE LINE--

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type FAIRBANKS -MORSE (LOW HEAD)
3 INCH DRAW (2 PUMPS)

Give horsepower and type of motor or engine to be used FAIRBANKS-MORSE -ONE HORSE
POWER -DIRECT DRIVE .

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
OVER HALF MILE TO STREAM.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
County of Baker and State of Oregon, to-wit: All of Blocks Fifty(50), Fifty-one(51) and Fifty-three(53) in and of B.W. Levens Second Addition to Baker City, Baker County, Oregon, and all that portion of Block Fifty-two(52) in and of said B.W. Levens Second Addition, lying east of the right of way of the O.W.R.R.&N. Company. Also, the following described premises: Commencing at the southeast corner of Lot One(1) in Block Fifty-three(53) of B.W. Levens Second Addition to Baker City, Baker County, Oregon; thence West along the South line of Lot One(1) and Lot Ten(10) in said Block Fifty-three(53) to the southwest corner of said Lot Ten(10); thence southeasterly along the East line of Railroad Street to the north-west corner of Lot Five(5) in Block Fifty-two(52) of said B.W. Levens Second Addition; thence East along the North line of said Lot Five(5) to the northeast corner of said Lot Five(5); thence North to the place of beginning. Commencing at the Northeast west corner of Lot Five(5) in Block Fifty-three(53) of said B.W. Levens Second Addition, thence West to the Northeast corner of Lot Six(6) in said Block Fifty-three(53), thence south to the southeast corner of Lot Ten(10) in said Block Fifty-three; thence East to the southwest corner of Lot One(1) in said Block Fifty-three (53), thence North to the place of beginning. All of said premises being situate in the City of Baker, Baker County, Oregon				
	40 E.	17	NW 1/4 of the NW 1/4	2.5

(If more space required, attach separate sheet)

Character of soil SANDY LOAM.

Kind of crops raised HAY AND PASTURE

County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.92 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 2 wells

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is November 13, 1958

Actual construction work shall begin on or before November 20, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 20th day of November, 1958

Lewis A. Stanley STATE ENGINEER

Application No. G-1164
Permit No. G-1106

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of August, 1958, at 2 o'clock P.M.

Returned to applicant:

Approved:

November 20, 1958

Recorded in book No. 5 of

Ground Water Permits on page 1106

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 9 page 43