

RECEIVED
STATE ENGINEER
OREGON

1110

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Ellen L. Bean
(Name of applicant)
of Box 363 La Grande, county of Union
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Grande Ronde River
(Name of stream)

tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is 200 cubic feet per second or 200 gallons per minute.

3. The use to which the water is to be applied is irrigation—fruit trees

4. The well or other source is located 6 ft. 8 and 6 ft. 8 from the SW
(N. or S.) (E. or W.)
corner of Lot 1 May Park Addition Union County NE 1/4 NW 1/4 Sec 4 Twp 35. R 38 E W M
(Section or subdivision)
or 6 ft South 653 ft W of NE corner NW 1/4 Sec 4
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NE 1/4 NW 1/4 of Sec. 4, Twp. 35, R. 38 E W M,
W. M., in the county of Union

5. The no canal to be miles
(Canal or pipe line)
in length, terminating in the of Sec. , Twp. ,
(Smallest legal subdivision)
R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Unnamed

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Not artesian

8. The development will consist of one having a
(Give number of wells, tunnels, etc.)
diameter of 72 inches and an estimated depth of 13 feet. It is estimated that 13
feet of the well will require see below casing. Depth to water table is estimated 9
(Kind) (Feet)
Well is presently cased with 4 inch timbers. When these are no longer effective,
we hope to replace them with concrete tile.

CANAL-VERMILION LINE

(b) At miles from headgate: width on top (at water line)
 feet; width on bottom feet; depth of water feet;
 feet fall per one thousand feet.

10. If pumps are to be used, give size and type Idaho lift type 5 inch discharge pipe

Give horsepower and type of motor or engine to be used electric 220 volt 5 HP

This motor is larger than necessary to run the above pump but was purchased with Lot 1 over 22 years ago and has been used longer than that to run the pump.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Distance of well to Grande Ronde River channel 685 feet due north. Approximate difference in elevation between stream bed and ground surface 11 feet.

12. Location of area to be irrigated, or place of use NE 1/4 NW 1/4 Sec 4 Twp 3 S. R. 38 E W 4

[illegible]

(If more space required, attach separate sheet)

Character of soil primarily sandy loam

Kind of crops raised cherries and other fruits

MUNICIPAL SUPPLY

12. To supply the city of East Portland
in Clatsop county, having a present population of _____
and an estimated population of _____ in 19____.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 222,000 balance _____15. Construction work will begin on or before see below16. Construction work will be completed on or before Now completed except for possible improvements17. The water will be completely applied to the proposed use on or before Now in use

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the State of Oregon
County of Union
applicant Subscribe and sworn to before me this 1st day of August, 1958

My Comm.

My Commission Expires May 11, 1962

Ellen A. Bean
(Signature of applicant)

Remarks: Estimated cost of works over the past 22 years \$500 which includes pump repairs, construction of concrete catch basin, and tiling to replace some of our own permanent ditches.

Construction work is completed except for improvements or repairs.

We are certain that this well was being used prior to 1927.

Drawdown is approximately 3 1/2 to 4 feet.

Nearest bench mark is 1406 which is about 3/4 mile southwest of well. Elevation is not stamped on this bench mark.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 12, 1958

WITNESS my hand this 11th day of September, 1958

LEWIS A. STANLEY

STATE ENGINEER

By James H. Carver, Jr.
STATE ENGINEER
CLATSOP COUNTY

James H. Carver, Jr.

ASSISTANT

STATE OF OREGON,

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 4, 1958

Actual construction work shall begin on or before November 20, 1959 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1960

Complete application of the water to the proposed use shall be made on or before October 1, 19 61

WITNESS my hand this 20th day of November, 1958

Lewis A. Stanley

STATE ENGINEER

Application No. G- 1178

Permit No. G- 1110

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 4th day of August,
1958, at 2.00 o'clock P. M.

Returned to applicant:

Approved:

November 20, 1958

Recorded in book No. 5 of

1110

Ground Water Permits on page

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 8 page 39