STATE OF OREGON

COUNTY OF CLACKAMAS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

EDWIN A. HOPPER ROUTE 1 BOX 1065 HILLSBORO, OREGON 97124

503-645-0837

to use the waters of TWO WELLS in the SALMON RIVER BASIN for IRRIGATION OF 81.2 ACRES, SUPPLEMENTAL IRRIGATION OF 40.0 ACRES AND QUASI-MUNICIPAL USE TO INCLUDE LAKE MAINTENANCE.

This permit is issued approving Application G-11924. The date of priority is MAY 15, 1989. The use is limited to not more than 1.56 CUBIC FEET PER SECOND or its equivalent in case of rotation, measured at the wells.

The wells are located as follows:

NW 1/4 SW 1/4, SE 1/4 SW 1/4, SECTION 4, T 3 S, R 7 E, W.M.; WELL 1 - 3110 FEET SOUTH AND 1060 FEET EAST FROM NW CORNER, SECTION 4, WELL 2 - 1440 FEET SOUTH AND 1550 FEET EAST FROM W 1/4 CORNER, SECTION 4.

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year. This right is limited to any deficiency in the available supply of any prior right existing for the same land.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the proposed place of use under this permit is as follows:

PRIMARY

NE 1/4 SW 1/4 22.2 ACRES AND QUASI-MUNICIPAL NW 1/4 SW 1/4 15.2 ACRES AND QUASI-MUNICIPAL

SW 1/4 SW 1/4 9.4 ACRES AND QUASI-MUNICIPAL

SE 1/4 SW 1/4 28.4 ACRES AND QUASI-MUNICIPAL SECTION 4

NE 1/4 NW 1/4 3.0 ACRES AND QUASI-MUNICIPAL NW 1/4 NW 1/4 3.0 ACRES AND QUASI-MUNICIPAL

SECTION 9 TOWNSHIP 3 SOUTH, RANGE 7 EAST, W.M.

SUPPLEMENTAL

NE 1/4 SW 1/4 6.0 ACRES

NW 1/4 SW 1/4 SW 1/4 SW 1/4 10.0 ACRES

10.0 ACRES 10.0 ACRES SE 1/4 SW 1/4

SECTION 4

NE 1/4 NW 1/4 1.0 ACRE

NW 1/4 NW 1/4 3.0 ACRES

SECTION 9

TOWNSHIP 3 SOUTH, RANGE 7 EAST, W.M.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times. Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

- (1) Use of water from the well, as allowed herein, shall be regulated if the well displays:
 - (a) An average water level decline of three or more feet per year for five consecutive years; or
 - (b) A total water level decline of fifteen or more feet; or
 - (c) A hydraulic interference decline of fifteen or more feet in any neighboring well providing water for senior exempt uses or wells covered by prior rights.
- (2) The permittee/appropriator shall install a meter or other measuring device suitable to the Director, and shall keep a complete record of water uses.
- (3) The permittee/appropriator shall be responsible for complying with each of the following requirements for measuring water levels in the well.
 - (a) Use of water from a new well shall not begin until the initial water level in the well has been measured. A measurement of initial water level shall be made at the time a pump is installed, but before pumping begins.
 - (b) In addition to the measurement required in subsection (a) of this section, a water level measurement shall be made each year at the time of spring high water during the period March 15 through April 15.
 - (c) All water level measurements shall be made by a qualified individual. Qualified individuals include certified water rights examiners, licensed water well drillers, registered geologists, registered professional engineers, registered land surveyors, or the permittee/appropriator.
 - (d) Any qualified individual measuring a well shall use standard methods of procedure and equipment designed for the purpose of well measurement. The equipment used shall be well suited to the conditions of construction at the well. A list of standard methods of procedure and suitable equipment shall be available from the Department.
 - (e) The permittee/appropriator shall submit a record of the measurement to the Department on a form available from the Department. The record of measurement shall be received not later than 30 days from the date of measurement.
- (4) The Department shall determine when any of the declines cited in section (1) are evidenced by the well measurement required in section (3).

Actual construction work shall begin on or before July 8, 1992, and shall be completed on or before October 1, 1993. Complete application of the water shall be made on or before October 1, 1994.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

PAGE THREE

This permit is for beneficial use of water without waste. The water user is advised that new regulations may require use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

Issued this date, JULY 8, 1991.

/s/ WILLIAM H. YOUNG

Water Resources Department William H. Young Director