

STATE OF OREGON
COUNTY OF CLACKAMAS
PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

RAYMOND SCHWABAUER
4801 SOUTH SCONCE ROAD
HUBBARD, OREGON 97032

503-651-2569

to use the waters of ONE WELL in the PUDDING RIVER BASIN for IRRIGATION OF 46.3 ACRES AND NURSERY OPERATIONS ON 34.5 ACRES.

This Permit is issued approving Application G-12057. The date of priority is MARCH 30, 1990. The use is limited to not more than 1.44 CUBIC FEET PER SECOND, BEING 0.58 CFS FOR IRRIGATION AND 0.86 CFS FOR NURSERY OPERATIONS, or its equivalent in case of rotation, measured at the well.

The well is located as follows:

SE 1/4 SE 1/4, SECTION 2, T 5 S, R 1 WEST, W.M.; 180 FEET NORTH AND 500 FEET WEST FROM THE SE CORNER OF SECTION 2.

The amount of water used for NURSERY OPERATIONS is limited to a diversion of 0.15 cubic foot per second per acre. For the irrigation of **containerized nursery plants**, the amount of water diverted is limited to ONE-FORTIETH of one cubic foot per second (or its equivalent) and 5.0 acre feet per acre per year. For the irrigation of **in ground nursery plants** the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre per year. The use of water for NURSERY OPERATIONS may be made at anytime of the year that the use is beneficial. For the irrigation of **any other crop**, the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre during the irrigation season of each year.

The period of allowed use is March 1 through October 31 for irrigation and year round for nursery operations.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the proposed place of use under the permit is as follows:

<u>IRRIGATION</u>	<u>NURSERY</u>
SW 1/4 SW 1/4 SECTION 1	3.0 ACRES
NE 1/4 SE 1/4 NW 1/4 SE 1/4	6.1 ACRES
SW 1/4 SE 1/4	9.0 ACRES
SE 1/4 SE 1/4 SECTION 2	25.4 ACRES
NW 1/4 NE 1/4 SECTION 11	10.3 ACRES

TOWNSHIP 5 SOUTH, RANGE 1 WEST, W.M.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevations in the well at all times.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Actual construction work shall begin on or before January 13, 1995 and shall be completed on or before October 1, 1995. Complete application of the water shall be made on or before October 1, 1996.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for beneficial use of water without waste. The water user is advised that new regulations may require use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director of the Water Resources Department has found that the proposed use of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Issued this date, January 13, 1994.

15/ MARTHA O. PAGEL

Water Resources Department
Martha O. Pagel
Director